

thm_2EindexedLists_2ELENGTH_2MAP2i (TMb-WTn9VfsytvjDjv7BPJMHqfWiuFdv4FRG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1t \in 2.V1t)) P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_7E V1t2) c_2Ebool_2EF)) V0t1))))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \quad (1)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (3)$$

Let $c_2Enum_2EAbs_num : \iota$ be given. Assume the following.

$$c_2Enum_2EAbs_num \in (ty_2Enum_2Enum^{\omega}) \quad (4)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EAbs_num m)$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 13 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 15 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (5)$$

Let $c_2EindexedLists_2EMAP2i : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow c_2EindexedLists_2EMAP2i\ A_27a\ A_27b\ A_27c \in (\\ & (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27c)})^{(ty_2Elist_2Elist\ A_27b)})^{(((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum}))} \end{aligned} \quad (6)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist \\ & A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \end{aligned} \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist \\ & A_27a) \end{aligned} \quad (8)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (10)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP).$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ c_2Enum_2E0)\ V0n))) \Leftrightarrow (V0n = c_2Enum_2E0))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ c_2Enum_2ESUC\ V0m))\ (ap\ c_2Enum_2ESUC \\ & V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))) \end{aligned} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (17)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0b \in 2. (\forall V1t \in A_27a. ((ap (ap (c_2Ebool_2ECOND A_27a) V0b) V1t) \\ & V1t) = V1t))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27))))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\ & (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\ & \text{nonempty } A_27c \Rightarrow (\forall V0P \in (((2^{(ty_2Elist_2Elist A_27c)})^{(ty_2Elist_2Elist A_27b)})^{(((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum})}) \\ & (((\forall V1f \in (((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum}). (\forall V2v0 \in \\ & (ty_2Elist_2Elist A_27c). (p (ap (ap V0P V1f) (c_2Elist_2ENIL \\ & A_27b)) V2v0)))) \wedge ((\forall V3f \in (((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum}). \\ & (\forall V4v5 \in A_27b. (\forall V5v6 \in (ty_2Elist_2Elist A_27b). \\ & (p (ap (ap (ap V0P V3f) (ap (ap (c_2Elist_2ECONS A_27b) V4v5) V5v6)) \\ & (c_2Elist_2ENIL A_27c))))))) \wedge (\forall V6f \in (((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum}). \\ & (\forall V7h1 \in A_27b. (\forall V8t1 \in (ty_2Elist_2Elist A_27b). \\ & (\forall V9h2 \in A_27c. (\forall V10t2 \in (ty_2Elist_2Elist A_27c). \\ & ((p (ap (ap V0P (ap (ap (c_2Ecombin_2Eo ty_2Enum_2Enum ((A_27a^{A_27c})^{A_27b}) \\ & ty_2Enum_2Enum) V6f) c_2Enum_2ESUC)) V8t1) V10t2)) \Rightarrow (p (ap (ap \\ & (ap V0P V6f) (ap (ap (c_2Elist_2ECONS A_27b) V7h1) V8t1)) (ap (ap \\ & (c_2Elist_2ECONS A_27c) V9h2) V10t2))))))) \Rightarrow (\forall V11v \in \\ & (((A_27a^{A_27c})^{A_27b})^{ty_2Enum_2Enum}). (\forall V12v1 \in (ty_2Elist_2Elist \\ & A_27b). (\forall V13v2 \in (ty_2Elist_2Elist A_27c). (p (ap (ap (ap \\ & V0P V11v) V12v1) V13v2))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \forall A_{27c}. \\
& nonempty A_{27c} \Rightarrow ((\forall V0v0 \in (ty_2Elist_2Elist A_{27c}). (\forall V1f \in \\
& (((A_{27a}^{A_{27c}})^{A_{27b}})^{ty_2Enum_2Enum}). ((ap (ap (ap (c_2EindexedLists_2EMAP2i \\
& A_{27a} A_{27b} A_{27c}) V1f) (c_2Elist_2ENIL A_{27b})) V0v0) = (c_2Elist_2ENIL \\
& A_{27a})))) \wedge ((\forall V2v6 \in (ty_2Elist_2Elist A_{27b}). (\forall V3v5 \in \\
& A_{27b}. (\forall V4f \in (((A_{27a}^{A_{27c}})^{A_{27b}})^{ty_2Enum_2Enum}). (\\
& (ap (ap (ap (c_2EindexedLists_2EMAP2i A_{27a} A_{27b} A_{27c}) V4f) (\\
& ap (ap (c_2Elist_2ECONS A_{27b}) V3v5) V2v6)) (c_2Elist_2ENIL A_{27c})) = \\
& (c_2Elist_2ENIL A_{27a}))))))) \wedge ((\forall V5t2 \in (ty_2Elist_2Elist \\
& A_{27c}). (\forall V6t1 \in (ty_2Elist_2Elist A_{27b}). (\forall V7h2 \in \\
& A_{27c}. (\forall V8h1 \in A_{27b}. (\forall V9f \in (((A_{27a}^{A_{27c}})^{A_{27b}})^{ty_2Enum_2Enum}). (\\
& ((ap (ap (c_2EindexedLists_2EMAP2i A_{27a} A_{27b} A_{27c}) V9f) \\
& (ap (ap (c_2Elist_2ECONS A_{27b}) V8h1) V6t1)) (ap (ap (c_2Elist_2ECONS \\
& A_{27c}) V7h2) V5t2)) = (ap (ap (c_2Elist_2ECONS A_{27a}) (ap (ap (ap \\
& V9f c_2Enum_2E0) V8h1) V7h2)) (ap (ap (ap (c_2EindexedLists_2EMAP2i \\
& A_{27a} A_{27b} A_{27c}) (ap (ap (c_2Ecombin_2Eo ty_2Enum_2Enum ((A_{27a}^{A_{27c}})^{A_{27b}}) \\
& ty_2Enum_2Enum) V9f) c_2Enum_2ESUC)) V6t1) V5t2))))))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (((ap (c_2Elist_2ELENGTH A_{27a}) \\
& (c_2Elist_2ENIL A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}. (\\
& \forall V1t \in (ty_2Elist_2Elist A_{27a}). ((ap (c_2Elist_2ELENGTH \\
& A_{27a}) (ap (ap (c_2Elist_2ECONS A_{27a}) V0h) V1t)) = (ap c_2Enum_2ESUC \\
& (ap (c_2Elist_2ELENGTH A_{27a}) V1t)))))) \\
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& A_{27a}). (((ap (c_2Elist_2ELENGTH A_{27a}) V0l) = c_2Enum_2E0) \Leftrightarrow (\\
& V0l = (c_2Elist_2ENIL A_{27a}))) \\
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap c_2Enum_2ESUC V0m) = (ap c_2Enum_2ESUC V1n)) \Leftrightarrow (V0m = V1n))) \\
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
V0n) c_2Enum_2E0)))) \tag{32}$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\ & nonempty\ A_{27c} \Rightarrow (\forall V0f \in (((A_{27c}^{A_{27b}})^{A_{27a}})^{ty_2Enum_2Enum})). \\ & (\forall V1l1 \in (ty_2Elist_2Elist\ A_{27a}).(\forall V2l2 \in (ty_2Elist_2Elist \\ & A_{27b}).((ap\ (c_2Elist_2ELENGTH\ A_{27c})\ (ap\ (ap\ (ap\ (c_2EindexedLists_2EMAP2i \\ & A_{27c}\ A_{27a}\ A_{27b})\ V0f)\ V1l1)\ V2l2)) = (ap\ (ap\ c_2Earithmetic_2EMIN \\ & (ap\ (c_2Elist_2ELENGTH\ A_{27a})\ V1l1))\ (ap\ (c_2Elist_2ELENGTH\ A_{27b}) \\ & V2l2))))))) \end{aligned}$$