

thm_2EindexedLists_2ELENGTH_MAPi
(TMX4HpDMLksHCNwoafZLU5scTxqeG3Z2HJm)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (2)$$

Let $c_2EindexedLists_2EMAPi : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2EindexedLists_2EMAPi A_27a A_27b \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27b)})^{(A_27a^{A_27b})^{ty_2Enum_2Enum}}) \quad (3)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (5)$$

Definition 5 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (6)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (7)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (8)$$

Definition 6 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in ((A_27a^{A_27b})^{ty_2Enum_2Enum}).((ap\ (ap\ (c_2EindexedLists_2EMAPi\ A_27a\ A_27b)\ V0f)\ (c_2Elist_2ENIL\ A_27b)) = (c_2Elist_2ENIL\ A_27a))) \wedge \\ & (\forall V1f \in ((A_27a^{A_27b})^{ty_2Enum_2Enum}).(\forall V2h \in A_27b. \\ & (\forall V3t \in (ty_2Elist_2Elist\ A_27b).((ap\ (ap\ (c_2EindexedLists_2EMAPi\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V2h)\ V3t)) = (ap \\ & (ap\ (c_2Elist_2ECONS\ A_27a)\ (ap\ (ap\ V1f\ c_2Enum_2E0)\ V2h))\ (ap\ (\\ & ap\ (c_2EindexedLists_2EMAPi\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Ecombin_2Eo\ ty_2Enum_2Enum\ (A_27a^{A_27b})\ ty_2Enum_2Enum)\ V1f)\ c_2Enum_2ESUC)) \\ & V3t)))))) \quad (14) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (((ap\ (c_{.2Elist_{.2ELENGTH}}\ A_{.27a}) \\ & (c_{.2Elist_{.2ENIL}}\ A_{.27a})) = c_{.2Enum_{.2E0}}) \wedge (\forall V0h \in A_{.27a}.(\\ & \forall V1t \in (ty_{.2Elist_{.2Elist}}\ A_{.27a}).((ap\ (c_{.2Elist_{.2ELENGTH}} \\ A_{.27a})\ (ap\ (ap\ (c_{.2Elist_{.2ECONS}}\ A_{.27a})\ V0h)\ V1t)) = (ap\ c_{.2Enum_{.2ESUC}} \\ & (ap\ (c_{.2Elist_{.2ELENGTH}}\ A_{.27a})\ V1t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0P \in (2^{(ty_{.2Elist_{.2Elist}}\ A_{.27a})}). \\ & (((p\ (ap\ V0P\ (c_{.2Elist_{.2ENIL}}\ A_{.27a}))) \wedge (\forall V1t \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_{.27a}.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_{.2Elist_{.2ECONS}}\ A_{.27a})\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_{.2Enum_{.2Enum}}.(\forall V1n \in ty_{.2Enum_{.2Enum}}.(\\ & ((ap\ c_{.2Enum_{.2ESUC}}\ V0m) = (ap\ c_{.2Enum_{.2ESUC}}\ V1n)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (17)$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \forall V0f \in ((A_{.27b}^{A_{.27a}})^{ty_{.2Enum_{.2Enum}}}).(\forall V1l \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).((ap\ (c_{.2Elist_{.2ELENGTH}}\ A_{.27b})\ (ap\ (ap\ (c_{.2EindexedLists_{.2EMAPi}} \\ & A_{.27b}\ A_{.27a})\ V0f)\ V1l)) = (ap\ (c_{.2Elist_{.2ELENGTH}}\ A_{.27a})\ V1l)))) \end{aligned}$$