

thm_2EindexedLists_2ELIST__RELi__ind
(TMFV2sxKQChumGB5V2UjrPTvN9esQpwkckb)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{4}$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \tag{5}$$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 8 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \text{ ($
Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2ENIL } A. 27a \in (\text{ty_2Elist_2Elist } A. 27a) \quad (6)$$

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2$

Definition 10 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2$

Definition 11 We define `c_2EindexedLists_2ELIST_RELi` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0R \in (((2^{A.27b})^{A.27a}$

Assume the following.

$$\text{True} \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow \text{True}) \Leftrightarrow \text{True}) \wedge (((\text{False} \Rightarrow (p \ V0t)) \Leftrightarrow \text{True}) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow \text{True}) \wedge ((p \ V0t) \Rightarrow \text{False}) \Leftrightarrow (\neg (p \ V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \wedge (p \ V2z)) \Rightarrow ((p \ V1y) \wedge (p \ V3w)))))) \quad (10)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \vee (p \ V2z)) \Rightarrow ((p \ V1y) \vee (p \ V3w)))))) \quad (11)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A. 27a. ((p \ \text{ap } V0P \ V2x)) \Rightarrow (p \ \text{ap } V1Q \ V2x)))) \Rightarrow ((\exists V3x \in A. 27a. (p \ \text{ap } V0P \ V3x)) \Rightarrow (\exists V4x \in A. 27a. (p \ \text{ap } V1Q \ V4x)))))) \quad (12)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in (((2^{A_27b})^{A_27a})^{ty_2Enum_2Enum}).(\forall V1LIST_RELi_27 \in \\
& ((2^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27a)}).((\\
& (p\ (ap\ (ap\ V1LIST_RELi_27\ (c_2Elist_2ENIL\ A_27a))\ (c_2Elist_2ENIL \\
& A_27b))) \wedge (\forall V2h1 \in A_27a.(\forall V3h2 \in A_27b.(\forall V4l1 \in \\
& (ty_2Elist_2Elist\ A_27a).(\forall V5l2 \in (ty_2Elist_2Elist\ A_27b). \\
& (((p\ (ap\ (ap\ (ap\ V0R\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V4l1))\ V2h1)\ V3h2)) \wedge \\
& (p\ (ap\ (ap\ V1LIST_RELi_27\ V4l1)\ V5l2))) \Rightarrow (p\ (ap\ (ap\ V1LIST_RELi_27 \\
& (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V4l1)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V2h1)\ (c_2Elist_2ENIL\ A_27a))))\ (ap\ (ap\ (c_2Elist_2EAPPEND \\
& A_27b)\ V5l2)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V3h2)\ (c_2Elist_2ENIL \\
& A_27b))))))))) \Rightarrow (\forall V6a0 \in (ty_2Elist_2Elist\ A_27a).(\\
& \forall V7a1 \in (ty_2Elist_2Elist\ A_27b).((p\ (ap\ (ap\ (ap\ (c_2IndexedLists_2ELIST_RELi \\
& A_27a\ A_27b)\ V0R)\ V6a0)\ V7a1)) \Rightarrow (p\ (ap\ (ap\ V1LIST_RELi_27\ V6a0) \\
& V7a1)))))))))
\end{aligned}$$