

thm_2EindexedLists_2EMAPi__CONG (TMTKuKcVeELgjb7rziXNpJje8myvTMRsHG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 8 We define $c_2Ecombin_2Eo$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda V0f \in (A.\lambda b^{A-27c}).\lambda V1g$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{5}$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (6)$$

Let $c_2EindexedLists_2EMAPi : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2EindexedLists_2EMAPi \\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27b)})^{((A_27a^{A_27b})^{ty_2Enum_2Enum})}) \end{aligned} \quad (7)$$

Definition 10 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (8)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (9)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (10)$$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 12 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (14)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in \\
& (2^{A.27a}).((\forall V2x \in A.27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow \\
& ((\forall V3x \in A.27a.(p \ (ap \ V0P \ V3x))) \wedge (\forall V4x \in A.27a.(p \ (\\
& ap \ V1Q \ V4x)))))) \quad (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \Rightarrow (p \ V1B)) \Leftrightarrow ((\neg(p \ V0A)) \vee \\
& (p \ V1B)))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p \ V0P) \vee \\
& (p \ V1Q)) \Rightarrow (p \ V2R)) \Leftrightarrow (((p \ V0P) \Rightarrow (p \ V2R)) \wedge ((p \ V1Q) \Rightarrow (p \ V2R)))))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (23)
\end{aligned}$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \Rightarrow (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in (2^{A.27a}).(\forall V1v \in A.27a.((\forall V2x \in A.27a.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \Rightarrow (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c.nonempty A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1g \in (A.27a^{A.27c}).(\forall V2x \in A.27c.((ap (ap (ap (c.2Ecombin_2Eo A.27c A.27b A.27a) V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \Rightarrow (26)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow ((\forall V0f \in ((A.27a^{A.27b})^{ty_2Enum_2Enum}).((ap (ap (c.2EindexedLists_2EMAPi A.27a A.27b) V0f) (c.2Elist_2ENIL A.27b)) = (c.2Elist_2ENIL A.27a)))) \wedge ((\forall V1f \in ((A.27a^{A.27b})^{ty_2Enum_2Enum}).(\forall V2h \in A.27b.(\forall V3t \in (ty_2Elist_2Elist A.27b).((ap (ap (c.2EindexedLists_2EMAPi A.27a A.27b) V1f) (ap (ap (c.2Elist_2ECONS A.27b) V2h) V3t)) = (ap (ap (c.2Elist_2ECONS A.27a) (ap (ap V1f c.2Enum_2E0) V2h)) (ap (ap (c.2EindexedLists_2EMAPi A.27a A.27b) (ap (ap (c.2Ecombin_2Eo ty_2Enum_2Enum (A.27a^{A.27b}) ty_2Enum_2Enum) V1f) c.2Enum_2ESUC) V3t)))))) \Rightarrow (27)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A.27a)}).(((p (ap V0P (c.2Elist_2ENIL A.27a)))) \wedge (\forall V1t \in (ty_2Elist_2Elist A.27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A.27a.(p (ap V0P (ap (ap (c.2Elist_2ECONS A.27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist A.27a).(p (ap V0P V3l)))))) \Rightarrow (28)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0a0 \in A.27a.(\forall V1a1 \in (ty_2Elist_2Elist A.27a).(\forall V2a0.27 \in A.27a.(\forall V3a1.27 \in (ty_2Elist_2Elist A.27a).(((ap (ap (c.2Elist_2ECONS A.27a) V0a0) V1a1) = (ap (ap (c.2Elist_2ECONS A.27a) V2a0.27) V3a1.27)) \Leftrightarrow ((V0a0 = V2a0.27) \wedge (V1a1 = V3a1.27)))))) \Rightarrow (29)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0x \in A_{27a}. ((p (ap (ap \\
& (c_2Ebool_2EIN A_{27a}) V0x) (ap (c_2Elist_2ELIST_TO_SET A_{27a}) \\
& (c_2Elist_2ENIL A_{27a})))) \Leftrightarrow \text{False})) \wedge (\forall V1x \in A_{27a}. (\forall V2h \in \\
& A_{27a}. (\forall V3t \in (ty_2Elist_2Elist A_{27a}). ((p (ap (ap (c_2Ebool_2EIN \\
& A_{27a}) V1x) (ap (c_2Elist_2ELIST_TO_SET A_{27a}) (ap (ap (c_2Elist_2ECONS \\
& A_{27a}) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (ap (ap (c_2Ebool_2EIN A_{27a}) \\
& V1x) (ap (c_2Elist_2ELIST_TO_SET A_{27a}) V3t))))))))))
\end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\\
& \forall V0l1 \in (ty_2Elist_2Elist A_{27a}). (\forall V1l2 \in (ty_2Elist_2Elist \\
& A_{27a}). (\forall V2f1 \in ((A_{27b}^{A_{27a}})^{ty_2Enum_2Enum}). (\forall V3f2 \in \\
& ((A_{27b}^{A_{27a}})^{ty_2Enum_2Enum}). (((V0l1 = V1l2) \wedge (\forall V4x \in \\
& A_{27a}. (\forall V5n \in ty_2Enum_2Enum). ((p (ap (ap (c_2Ebool_2EIN \\
& A_{27a}) V4x) (ap (c_2Elist_2ELIST_TO_SET A_{27a}) V1l2)))) \Rightarrow ((ap \\
& (ap V2f1 V5n) V4x) = (ap (ap V3f2 V5n) V4x)))))) \Rightarrow ((ap (ap (c_2EindexedLists_2EMAPi \\
& A_{27b} A_{27a}) V2f1) V0l1) = (ap (ap (c_2EindexedLists_2EMAPi A_{27b} \\
& A_{27a}) V3f2) V1l2))))))
\end{aligned}$$