

# thm\_2EindexedLists\_2EMAPi\_GENLIST (TMYsgxuHrjNQf8ZK15fiE1aUAyYNS1LtKBm)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Ecombin\_2E\_2S$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 6** We define  $c\_2Ecombin\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2EindexedLists\_2EMAPi : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2EindexedLists\_2EMAPi A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27b)})^{(A\_27a^{A\_27b})^{ty\_2Enum\_2Enum}}) \quad (3)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELENGTH A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

Let  $c\_2Elist\_2EHD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EHD\ A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (5)$$

Let  $c\_2Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEL\ A\_27a \in ((A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 8** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}). \lambda V1g$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (7)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num)$

Let  $c\_2Elist\_2EGENLIST\_AUX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\_AUX\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum})^{(A\_27a^{ty\_2Enum\_2Enum})} \quad (11)$$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (12)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (13)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Enum\_2Enum)})^{(A\_27a^{ty\_2Enum\_2Enum})}) \quad (14)$$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{18}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = \\ & V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap V0f V2x) = (ap V1g V2x)))))) \end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ & nonempty A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27a^{A\_27c}). \\ & (\forall V2x \in A\_27c.((ap (ap (ap (c\_2Ecombin\_2Eo A\_27c A\_27b A\_27a) \\ & V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ & nonempty A\_27c \Rightarrow (\forall V0f \in ((A\_27c^{A\_27b})^{A\_27a}).(\forall V1g \in \\ & (A\_27b^{A\_27a}).(\forall V2x \in A\_27a.((ap (ap (ap (c\_2Ecombin\_2ES \\ & A\_27a A\_27b A\_27c) V0f) V1g) V2x) = (ap (ap V0f V2x) (ap V1g V2x)))))) \end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ & nonempty A\_27c \Rightarrow (\forall V0f \in ((A\_27c^{A\_27b})^{A\_27a}).(\forall V1x \in \\ & A\_27b.(\forall V2y \in A\_27a.((ap (ap (ap (c\_2Ecombin\_2EC A\_27a A\_27b \\ & A\_27c) V0f) V1x) V2y) = (ap (ap V0f V2y) V1x)))))) \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& (\forall V0f \in ((A.27a^{A.27b})_{ty\_2Enum\_2Enum}).((ap\ (ap\ (c.2EindexedLists\_2EMAPi \\
& A.27a\ A.27b)\ V0f)\ (c.2Elist\_2ENIL\ A.27b)) = (c.2Elist\_2ENIL\ A.27a))) \wedge \\
& (\forall V1f \in ((A.27a^{A.27b})_{ty\_2Enum\_2Enum}).(\forall V2h \in A.27b. \\
& (\forall V3t \in (ty\_2Elist\_2Elist\ A.27b).((ap\ (ap\ (c.2EindexedLists\_2EMAPi \\
& A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist\_2ECONS\ A.27b)\ V2h)\ V3t)) = (ap \\
& (ap\ (c.2Elist\_2ECONS\ A.27a)\ (ap\ (ap\ V1f\ c.2Enum\_2E0)\ V2h))\ (ap\ ( \\
& ap\ (c.2EindexedLists\_2EMAPi\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Ecombin\_2Eo \\
& ty\_2Enum\_2Enum\ (A.27a^{A.27b})\ ty\_2Enum\_2Enum)\ V1f)\ c.2Enum\_2ESUC) \\
& V3t)))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\
& (ty\_2Elist\_2Elist\ A.27a).((ap\ (c.2Elist\_2EHD\ A.27a)\ (ap\ (ap\ ( \\
& c.2Elist\_2ECONS\ A.27a)\ V0h)\ V1t)) = V0h))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Elist\_2ELENGTH\ A.27a) \\
& (c.2Elist\_2ENIL\ A.27a)) = c.2Enum\_2E0) \wedge (\forall V0h \in A.27a.( \\
& \forall V1t \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (c.2Elist\_2ELENGTH \\
& A.27a)\ (ap\ (ap\ (c.2Elist\_2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ c.2Enum\_2ESUC \\
& (ap\ (c.2Elist\_2ELENGTH\ A.27a)\ V1t)))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A.27a)}). \\
& (((p\ (ap\ V0P\ (c.2Elist\_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c.2Elist\_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a0 \in A.27a.(\forall V1a1 \in \\
& (ty\_2Elist\_2Elist\ A.27a).(\forall V2a0.27 \in A.27a.(\forall V3a1.27 \in \\
& (ty\_2Elist\_2Elist\ A.27a).(((ap\ (ap\ (c.2Elist\_2ECONS\ A.27a)\ V0a0) \\
& V1a1) = (ap\ (ap\ (c.2Elist\_2ECONS\ A.27a)\ V2a0.27)\ V3a1.27)) \Leftrightarrow ((V0a0 = \\
& V2a0.27) \wedge (V1a1 = V3a1.27)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0n \in ty\_2Enum\_2Enum. (\forall V1l \in A\_27b. (\forall V2ls \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27b). (((ap\ (c\_2Elist\_2EEL\ A\_27a)\ c\_2Enum\_2E0) = \\
& \quad (c\_2Elist\_2EHD\ A\_27a)) \wedge ((ap\ (ap\ (c\_2Elist\_2EEL\ A\_27b)\ (ap\ c\_2Enum\_2ESUC \\
& \quad V0n))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ V1l)\ V2ls)) = (ap\ (ap\ (c\_2Elist\_2EEL \\
& \quad A\_27b)\ V0n)\ V2ls))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ \\
& \quad V0f)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ ( \\
& \quad ap\ V0f\ c\_2Enum\_2E0))\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ (ap\ (ap \\
& \quad (c\_2Ecombin\_2Eo\ ty\_2Enum\_2Enum\ A\_27a\ ty\_2Enum\_2Enum)\ V0f)\ c\_2Enum\_2ESUC)) \\
& \quad V1n))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum. (((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ \\
& \quad V0f)\ c\_2Enum\_2E0) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge ((ap\ (ap\ (c\_2Elist\_2EGENLIST \\
& \quad A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n)) = (ap\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\_AUX \\
& \quad A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n))\ (c\_2Elist\_2ENIL \\
& \quad A\_27a))))))
\end{aligned} \tag{30}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0l \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1f \in ((A\_27b^{A\_27a})^{ty\_2Enum\_2Enum}). \\
& \quad ((ap\ (ap\ (c\_2EindexedLists\_2EMAPi\ A\_27b\ A\_27a)\ V1f)\ V0l) = (ap\ ( \\
& \quad ap\ (c\_2Elist\_2EGENLIST\ A\_27b)\ (ap\ (ap\ (c\_2Ecombin\_2ES\ ty\_2Enum\_2Enum \\
& \quad A\_27a\ A\_27b)\ V1f)\ (ap\ (ap\ (c\_2Ecombin\_2EC\ ty\_2Enum\_2Enum\ (ty\_2Elist\_2Elist \\
& \quad A\_27a)\ A\_27a)\ (c\_2Elist\_2EEL\ A\_27a)\ V0l)))\ (ap\ (c\_2Elist\_2ELENGTH \\
& \quad A\_27a)\ V0l))))))
\end{aligned}$$