

thm_2EintExtension_2EINT__LT__ADD__NEG
(TMN-
qBohMjBPQwvT4FudoNkSCV5hdeaScYZQ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{3}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})ty_2Einteger_2Eint) \tag{4}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 6 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \quad (5)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (7)$$

Definition 7 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 8 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$. (ap $c_2Einteger_2Eint$...)

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \quad (8)$$

Definition 9 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$. $\lambda V1T2 \in ty_2Einteger$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (10)$$

Definition 10 We define c_2Enum_2E0 to be (ap $c_2Enum_2EABS_num$ $c_2Enum_2EZERO_REP$).

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (11)$$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \quad (12)$$

Definition 11 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$. $\lambda V1T2 \in ty_2Einteger$

Definition 12 We define c_2Ebool_2EF to be (ap (c_2Ebool_2E21 2) ($\lambda V0t \in 2.V0t$)).

Definition 13 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o$ ($p P \Rightarrow p Q$) of type ι .

Definition 14 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap \text{ c_2Ebool_2E_21 } 2) (\lambda V2t \in$

Definition 15 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap \text{ c_2Ebool_2E_21 } 2) (\lambda V2t \in$

Definition 16 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap \text{ c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2E}$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B))))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. ((ap\ c_2Einteger_2Eint_neg (ap (ap\ c_2Einteger_2Eint_add V0x) V1y)) = (ap (ap\ c_2Einteger_2Eint_add (ap\ c_2Einteger_2Eint_neg V0x)) (ap\ c_2Einteger_2Eint_neg V1y)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.(((p (ap (ap\ c_2Einteger_2Eint_lt (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) (ap\ c_2Einteger_2Eint_neg V0x))) \Leftrightarrow (p (ap (ap\ c_2Einteger_2Eint_lt V0x) (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. (((p (ap (ap\ c_2Einteger_2Eint_lt (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) V0x)) \wedge (p (ap (ap\ c_2Einteger_2Eint_lt (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap\ c_2Einteger_2Eint_lt (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) (ap (ap\ c_2Einteger_2Eint_add V0x) V1y)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (37)$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. \\ & (((p (ap (ap c_2Einteger_2Eint_lt V0x) (ap c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))) \wedge (p (ap (ap c_2Einteger_2Eint_lt V1y) (ap c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)))) \Rightarrow (p (ap (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_add \\ & V0x) V1y)) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))))) \end{aligned}$$