

thm_2Eint_arith_2EINT_NUM_ODD
(TMXCVq69Q2nchZwZktEpf6CbbpYF763uhBc)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{3}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{ty_2Einteger_2Eint}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_27$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a})))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E_40\ (ty_2Einteger_2Eint_REP_CLASS\ a)))$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \tag{5}$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_ABS)$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (8)$$

Definition 8 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21))$

Definition 12 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A^{27a} : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_3D_3D_3E\ P))))$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (9)$$

Definition 14 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 15 We define $c_2Einteger_2Eint_divides$ to be $\lambda V0p \in ty_2Einteger_2Eint.\lambda V1q \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (10)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (12)$$

Definition 16 We define $c_Ebool_E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21) 2) (\lambda V2t \in 2)))$.
Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \quad (13)$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \quad (14)$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \quad (15)$$

Definition 17 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap c_Enum_EABS_num)$.

Definition 18 We define $c_Eprim_rec_E_3C$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Definition 19 We define $c_Earithmetic_E_3E$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Definition 20 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21) 2) (\lambda V2t \in 2)))$.

Definition 21 We define $c_Earithmetic_E_3E_3D$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Definition 22 We define $c_Earithmetic_E_3C_3D$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$.

Let $c_Enum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_EZERO_REP \in \omega \quad (16)$$

Definition 23 We define c_Enum_E0 to be $(ap c_Enum_EABS_num c_Enum_EZERO_REP)$.

Definition 24 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 25 We define $c_Eprim_rec_EPRE$ to be $\lambda V0m \in ty_Enum_Enum.(ap (ap (ap (c_Ebool_E_21) 2) (\lambda V2t \in 2)))$

Let $c_Earithmetic_EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_EEXP \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (17)$$

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (18)$$

Let $c_Earithmetic_E_2A : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2A \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (19)$$

Definition 26 We define $c_Enumeral_EiZ$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Definition 27 We define `c_2Earithmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `c_2Earithmetic_2E_2B` : ι be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (20)$$

Definition 28 We define `c_2Earithmetic_2EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B V0n))$

Definition 29 We define `c_2Earithmetic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B V0n))$

Definition 30 We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p (ap c_2Earithmetic_2EODD V0n)) \Leftrightarrow (\neg(p (ap c_2Earithmetic_2EEVEN V0n))))) \quad (21)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p (ap c_2Earithmetic_2EEVEN V0n)) \Leftrightarrow (\exists V1m \in ty_2Enum_2Enum.(V0n = (ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)) V1m))))) \quad (22)$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in \\ & (2^{A.27a}).((\forall V2x \in A.27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A.27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A.27a.(p (\\ & ap V1Q V4x)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A_27a}). ((p\ V0P) \vee (\exists V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in \\ A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ (p\ V0A)))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in \\ A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (\\ ap\ V0f\ V1v)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0P \in ((2^{A_27b})^{A_27a}). ((\forall V1x \in A_27a. (\exists V2y \in \\ A_27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A_27b^{A_27a}). (\\ \forall V4x \in A_27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\ ((ap\ (ap\ c_2Einteger_2Eint_mul\ V1x)\ V0y) = (ap\ (ap\ c_2Einteger_2Eint_mul \\ V0y)\ V1x)))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ (\neg((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Eint_lt \\ V1y)\ V0x)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ ((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V0x)\ V1y)) \Leftrightarrow ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt \\ V0x)\ V1y)) \vee (V0x = V1y)))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (((ap (ap c_2Einteger_2Eint_mul V0x) V1y) = (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) \Leftrightarrow ((V0x = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \vee \\
& (V1y = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap c_2Einteger_2Eint_of_num \\
& V0n))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap c_2Einteger_2Eint_of_num V0m) = (ap c_2Einteger_2Eint_of_num \\
& V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_of_num \\
& V0m)) (ap c_2Einteger_2Eint_of_num V1n)) = (ap c_2Einteger_2Eint_of_num \\
& (ap (ap c_2Earithmic_2E_2A V0m) V1n))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& V0n)) (ap c_2Einteger_2Eint_of_num V1m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num V0n)) (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num V1m)))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& V1m) V0n))) \wedge (((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num V0n)) (ap c_2Einteger_2Eint_of_num \\
& V1m))) \Leftrightarrow ((\neg(V0n = c_2Enum_2E0)) \vee (\neg(V1m = c_2Enum_2E0)))) \wedge ((p \\
& (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& V0n)) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& V1m)))) \Leftrightarrow False))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0i \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0i)) \Rightarrow (\exists V1n \in \\
& ty_2Enum_2Enum. (V0i = (ap c_2Einteger_2Eint_of_num V1n))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty_2Einteger_2Eint. (\forall V1q \in ty_2Einteger_2Eint. \\
& (((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_mul V0p) V1q))) \Leftrightarrow (((\\
& p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) V0p)) \wedge (p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) V1q))) \vee ((p (ap (ap c_2Einteger_2Eint_lt V0p) (\\
& ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) \wedge (p (ap (ap c_2Einteger_2Eint_lt \\
& V1q) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))))) \wedge ((p (\\
& ap (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_mul V0p) \\
& V1q)) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow (((p (ap \\
& (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \\
& V0p)) \wedge (p (ap (ap c_2Einteger_2Eint_lt V1q) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)))))) \vee ((p (ap (ap c_2Einteger_2Eint_lt V0p) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))) \wedge (p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) V1q)))))))))
\end{aligned}$$

(54)

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((c_2Earithmetic_2EZERO = (ap\ c_2Earithmetic_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c_2Earithmetic_2EBIT1\ V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((c_2Earithmetic_2EZERO = (ap\ c_2Earithmetic_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c_2Earithmetic_2EBIT1\ V0n) = (ap\ c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = (ap\ c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT1\ V0n) = (ap\ c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = (ap\ c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))))) \\
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmetic_2EZERO)\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmetic_2EZERO) \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& V0n)\ c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow \\
& (\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1m)\ V0n)))) \wedge ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))))))))) \\
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
\end{aligned} \tag{61}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{67}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{68}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{69}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{70}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{71}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{72}$$

Theorem 1

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((p (ap c_2Earithmetic_2EODD V0n)) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Integer_2Eint_divides (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))) \\
& (ap c_2Einteger_2Eint_of_num V0n))))))
\end{aligned}$$