

thm\_2Eint\_arith\_2Ecan\_get\_big  
(TMb2pvNco1t6i63H3wNMMeAL4datdjZHzQp)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{3}$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \tag{4}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum})^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum}) \tag{5}$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (6)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (7)$$

**Definition 6** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 7** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

**Definition 8** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\ 0))))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{omega} \quad (9)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (10)$$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (11)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (12)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint\_neg\ T1)$

**Definition 12** We define  $c\_2Einteger\_2Eint\_sub$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.\lambda V1y \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (13)$$

**Definition 13** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$ .

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 15** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

**Definition 17** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

**Definition 18** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

Assume the following.

$$True \tag{14}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{18}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{21}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p\ V0P) \vee (\exists V2x \in A.27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V3x))))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0P \in ((2^{A.27b})^{A.27a}).((\forall V1x \in A.27a.(\exists V2y \in A.27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A.27a}).(\forall V4x \in A.27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2d \in ty\_2Einteger\_2Eint.((p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ c.2Einteger\_2Eint\_of\_num\ c.2Enum\_2E0)\ V2d)) \Rightarrow (\exists V3c \in ty\_2Einteger\_2Eint.((p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ c.2Einteger\_2Eint\_of\_num\ c.2Enum\_2E0)\ V3c)) \wedge (p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ (ap\ c.2Einteger\_2Eint\_sub\ V1y)\ (ap\ (ap\ c.2Einteger\_2Eint\_mul\ V3c)\ V2d)))\ V0x))))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2z \in ty\_2Einteger\_2Eint.((p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ (ap\ (ap\ c.2Einteger\_2Eint\_sub\ V0x)\ V1y))\ V2z)) \Leftrightarrow (p\ (ap\ (ap\ c.2Einteger\_2Eint\_lt\ V0x)\ (ap\ (ap\ c.2Einteger\_2Eint\_add\ V2z)\ V1y)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (38)$$

**Theorem 1**

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2d \in ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V2d)) \Rightarrow (\exists V3c \in ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V3c)) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt V0x) (ap (ap c\_2Einteger\_2Eint\_add V1y) (ap (ap c\_2Einteger\_2Eint\_mul V3c) V2d))))))))))$$