

thm_2Eint_arith_2Etop_and_lessers
 (TMHpQu7An2az6mDiU989Haz8SJWxp8Aui4v)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow & nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (2)$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (3)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (4)$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (5)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)} \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}} \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (12)$$

Definition 11 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n)\ 0)$

Definition 12 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)} \quad (13)$$

Definition 13 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (14)$$

Definition 14 We define c_2Ebool_E3F to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^A \rightarrow 27a)).(ap\ V0P\ (ap\ (c_2Emin\ 2E40$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Enum_2Enum)}) \quad (15)$$

Definition 15 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_neg\ V)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\\ty_2Enum_2Enum)(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\\(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \quad (16)$$

Definition 16 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger.$

Definition 17 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint. \lambda V1y \in ty_2Einteger_2Eint.$

Definition 18 We define c_marker_Abbrev to be $\lambda V0x \in 2.V0x$.

Definition 19 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t\in 2.V0t))$.

Definition 20 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 21 We define $c_2Eb00_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Eb00_2E_7E))$

Definition 22 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21)2)(\lambda V2t \in$

Definition 23 We define $c_2Eprim_rec_2E\lambda C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 24 We define $\in \mathbb{E}\text{bool}$ to be $(\lambda V0t_1 \in 2, (\lambda V1t_2 \in 2, ap(\in \mathbb{E}\text{bool}, 21, 2)), (\lambda V2t_3 \in$

Assume the following

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (an \in 2Enum_2ESUC_V1n))))) \quad (17)$$

Assume the following

Trye (18)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2))))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (26)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \quad (27)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (28)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t))))))) \end{aligned} \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\ & V2x) (ap (ap c_2Einteger_2Eint_add V1y) V0z)) = (ap (ap c_2Einteger_2Eint_add \\ & (ap (ap c_2Einteger_2Eint_add V2x) V1y)) V0z))))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. (\neg(p (ap (ap c_2Einteger_2Eint_lt \\ V0x) V0x)))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\ (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0x) = V0x)) \quad (38)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\ (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\ (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x)) \quad (39)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (\forall V2z \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
 & (ap (ap c_2Einteger_2Eint_add V0x) V1y)) V2z) = (ap (ap c_2Einteger_2Eint_add \\
 & (ap (ap c_2Einteger_2Eint_mul V0x) V2z)) (ap (ap c_2Einteger_2Eint_mul \\
 & V1y) V2z)))))))
 \end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_add V0x) \\
 & V1y)) = (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
 & V0x)) (ap c_2Einteger_2Eint_neg V1y))))))
 \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
 & (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0x) = (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0)))
 \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_lt \\
 & (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap c_2Einteger_2Eint_neg \\
 & V0x))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_lt V0x) (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))))) \\
 & (43)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Einteger_2Eint_of_num \\
 & (ap c_2Enum_2ESUC V0n)) = (ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
 & V0n)) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
 \end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
 & V0m)) (ap c_2Einteger_2Eint_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
 & V0m) V1n))))) \\
 & (45)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
 & ((ap c_2Einteger_2Eint_of_num V0m) = (ap c_2Einteger_2Eint_of_num \\
 & V1n)) \Leftrightarrow (V0m = V1n)))
 \end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty_2Einteger_2Eint. ((\exists V1n \in ty_2Enum_2Enum. \\
& ((V0p = (ap c_2Einteger_2Eint_of_num V1n)) \wedge (\neg(V1n = c_2Enum_2E0)))) \vee \\
& ((\exists V2n \in ty_2Enum_2Enum. ((V0p = (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num V2n))) \wedge (\neg(V2n = c_2Enum_2E0)))) \vee \\
& (V0p = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))))) \\
& (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap (ap c_2Einteger_2Eint_sub V0x) V1y) = (ap (ap c_2Einteger_2Eint_add \\
& V0x) (ap c_2Einteger_2Eint_neg V1y)))))) \\
& (48)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap c_2Enum_2ESUC V0n) = c_2Enum_2E0))) \quad (49)$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap V0P V2n)))))) \\
& (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& ((ap c_2Enum_2ESUC V0m) = (ap c_2Enum_2ESUC V1n)) \Leftrightarrow (V0m = V1n))) \\
& (51)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
V0n) c_2Enum_2E0)))) \quad (52)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& (ap c_2Enum_2ESUC V0n)))) \\
& (53)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (55)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
& (56)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (58)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q)) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q)) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q)) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (65)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (67)$$

Theorem 1
$$\begin{aligned} & (\forall V0P \in (2^{ty_2Einteger_2Eint}).(\forall V1d \in ty_2Einteger_2Eint. \\ & (\forall V2x0 \in ty_2Einteger_2Eint.((\forall V3x \in ty_2Einteger_2Eint. \\ & ((p (ap V0P V3x)) \Rightarrow (p (ap V0P (ap (ap c_2Einteger_2Eint_sub V3x) \\ & V1d)))) \wedge (p (ap V0P V2x0))) \Rightarrow (\forall V4c \in ty_2Einteger_2Eint. \\ & ((p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0) V4c)) \Rightarrow (p (ap V0P (ap (ap c_2Einteger_2Eint_sub \\ & V2x0) (ap (ap c_2Einteger_2Eint_mul V4c) V1d)))))))))) \end{aligned}$$