

thm_2Eint_bitwise_2Eint_bit_or
(TMVY4VLfp5xnUfBWVHyZKHzmTu7vDqwA24N)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})\ V0P)\ P)\ A_27a)\ A_27a))$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

nonempty *ty_2Einteger_2Eint*

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty ty_2Enum_2Enum (2)

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (3)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Einteger_2ENum$ to be $\lambda V o \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E_40\ ty_2En$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (5)$$

Definition 9 We define c_2Enum_2E0 to be ($ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP$).

Definition 10 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREPE_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (7)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Definition 12 We define $c_2Earthmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic$

Definition 13 We define $c_2Earthmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c.2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let c_2 be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (10)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \text{nonempty } A \Rightarrow \text{nonempty} (\text{ty_2Elist_2Elist } A) \quad (11)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\\ A_27a) \rightarrow (ty_2Elist_2Elist\ A_27a)) \rightarrow A_27a) \quad (12)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A \exists a. \text{nonempty } A \Rightarrow c \in \text{Elist_ENIL } A \exists a \in (\text{ty_Elist_Elist } A) \quad (13)$$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E..21\ 2)\ (\lambda V2t \in$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A._27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A._27a.(\lambda V2t2 \in A._27a.($

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 17 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 18 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27b) A_27c)$

Definition 19 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E))$

Definition 20 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a})). (ap V0P (ap (c_2Emin_2E_40 V0P)))$

Definition 21 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap (c_2Ebool_2E_21 V0R))$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (14)$$

Definition 22 We define $c_2Erelation_2EREstrict$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1f \in (A_27a^{A_27b})$

Definition 23 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in (A_27b^{A_27a})$

Definition 24 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b^{A_27a})$

Definition 25 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b^{A_27a})$

Definition 26 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b^{A_27a})$

Definition 27 We define $c_2Eint_bitwise_2Ebits_of_num$ to be $(ap (ap (c_2Erelation_2EWFREC ty_2Enum V0R) A_27a) A_27b)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty A0 \Rightarrow & \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ & A0 A1) \end{aligned} \quad (15)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (16)$$

Definition 28 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2Eprod A_27a A_27b) V0x V1y)$

Definition 29 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2EBIT1 V0n) V0n)$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) ty_2Einteger_2Eint_REP_CLASS}) ty_2Einteger_2Eint_REP_CLASS) \quad (17)$$

Definition 30 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty_2Einteger_2Eint V0a) V0a) V0a)$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)_{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (18)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (19)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod ty_2Enum_2Enum)}} \quad (20)$$

Definition 31 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Definition 32 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)_{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (21)$$

Definition 33 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 34 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger$

Definition 35 We define $c_2Eint_bitwise_2Eint_not$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap (ap c_2Einteger$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Elist_2EMAP_{A_27a A_27b} \in (((ty_2Elist_2Elist A_27b)_{(ty_2Elist_2Elist A_27a)})_{(A_27b^{\text{A_27a}})}) \quad (22)$$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (23)$$

Definition 36 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 37 We define $c_2Eint_bitwise_2Ebits_of_int$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap (ap (ap (c_2Eint_bitwise_2Ebits_of_int$

Let $c_2Eint_bitwise_2Ebits_bitwise : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c.\text{nonempty } A_27c \Rightarrow c_2Eint_bitwise_2Ebits_bitwise_{A_27c} \in (((((ty_2Epair_2Eprod (ty_2Elist_2Elist A_27a) A_27a)_{(ty_2Epair_2Eprod (ty_2Elist_2Elist A_27c) A_27c)})_{(A_27c^{\text{A_27a}})})_{(A_27a^{\text{A_27c}})})_{(A_27a^{\text{A_27c}})}) \quad (24)$$

Let $c_2Eint_bitwise_2Eint_of_bits : \iota$ be given. Assume the following.

$$c_2Eint_bitwise_2Eint_of_bits \in (ty_2Einteger_2Eint)^{(ty_2Epair_2Eprod (ty_2Elist_2Elist 2) 2)} \quad (25)$$

Definition 38 We define $c_2Eint_bitwise_2Eint_bitwise$ to be $\lambda V0f \in ((2^2)^2).(\lambda V1i \in ty_2Einteger_2Eint.$

Definition 39 We define $c_2Eint_bitwise_2Eint_or$ to be $(ap\ c_2Eint_bitwise_2Eint_bitwise\ c_2Ebool_2E_5C$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (26)$$

Definition 40 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (27)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (28)$$

Definition 41 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 42 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2i \in$

Definition 43 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ c_2Eint_bitwise_2Eint_bit\ V0b)$

Definition 44 We define $c_2Eint_bitwise_2Eint_bit$ to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1i \in ty_2Einteger_2Eint.$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(\forall V1f \in ((2^2)^2).(\forall V2i \in \\ & ty_2Einteger_2Eint.(\forall V3j \in ty_2Einteger_2Eint.((p (ap \\ & (ap\ c_2Eint_bitwise_2Eint_bit\ V0n) (ap (ap (ap\ c_2Eint_bitwise_2Eint_bitwise \\ & V1f) V2i) V3j))) \Leftrightarrow (p (ap (ap\ V1f (ap (ap\ c_2Eint_bitwise_2Eint_bit \\ & V0n) V2i)) (ap (ap\ c_2Eint_bitwise_2Eint_bit\ V0n) V3j))))))) \\ & (29) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0j \in ty_2Einteger_2Eint.(\forall V1i \in ty_2Einteger_2Eint. \\ & (\forall V2n \in ty_2Enum_2Enum.((p (ap (ap\ c_2Eint_bitwise_2Eint_bit_bit \\ & V2n) (ap (ap\ c_2Eint_bitwise_2Eint_or\ V1i) V0j))) \Leftrightarrow ((p (ap (ap \\ & c_2Eint_bitwise_2Eint_bit\ V2n) V1i)) \vee (p (ap (ap\ c_2Eint_bitwise_2Eint_bit \\ & V2n) V0j))))))) \end{aligned}$$