

thm_2Eint_bitwise_2Eint_bit_xor (TMR- SWeFfF5GBfUowx.Jb2ZFzQsLMaY22eqVY)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_27E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let `ty_2Einteger_2Eint` : ι be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let `c_2Einteger_2Eint_of_num` : ι be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \tag{3}$$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 8 We define `c_2Einteger_2Enum` to be $\lambda V0i \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 ty_2Enum$

Let `c_2Enum_2EZERO_REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{4}$$

Let `c_2Enum_2EABS_num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 10 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 12 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (10)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (11)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (12)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (13)$$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 17 We define `c_2Ecombin_2ES` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda A.27c : \iota. (\lambda V0f \in ((A.27c^{A.27b})^{A.27a}))$

Definition 18 We define `c_2Ecombin_2EI` to be $\lambda A.27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A.27a) (A.27a^{A.27a})))$

Definition 19 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap } V0P) (\text{ap } (\text{c_2Emin_2E_40})))$

Definition 20 We define `c_2ERelation_2EWF` to be $\lambda A.27a : \iota. \lambda V0R \in ((2^{A.27a})^{A.27a}). (\text{ap } (\text{c_2Ebool_2E_21}))$

Let `c_2Ebool_2EARB` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \text{c_2Ebool_2EARB } A.27a \in A.27a \quad (14)$$

Definition 21 We define `c_2ERelation_2ERESTRICT` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0f \in (A.27b^{A.27a}). \lambda V1$

Definition 22 We define `c_2ERelation_2ETC` to be $\lambda A.27a : \iota. \lambda V0R \in ((2^{A.27a})^{A.27a}). \lambda V1a \in A.27a. \lambda V2b$

Definition 23 We define `c_2ERelation_2Eapprox` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0R \in ((2^{A.27a})^{A.27a}). \lambda V1M$

Definition 24 We define `c_2ERelation_2Ethe_fun` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0R \in ((2^{A.27a})^{A.27a}). \lambda V1M$

Definition 25 We define `c_2ERelation_2EWFREC` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0R \in ((2^{A.27a})^{A.27a}). \lambda V1M$

Definition 26 We define `c_2Eint_bitwise_2Ebits_of_num` to be $(\text{ap } (\text{ap } (\text{c_2ERelation_2EWFREC } \text{ty_2Enum})))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 \ A1) \quad (15)$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c_2Epair_2EABS_prod } A.27a \ A.27b \in ((\text{ty_2Epair_2Eprod } A.27a \ A.27b)^{(2^{A.27b})^{A.27a}}) \quad (16)$$

Definition 27 We define `c_2Epair_2E_2C` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0x \in A.27a. \lambda V1y \in A.27b. (\text{ap } (\text{c_2E})))$

Definition 28 We define `c_2Earithmetic_2EBIT1` to be $\lambda V0n \in \text{ty_2Enum_2Enum}. (\text{ap } (\text{ap } (\text{c_2Earithmetic})))$

Let `c_2Einteger_2Eint_REP_CLASS` : ι be given. Assume the following.

$$\text{c_2Einteger_2Eint_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})})^{\text{ty_2Einteger_2Eint}}) \quad (17)$$

Definition 29 We define `c_2Einteger_2Eint_REP` to be $\lambda V0a \in \text{ty_2Einteger_2Eint}. (\text{ap } (\text{c_2Emin_2E_40 } (t)))$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (18)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (19)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (20)$$

Definition 30 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 31 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (21)$$

Definition 32 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 33 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger$

Definition 34 We define $c_2Eint_bitwise_2Eint_not$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap\ (ap\ c_2Einteger$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)\ (ty_2Elist_2Elist\ A_27a))\ (A_27b^{A_27a})) \quad (22)$$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (23)$$

Definition 35 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 36 We define $c_2Eint_bitwise_2Ebits_of_int$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap\ (ap\ (ap\ (c$

Let $c_2Eint_bitwise_2Ebits_bitwise : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b.\nonempty\ A_27c \Rightarrow c_2Eint_bitwise_2Ebits_bitwise\ A_27c \in (((ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a)\ A_27a)\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27c)\ A_27c))\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27c)\ A_27c))\ (ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27c)\ A_27c) \quad (24)$$

Let $c_2Eint_bitwise_2Eint_of_bits : \iota$ be given. Assume the following.

$$c_2Eint_bitwise_2Eint_of_bits \in (ty_2Einteger_2Eint)^{(ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ 2)\ 2)} \quad (25)$$

Definition 37 We define $c_2Eint_bitwise_2Eint_bitwise$ to be $\lambda V0f \in ((2^2)^2).\lambda V1i \in ty_2Einteger_2Eint.$

Definition 38 We define $c_2Eint_bitwise_2Eint_xor$ to be $(ap\ c_2Eint_bitwise_2Eint_bitwise\ (\lambda V0x \in 2.(\lambda V1i \in ty_2Einteger_2Eint.$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (26)$$

Definition 39 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (27)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (28)$$

Definition 40 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 41 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2i \in ty_2Enum_2Enum.$

Definition 42 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 43 We define $c_2Eint_bitwise_2Eint_bit$ to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1i \in ty_2Einteger$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(\forall V1f \in ((2^2)^2).(\forall V2i \in \\ & ty_2Einteger_2Eint.(\forall V3j \in ty_2Einteger_2Eint.((p\ (ap \\ & (ap\ c_2Eint_bitwise_2Eint_bit\ V0n)\ (ap\ (ap\ (ap\ c_2Eint_bitwise_2Eint_bitwise \\ & V1f)\ V2i)\ V3j)))) \Leftrightarrow (p\ (ap\ (ap\ V1f\ (ap\ (ap\ c_2Eint_bitwise_2Eint_bit \\ & V0n)\ V2i))\ (ap\ (ap\ c_2Eint_bitwise_2Eint_bit\ V0n)\ V3j)))))) \end{aligned} \quad (29)$$

Theorem 1

$$\begin{aligned} & (\forall V0j \in ty_2Einteger_2Eint.(\forall V1i \in ty_2Einteger_2Eint. \\ & (\forall V2n \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Eint_bitwise_2Eint_bit \\ & V2n)\ (ap\ (ap\ c_2Eint_bitwise_2Eint_xor\ V1i)\ V0j))) \Leftrightarrow \neg((p\ (ap \\ & (ap\ c_2Eint_bitwise_2Eint_bit\ V2n)\ V1i)) \Leftrightarrow (p\ (ap\ (ap\ c_2Eint_bitwise_2Eint_bit \\ & V2n)\ V0j)))))) \end{aligned}$$