

thm\_2Eint\_bitwise\_2Enum\_of\_bits\_ind (TMby-fuJ7P2gCQfLNzjSgRB2GEZRR4rxuUCV)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (ty\_2Enum\_2Enum^{\omega}))\ (ty\_2Elist\_2Elist\ A\_27a)))$

**Definition 5** We define  $c\_2EbasicSize\_2Ebool\_size$  to be  $\lambda V0b \in 2. c\_2Enum\_2E0$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2Elist\_2Elist\ A0) \quad (4)$$

Let  $c\_2Elist\_2Elist\_size : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2Elist\_2Elist\_size\ A\_27a \in ( \\ & (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Enum\_2Enum^{A\_27a})}) \end{aligned} \quad (5)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \\ & \end{aligned} \quad (6)$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 7** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c\_2Emin\_2E\_40 A) a)))$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. \lambda a. \text{nonempty } A \Rightarrow c\_2Elist\_2ENIL A \lambda a \in (ty\_2Elist\_2Elist A) \quad (7)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 8** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2. V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow p Q) \text{ of type } \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E_7)))$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V1t2) c\_2Ebool\_2E\_2F) V2t))))$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \quad (11)$$

**Definition 12** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num V0m)$ .

**Definition 13** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap c\_2Eprim\_rec\_2E\_3C V0m V1n)$ .

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap c\_2Earithmetic\_2E\_3E V0m V1n)$ .

**Definition 15** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V1t2) c\_2Ebool\_2E\_5C) V2t))))$ .

**Definition 16** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap c\_2Earithmetic\_2E\_3E\_3D V0m V1n)$ .

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A. \lambda a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. \lambda V2t2 \in A. (ap (ap (c\_2Ebool\_2E\_21 2) (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V1t1) c\_2Ebool\_2E\_2F) V2t2) V0t))))$ .

**Definition 18** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap (ap (c\_2Eprim\_rec\_2EPRE V0m)))$ .

Let  $c\_2Earithmetic\_2EXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 19** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 20** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 21** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B V0n))$

**Definition 22** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B V0n))$

**Definition 23** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 24** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n)))$

**Definition 25** We define  $c\_2Erelation\_2Einv\_image$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27b})^{A\_27b}).\lambda V1S \in ((2^{A\_27a})^{A\_27a}).(ap (ap c\_2Erelation\_2Einv\_image V0R) (ap (ap c\_2Erelation\_2Einv\_image V1S)))$

**Definition 26** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_21 (ap (ap c\_2Erelation\_2Einv\_image V0R) (ap (ap c\_2Erelation\_2Einv\_image V1n))))))$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) (c\_2Enum\_2E0)) = V0m)) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC V0m)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\ & \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \\ \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \\ \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ c\_2Enum\_2E0) V0n))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ V1n) V0m)))))) \\ \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\ (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)) V0m) = V0m) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\ (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\ & ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\ & (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\ V0m) V1n)))))))))) \\ \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\ & ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p)))))) \\ \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap \\ & c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)) V0n))) \end{aligned} \quad (25)$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (27)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (33)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (34)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (36)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))))) \quad (37)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.(p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x)) \vee (\exists V4x \in A\_27a.(p (ap V1Q V4x))))))) \quad (38)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((p V0P) \vee (\exists V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A\_27a.((p V0P) \vee (p (ap V1Q V3x))))))) \quad (39)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.((\exists V2x \in A\_27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B)) \vee (p V2C)))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False)) \quad (43)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (44)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1) \wedge (\neg(p V1t2))))))) \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow ((\forall V0f \in (ty\_2Enum\_2Enum^{A_{27a}}). \\ & ((ap (ap (c_2Elist_2Elist_size A_{27a}) V0f) (c_2Elist_2ENIL A_{27a})) = \\ & c_2Enum_2E0)) \wedge (\forall V1f \in (ty\_2Enum\_2Enum^{A_{27a}}).(\forall V2a0 \in \\ & A_{27a}.(\forall V3a1 \in (ty\_2Elist_2Elist A_{27a}).((ap (ap (c_2Elist_2Elist_size \\ & A_{27a}) V1f) (ap (ap (c_2Elist_2ECONS A_{27a}) V2a0) V3a1)) = (ap (ap \\ & c_2Earithmetic_2E_2B (ap c_2Earithmetic_2E_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2E_2B (ap V1f \\ & V2a0)) (ap (ap (c_2Elist_2Elist_size A_{27a}) V1f) V3a1))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0l \in (ty\_2Elist_2Elist \\ & A_{27a}).((V0l = (c_2Elist_2ENIL A_{27a})) \vee (\exists V1h \in A_{27a}.( \\ & \exists V2t \in (ty\_2Elist_2Elist A_{27a}).(V0l = (ap (ap (c_2Elist_2ECONS \\ & A_{27a}) V1h) V2t)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap \\
& (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& ((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
(ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge (((ap c\_2Enum\_2ESUC \\
c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. \\
& (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Enum\_2ESUC V17n)))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
(ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& ((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V30m) V29n)))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V32n)))) \wedge ((\forall V33n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V33n)) \Leftrightarrow False)) \wedge ((\forall V34n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V34n)) \Leftrightarrow False)))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))))))))))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{50}$$

Assume the following.

$$(p (ap (c_2Erelation_2EWF ty_2Enum_2Enum) c_2Eprim_rec_2E_3C)) \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& ((p (ap (c_2Erelation_2EWF A_27a) V0R)) \Rightarrow (\forall V1P \in (2^{A\_27a}). \\
& ((\forall V2x \in A\_27a. ((\forall V3y \in A\_27a. ((p (ap (ap V0R V3y) V2x)) \Rightarrow \\
& (p (ap V1P V3y)))) \Rightarrow (p (ap V1P V2x)))) \Rightarrow (\forall V4x \in A\_27a. (p (ap \\
& V1P V4x))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow ( \\ \forall V0R \in ((2^{A_27b})^{A_27b}).(\forall V1f \in (A_27b^{A_27a}).(( \\ p (ap (c_2\text{Erelation\_2EWF } A_27b) V0R)) \Rightarrow (p (ap (c_2\text{Erelation\_2EWF } \\ A_27a) (ap (ap (c_2\text{Erelation\_2Einv\_image } A_27a A_27b) V0R) V1f))))))) \end{aligned} \quad (53)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (58)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p \\ V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (63)$$

### Theorem 1

$$\begin{aligned} & (\forall V0P \in (2^{(ty\_2Elist\_2Elist 2)}).(((p (ap V0P (c\_2Elist\_2ENIL \\ & 2))) \wedge ((\forall V1bs \in (ty\_2Elist\_2Elist 2).((p (ap V0P V1bs)) \Rightarrow \\ & (p (ap V0P (ap (ap (c\_2Elist\_2ECONS 2) c\_2Ebool\_2EF) V1bs))))))) \wedge \\ & (\forall V2bs \in (ty\_2Elist\_2Elist 2).((p (ap V0P V2bs)) \Rightarrow (p (ap \\ & V0P (ap (ap (c\_2Elist\_2ECONS 2) c\_2Ebool\_2ET) V2bs))))))) \Rightarrow (\forall V3v \in \\ & (ty\_2Elist\_2Elist 2).(p (ap V0P V3v)))))) \end{aligned}$$