

thm\_2IntegerRing\_2Eint\_\_is\_\_ring  
(TMZqp7KiCv45wYNTmYk21mKceCSjEievSGa)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ c\_2Enum\_2EREP\_num\ (ap\ c\_2Enum\_2ESUC\_REP\ m)))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (6)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (7)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2EABS\_prod$

**Definition 13** We define  $c\_2Einteger\_2Eint\_0$  to be  $(ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (9)$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty ty\_2Einteger\_2Eint \quad (10)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (11)$$

**Definition 14** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 15** We define  $c\_2Einteger\_2Eint\_0$  to be  $(ap c\_2Einteger\_2Eint\_ABS c\_2Einteger\_2Eint\_0)$ .

**Definition 16** We define  $c\_2Einteger\_2Eint\_1$  to be  $(ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum$

**Definition 17** We define  $c\_2Einteger\_2Eint\_1$  to be  $(ap c\_2Einteger\_2Eint\_ABS c\_2Einteger\_2Eint\_1)$ .

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint})$$
(12)

**Definition 18** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge P\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 19** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint$ .(ap  $(c\_2Emin\_2E40\ (ty\_2Einteger\_2Eint\ a))$ )

Let  $c\_2Einteger\_2Eint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})$$
(13)

**Definition 20** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint$ .(ap  $c\_2Einteger\_2Eint\_neg$ )

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum})$$
(14)

Let  $c\_2Einteger\_2Eint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})$$
(15)

**Definition 21** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint$ . $\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})$$
(16)

**Definition 22** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint$ . $\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $ty\_2Ering\_2Ering : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ering\_2Ering\ A0)$$
(17)

Let  $c\_2Ering\_2Erecordtype\_2Ering : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Erecordtype\_2Ering\ A\_27a \in ((((((ty\_2Ering\_2Ering\ A\_27a)^{(A\_27a^{A\_27a})})^{(A\_27a^{A\_27a})^{A\_27a}})^{(A\_27a^{A\_27a})^{A\_27a}})^{A\_27a})^{A\_27a})$$
(18)

Let  $c\_2Ering\_2Ering\_RN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Ering\_RN\ A\_27a \in ((A\_27a^{A\_27a})^{(ty\_2Ering\_2Ering\ A\_27a)})$$
(19)

Let  $c\_2Ering\_2Ering\_R1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Ering\_R1\ A\_27a \in (A\_27a^{(ty\_2Ering\_2Ering\ A\_27a)}) \quad (20)$$

Let  $c\_2Ering\_2Ering\_R0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Ering\_R0\ A\_27a \in (A\_27a^{(ty\_2Ering\_2Ering\ A\_27a)}) \quad (21)$$

Let  $c\_2Ering\_2Ering\_RM : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Ering\_RM\ A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(ty\_2Ering\_2Ering\ A\_27a)}) \quad (22)$$

Let  $c\_2Ering\_2Ering\_RP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ering\_2Ering\_RP\ A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(ty\_2Ering\_2Ering\ A\_27a)}) \quad (23)$$

**Definition 23** We define  $c\_2Ering\_2Eis\_ring$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (ty\_2Ering\_2Ering\ A\_27a).(ap\ (ap\ c$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\ & ((ap\ (ap\ c\_2Einteger\_2Eint\_add\ V1x)\ V0y) = (ap\ (ap\ c\_2Einteger\_2Eint\_add \\ & V0y)\ V1x)))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\ & ((ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V1x)\ V0y) = (ap\ (ap\ c\_2Einteger\_2Eint\_mul \\ & V0y)\ V1x)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add \\
V2x) (ap (ap c\_2Einteger\_2Eint\_add V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_add \\
& (ap (ap c\_2Einteger\_2Eint\_add V2x) V1y)) V0z))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
V2x) (ap (ap c\_2Einteger\_2Eint\_mul V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_mul \\
& (ap (ap c\_2Einteger\_2Eint\_mul V2x) V1y)) V0z))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(c\_2Einteger\_2Eint\_0 = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \tag{31}$$

Assume the following.

$$\begin{aligned}
(c\_2Einteger\_2Eint\_1 = (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = V0x))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add \\
V0x) (ap c\_2Einteger\_2Eint\_neg V0x)) = (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2z \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
& (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) V2z) = (ap (ap c\_2Einteger\_2Eint\_add \\
& (ap (ap c\_2Einteger\_2Eint\_mul V0x) V2z)) (ap (ap c\_2Einteger\_2Eint\_mul \\
& V1y) V2z))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0a \in A_{27a}. (\forall V1a0 \in \\
& A_{27a}. (\forall V2f \in ((A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V3f0 \in ((A_{27a}^{A_{27a}})^{A_{27a}}). \\
& (\forall V4f1 \in (A_{27a}^{A_{27a}}). ((\text{ap } (c\_2Ering\_2Ering\_R0 \ A_{27a}) \\
& (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \ A_{27a}) \ V0a) \ V1a0) \\
& \ V2f) \ V3f0) \ V4f1)) = V0a)))))) \wedge ((\forall V5a \in A_{27a}. (\forall V6a0 \in \\
& A_{27a}. (\forall V7f \in ((A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V8f0 \in ((A_{27a}^{A_{27a}})^{A_{27a}}). \\
& (\forall V9f1 \in (A_{27a}^{A_{27a}}). ((\text{ap } (c\_2Ering\_2Ering\_R1 \ A_{27a}) \\
& (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \ A_{27a}) \ V5a) \ V6a0) \\
& \ V7f) \ V8f0) \ V9f1)) = V6a0)))))) \wedge ((\forall V10a \in A_{27a}. (\forall V11a0 \in \\
& A_{27a}. (\forall V12f \in ((A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V13f0 \in (( \\
& A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V14f1 \in (A_{27a}^{A_{27a}}). ((\text{ap } (c\_2Ering\_2Ering\_RP \\
& \ A_{27a}) \ (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \ A_{27a}) \\
& \ V10a) \ V11a0) \ V12f) \ V13f0) \ V14f1)) = V12f)))))) \wedge ((\forall V15a \in \\
& A_{27a}. (\forall V16a0 \in A_{27a}. (\forall V17f \in ((A_{27a}^{A_{27a}})^{A_{27a}}). \\
& (\forall V18f0 \in ((A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V19f1 \in (A_{27a}^{A_{27a}}). \\
& ((\text{ap } (c\_2Ering\_2Ering\_RM \ A_{27a}) \ (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \\
& \ A_{27a}) \ V15a) \ V16a0) \ V17f) \ V18f0) \ V19f1)) = V18f0)))))) \wedge ((\forall V20a \in \\
& A_{27a}. (\forall V21a0 \in A_{27a}. (\forall V22f \in ((A_{27a}^{A_{27a}})^{A_{27a}}). \\
& (\forall V23f0 \in ((A_{27a}^{A_{27a}})^{A_{27a}}). (\forall V24f1 \in (A_{27a}^{A_{27a}}). \\
& ((\text{ap } (c\_2Ering\_2Ering\_RN \ A_{27a}) \ (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \\
& \ A_{27a}) \ V20a) \ V21a0) \ V22f) \ V23f0) \ V24f1))))))))))
\end{aligned}$$

(37)

**Theorem 1**

$$\begin{aligned}
& (p \ (\text{ap } (c\_2Ering\_2Eis\_ring \ ty\_2Einteger\_2Eint) \ (\text{ap } (\text{ap } (\text{ap } (\text{ap} \\
& (\text{ap } (c\_2Ering\_2Erecordtype\_2Ering \ ty\_2Einteger\_2Eint) \ c\_2Einteger\_2Eint\_0) \\
& \ c\_2Einteger\_2Eint\_1) \ c\_2Einteger\_2Eint\_add) \ c\_2Einteger\_2Eint\_mul) \\
& \ c\_2Einteger\_2Eint\_neg)))
\end{aligned}$$