

thm\_2Einteger\_2EINT\_ABS\_NEG  
 (TMdP5PK6hpYnFKnm3V711rUcxL1AXEnrrLS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (3)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})ty\_2Einteger\_2Eint) \quad (4)$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint. (ap (c\_2Emin\_2E\_40 (ty\_2Einteger\_2Eint)))$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum) \quad (5)$$

**Definition 6** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint. (ap (c\_2Emin\_2E\_40 (ty\_2Einteger\_2Eint)))$

**Definition 7** We define  $c\_Ebool\_EF$  to be  $(ap\ (c\_Ebool\_E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 8** We define  $c_2Emin_2E_3D_3D_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2EMin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

**Definition 10** We define  $c_2Einteger\_2Eint\_le$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. \lambda V1y \in ty\_2Einteger\_2Eint.$

**Definition 11** We define  $c_{\text{Ebool\_2E\_2F\_5C}}$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_{\text{Ebool\_2E\_21}} 2))(\lambda V2t \in$

**Definition 12** We define  $c_2Ebool\_2ECOND$  to be  $\lambda A\_\mathit{27a} : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_\mathit{27a}.(\lambda V2t2 \in A\_\mathit{27a}.($

Let  $c_2$  integer  $2E$  tint  $_neg : \iota$  be given. Assume the following.

$c \in \text{integer}$   $t \in \text{int\_neq} \in ((ty \times \text{pair}) \times \text{prod} \times ty) \times \text{enum}$

at  $\text{c2Finteger} \cdot \text{2Fint}_\text{eq}$  to be given. Assume the following:

$$\mathcal{O}(\Sigma^4) \subset \mathcal{O}(\Sigma^4)_{\text{irr}} \subset \mathcal{O}(\sigma(t_0, 2E_{\text{spin}}, 2E_{\text{prod}}, t_0, 2E_{\text{num}}, 2E_{\text{num}}))$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

Let  $\{X_n\}_{n=1}^{\infty}$  be a sequence of random variables. Assume the following.

$$c\_Z\text{integer}\_Z\text{int}\_Z\text{ABS}\_Z\text{CLASS} \in (\text{ty}\_Z\text{integer}\_Z\text{int}\_Z$$

**Definition 13** We define  $c_2Einteger_2Eint\_ABS$  to be  $\lambda v\,\text{or}\,\in\,(t_2Epair_2Eprod\,t_2Eenum_2Eenum\,t_2E)$

**Definition 14** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0\, t \in ty\_2Einteger\_2Eint.\,(ap\, c\_2Einteger\_2Eint$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (10)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c_2Einteger_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 16** We define  $c\_2Einteger\_2EABS$  to be  $\lambda V0n \in ty\_2Einteger\_2Eint.(ap (ap (ap (ap (c\_2Ebool\_2EC$

**Definition 17** We define  $c_2Eb0l_2E_5C_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Eb0l_2E_21 2))(\lambda V2t \in$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B)) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B))))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\ & \forall V0b \in 2.(\forall V1f \in (A_{27b}^{A_{27a}}).(\forall V2g \in (A_{27b}^{A_{27a}}). \\ & (\forall V3x \in A_{27a}.((ap (ap (ap (c_2Ebool_2ECOND (A_{27b}^{A_{27a}}) \\ & V0b) V1f) V2g) V3x) = (ap (ap (ap (c_2Ebool_2ECOND A_{27b}) V0b) (ap \\ & V1f V3x)) (ap V2g V3x))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\ & \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1b \in 2.(\forall V2x \in A_{27a}. \\ & (\forall V3y \in A_{27a}.((ap V0f (ap (ap (c_2Ebool_2ECOND A_{27a}) \\ & V1b) V2x) V3y)) = (ap (ap (ap (c_2Ebool_2ECOND A_{27b}) V1b) (ap V0f \\ & V2x)) (ap V0f V3y))))))) \end{aligned} \quad (29)$$

Assume the following.

$$(\forall V0b \in 2.(\forall V1t1 \in 2.(\forall V2t2 \in 2.((p (ap (ap \\ & (ap (c_2Ebool_2ECOND 2) V0b) V1t1) V2t2)) \Leftrightarrow (((\neg(p V0b)) \vee (p V1t1)) \wedge \\ & ((p V0b) \vee (p V2t2))))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. nonempty\ A_{.27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_{.27a}. (\forall V3x_{.27} \in A_{.27a}. (\forall V4y \in A_{.27a}. \\
& (\forall V5y_{.27} \in A_{.27a}. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a}) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_{.2Ebool\_2ECOND}\ A_{.27a})\ V1Q)\ V3x_{.27}) \\
& V5y_{.27}))))))) \\
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ c_{.2Einteger\_2Eint\_neg} \\
(ap\ c_{.2Einteger\_2Eint\_neg}\ V0x)) = V0x)) \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((\neg(p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt}\ V0x)\ V1y)) \Leftrightarrow (p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_le} \\
& V1y)\ V0x)))))) \\
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_le}\ V0x)\ V1y)) \Leftrightarrow ((p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt} \\
& V0x)\ V1y)) \vee (V0x = V1y)))))) \\
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt} \\
& (ap\ c_{.2Einteger\_2Eint\_neg}\ V0x))\ (ap\ c_{.2Einteger\_2Eint\_of\_num} \\
& c_{.2Enum\_2E0}))) \Leftrightarrow (p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt}\ (ap\ c_{.2Einteger\_2Eint\_of\_num} \\
& c_{.2Enum\_2E0}))\ V0x))) \\
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. ((V0x = (ap\ c_{.2Einteger\_2Eint\_of\_num} \\
& c_{.2Enum\_2E0})) \vee ((p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt}\ (ap\ c_{.2Einteger\_2Eint\_of\_num} \\
& c_{.2Enum\_2E0}))\ V0x)) \vee (p\ (ap\ (ap\ c_{.2Einteger\_2Eint\_lt}\ (ap\ c_{.2Einteger\_2Eint\_of\_num} \\
& c_{.2Enum\_2E0}))\ (ap\ c_{.2Einteger\_2Eint\_neg}\ V0x)))))) \\
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (((ap\ c_{.2Einteger\_2Eint\_neg}\ V0x) = V1y) \Leftrightarrow (V0x = (ap\ c_{.2Einteger\_2Eint\_neg} \\
& V1y)))))) \\
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0p \in ty\_2Einteger\_2Eint. ((V0p = (ap\ c_{.2Einteger\_2Eint\_neg} \\
V0p)) \Leftrightarrow (V0p = (ap\ c_{.2Einteger\_2Eint\_of\_num}\ c_{.2Enum\_2E0})))) \tag{38}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee ((\neg(p V1q)) \vee ((\neg(p V0p)) \vee ((\neg(p V1q) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (48)$$

### Theorem 1

$$(\forall V0p \in ty\_2Einteger\_2Eint.((ap c\_2Einteger\_2EABS (ap c\_2Einteger\_2Eint\_neg V0p)) = (ap c\_2Einteger\_2EABS V0p)))$$