

# thm\_2Einteger\_2EINT\_\_DIVIDES\_\_LADD (TMJ2GXahX7Km6mGt7uzXtjGEbCnrRA73ELR)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap \ (ap \ (c\_2Emin\_2E\_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty \ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty\_2Epair\_2Eprod \\ & \quad A0 \ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty \ ty\_2Einteger\_2Eint \quad (3)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod \ ty\_2Enum\_2Enum \ ty\_2Enum\_2Enum)})ty\_2Einteger\_2Eint) \quad (4)$$

**Definition 4** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\text{the } (\lambda x.x \in A \wedge p \ of \ type \ \iota \Rightarrow \iota).$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap \ (ap \ (c\_2Emin\_2E\_3D \ (2^{A\_27a})) \ V0P)))$

**Definition 6** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap \ (c\_2Emin\_2E\_40 \ (ty\_2Einteger\_2Eint \ V0a)))$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (5)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (6)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}} \quad (7)$$

**Definition 7** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 8** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (8)$$

**Definition 9** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. (ap c\_2Einteger\_2Eint\_neg V0T1)$

**Definition 10** We define  $c\_2Einteger\_2Eint\_sub$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. \lambda V1y \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (9)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40)))$

**Definition 13** We define  $c\_2Einteger\_2Eint\_divides$  to be  $\lambda V0p \in ty\_2Einteger\_2Eint. \lambda V1q \in ty\_2Einteger\_2Eint$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
 & (\forall V2z \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
 & (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) V2z) = (ap (ap c\_2Einteger\_2Eint\_add \\
 & (ap (ap c\_2Einteger\_2Eint\_mul V0x) V2z)) (ap (ap c\_2Einteger\_2Eint\_mul \\
 & V1y) V2z)))))))
 \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
 & ((ap (ap c\_2Einteger\_2Eint\_sub (ap (ap c\_2Einteger\_2Eint\_add \\
 & V0x) V1y)) V0x) = V1y)))
 \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
 & (\forall V2z \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
 & (ap (ap c\_2Einteger\_2Eint\_sub V0x) V1y)) V2z) = (ap (ap c\_2Einteger\_2Eint\_sub \\
 & (ap (ap c\_2Einteger\_2Eint\_mul V0x) V2z)) (ap (ap c\_2Einteger\_2Eint\_mul \\
 & V1y) V2z)))))))
 \end{aligned} \tag{15}$$

### Theorem 1

$$\begin{aligned}
 & (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1q \in ty\_2Einteger\_2Eint. \\
 & (\forall V2r \in ty\_2Einteger\_2Eint. ((p (ap (ap c\_2Einteger\_2Eint\_divides \\
 & V0p) V1q)) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_divides V0p) (ap (ap \\
 & c\_2Einteger\_2Eint\_add V1q) V2r))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_divides \\
 & V0p) V2r)))))))
 \end{aligned}$$