

thm_2Einteger_2EINT_-DIVISION

(TMH7esqwpi4RPNAdbCasc2N2VWeo4FamrC6)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ A0\ A1) \end{aligned} \quad (2)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (3)$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (4)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (5)$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (8)$$

Definition 7 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_neg T1)$

Definition 8 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_add T1 T2)$

Let $c_2Einteger_2Eint_div : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_div \in ((ty_2Einteger_2Eint^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint} \quad (9)$$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (10)$$

Definition 9 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_mul T1 T2)$

Definition 10 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_sub x y)$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (11)$$

Definition 11 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_lt T1 T2)$

Definition 12 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 15 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_le x y)$

Let $c_2Einteger_2Eint_mod : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mod \in ((ty_2Einteger_2Eint^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint}) \quad (12)$$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (14)$$

Definition 18 We define c_2Enum_2E0 to be $(ap(c_2Enum_2EABS_num c_2Enum_2EZERO_REP))$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (15)$$

Definition 19 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 20 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27c}))$

Definition 21 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap(ap(c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A_27a)))$

Definition 22 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in ((A_27a^{A_27b})^{A_27c})$

Definition 23 We define $c_2Equotient_2E_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27b})$

Definition 24 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27b})$

Definition 25 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x \in A_27a.(\lambda V2y \in A_27b.(V0f(V1x, V2y))))$

Definition 26 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW A_27a A_27b)$

Definition 27 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a})).(ap(V1f V0x)))$

Definition 28 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).(ap(p m)))$

Definition 29 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap(c_2Ebool_2EIN E))$

Definition 30 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (24)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (25)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{A_{27a}}).(\forall V1Q \in (2^{A_{27a}}).((\forall V2x \in A_{27a}.((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A_{27a}.(p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A_{27a}.(p\ (ap\ V1Q\ V4x))))))) \end{aligned} \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(p\ V0A) \wedge (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1b \in 2.(\forall V2x \in A_{27a}. \\ & (\forall V3y \in A_{27a}.((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{27a}) \\ & V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{27b})\ V1b)\ (ap\ V0f\ \\ & V2x))\ (ap\ V0f\ V3y))))))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0b \in 2.(\forall V1t1 \in 2.(\forall V2t2 \in 2.(((p\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ 2)\ V0b)\ V1t1)\ V2t2)) \Leftrightarrow (((\neg(p\ V0b)) \vee (p\ V1t1)) \wedge \\ & ((p\ V0b) \vee (p\ V2t2))))))) \quad (35)$$

Assume the following.

$$\forall A_{\text{27a}.nonempty} A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. ((ap(c_{\text{2Ecombin_2El}} A_{\text{27a}}) V0x) = V0x)) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V1q \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad ((p(ap(ap(c_{\text{2Einteger_2Etint_eq}} V0p) V1q)) \Leftrightarrow ((ap(c_{\text{2Einteger_2Etint_eq}} V0p) = (ap(c_{\text{2Einteger_2Etint_eq}} V1q))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V1q \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad ((V0p = V1q) \Rightarrow (p(ap(ap(c_{\text{2Einteger_2Etint_eq}} V0p) V1q))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V1y \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V2z \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad ((ap(ap(c_{\text{2Einteger_2Etint_add}} V0x) (ap(ap(c_{\text{2Einteger_2Etint_add}} V1y) V2z)) = (ap(ap(c_{\text{2Einteger_2Etint_add}} (ap(ap(c_{\text{2Einteger_2Etint_add}} V0x) V1y)) V2z))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V1x2 \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V2y1 \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (\forall V3y2 \in (ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}). \\ & \quad (((p(ap(ap(c_{\text{2Einteger_2Etint_eq}} V0x1) V1x2)) \wedge (p(ap(ap(c_{\text{2Einteger_2Etint_eq}} V2y1) V3y2))) \Rightarrow (p(ap(ap(c_{\text{2Einteger_2Etint_eq}} (ap(ap(c_{\text{2Einteger_2Etint_add}} V0x1) V2y1)) (ap(ap(c_{\text{2Einteger_2Etint_add}} V1x2) V3y2))))))) \end{aligned} \quad (40)$$

Assume the following.

$$(p(ap(ap(ap(c_{\text{2Equotient_2EQUOTIENT}}(ty_{\text{2Epair_2Eprod}} ty_{\text{2Enum_2Enum}} ty_{\text{2Enum_2Enum}}) ty_{\text{2Einteger_2Eint}}) c_{\text{2Einteger_2Etint_eq}} c_{\text{2Einteger_2Eint_ABS}}) c_{\text{2Einteger_2Eint_REP}})) \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in ty_{\text{2Einteger_2Eint}}. (\forall V1x \in ty_{\text{2Einteger_2Eint}}. \\ & \quad ((ap(ap(c_{\text{2Einteger_2Eint_add}} V1x) V0y) = (ap(ap(c_{\text{2Einteger_2Eint_add}} V0y) V1x)))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (\forall V2z \in ty_2Einteger_2Eint. ((V0x = (ap (ap c_2Einteger_2Eint_sub \\ & V1y) V2z)) \Leftrightarrow ((ap (ap c_2Einteger_2Eint_add V0x) V2z) = V1y)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0i \in ty_2Einteger_2Eint. (\forall V1j \in ty_2Einteger_2Eint. \\ & ((\neg(V1j = (ap (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))) \Rightarrow ((ap \\ & (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt V1j) \\ & V0i) (ap (ap c_2Einteger_2Eint_mul (ap (ap c_2Einteger_2Eint_div \\ & V0i) V1j)) V1j))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in ty_2Einteger_2Eint. (\forall V1q \in ty_2Einteger_2Eint. \\ & ((\neg(V1q = (ap (ap (c_2Einteger_2Eint_of_num c_2Enum_2E0)))) \Rightarrow (p (\\ & ap (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt V1q) \\ & (ap (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Ebool_2E_2F_5C \\ & (ap (ap c_2Einteger_2Eint_lt V1q) (ap (ap c_2Einteger_2Eint_mod \\ & V0p) V1q))) (ap (ap c_2Einteger_2Eint_le (ap (ap c_2Einteger_2Eint_mod \\ & V0p) V1q)) (ap (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap \\ & (ap c_2Ebool_2E_2F_5C (ap (ap c_2Einteger_2Eint_le (ap (ap c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_mod V0p) V1q))) (ap (\\ & ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_mod V0p) \\ & V1q))))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & A_27a A_27a) (c_2Emin_2E_3D A_27a)) (c_2Ecombin_2EI A_27a)) (\\ & c_2Ecombin_2EI A_27a))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\ & \text{nonempty } A_27c \Rightarrow \forall A_27d.\text{nonempty } A_27d \Rightarrow (\forall V0R1 \in (\\ & (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\ & (A_27a^{A_27c}).((p (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27c) \\ & V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\ & (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p (ap (ap (c_2Equotient_2EQUOTIENT \\ & A_27b A_27d) V3R2) V4abs2) V5rep2)) \Rightarrow (p (ap (ap (c_2Equotient_2EQUOTIENT \\ & (A_27b^{A_27a}) (A_27d^{A_27c})) (ap (ap (c_2Equotient_2E_3D_3D_3E \\ & A_27a A_27b) V0R1) V3R2)) (ap (ap (c_2Equotient_2E_2D_2D_3E A_27c \\ & A_27b A_27a A_27d) V2rep1) V4abs2)) (ap (ap (c_2Equotient_2E_2D_2D_3E \\ & A_27a A_27d A_27c A_27b) V1abs1) V5rep2))))))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \\
& \quad \forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}).(\forall V1abs \in (A_{.27b})^{A_{.27a}}). \\
& \quad (\forall V2rep \in (A_{.27a})^{A_{.27b}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{.27a} A_{.27b}) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x \in A_{.27b}.(\forall V4y \in \\
& \quad A_{.27b}.((V3x = V4y) \Leftrightarrow (p (ap (ap V0R (ap V2rep V3x)) (ap V2rep V4y))))))) \\
& \tag{48}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \\
& \quad \forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}).(\forall V1abs \in (A_{.27b})^{A_{.27a}}). \\
& \quad (\forall V2rep \in (A_{.27a})^{A_{.27b}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{.27a} A_{.27b}) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x1 \in A_{.27a}.(\forall V4x2 \in \\
& \quad A_{.27a}.(\forall V5y1 \in A_{.27a}.(\forall V6y2 \in A_{.27a}.((p (ap (ap V0R \\
& \quad V3x1) V4x2)) \wedge (p (ap (ap V0R V5y1) V6y2))) \Rightarrow ((p (ap (ap V0R V3x1) V5y1) \Leftrightarrow \\
& \quad (p (ap (ap V0R V4x2) V6y2)))))))))) \\
& \tag{49}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}. \\
& \quad nonempty A_{.27c} \Rightarrow \forall A_{.27d}.nonempty A_{.27d} \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_{.27a}})^{A_{.27a}}).(\forall V1abs1 \in (A_{.27c})^{A_{.27a}}).(\forall V2rep1 \in \\
& \quad (A_{.27a})^{A_{.27c}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_{.27a} A_{.27c}) \\
& \quad V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_{.27b}})^{A_{.27b}}).(\forall V4abs2 \in \\
& \quad (A_{.27d})^{A_{.27b}}).(\forall V5rep2 \in (A_{.27b})^{A_{.27d}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{.27b} A_{.27d}) V3R2) V4abs2) V5rep2)) \Rightarrow (\forall V6f \in (A_{.27d})^{A_{.27c}}). \\
& \quad ((\lambda V7x \in A_{.27c}.(ap V6f V7x)) = (ap (ap (ap (c_2Equotient_2E_2D_2D_3E \\
& \quad A_{.27c} A_{.27b} A_{.27a} A_{.27d}) V2rep1) V4abs2) (\lambda V8x \in A_{.27a}.(ap V5rep2 \\
& \quad (ap V6f (ap V1abs1 V8x))))))))))) \\
& \tag{50}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \\
& \quad \forall V0REL \in ((2^{A_{.27a}})^{A_{.27a}}).(\forall V1abs \in (A_{.27b})^{A_{.27a}}). \\
& \quad (\forall V2rep \in (A_{.27a})^{A_{.27b}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{.27a} A_{.27b}) V0REL) V1abs) V2rep)) \Rightarrow (\forall V3x1 \in A_{.27a}.(\forall V4x2 \in \\
& \quad A_{.27a}.((p (ap (ap V0REL V3x1) V4x2)) \Rightarrow (p (ap (ap V0REL V3x1) (ap V2rep \\
& \quad (ap V1abs V4x2)))))))))) \\
& \tag{51}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \quad \forall V0R \in ((2^{A_{27a}})^{A_{27a}}).(\forall V1abs \in (A_{27b}^{A_{27a}}). \\
& \quad (\forall V2rep \in (A_{27a}^{A_{27b}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{27a} A_{27b}) V0R) V1abs) V2rep)) \Rightarrow (\forall V3f \in (2^{A_{27b}}).((p (\\
& \quad ap (c_2Ebool_2E_21 A_{27b}) V3f)) \Leftrightarrow (p (ap (ap (c_2Equotient_2ERES_FORALL \\
& \quad A_{27a}) (ap (c_2Equotient_2ERespects A_{27a} 2) V0R)) (ap (ap (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E A_{27a} 2 A_{27b} 2) V1abs) (c_2Ecombin_2EI \\
& \quad 2)) V3f)))))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \quad \forall V0R \in ((2^{A_{27a}})^{A_{27a}}).(\forall V1abs \in (A_{27b}^{A_{27a}}). \\
& \quad (\forall V2rep \in (A_{27a}^{A_{27b}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{27a} A_{27b}) V0R) V1abs) V2rep)) \Rightarrow (\forall V3f \in (2^{A_{27a}}).(\forall V4g \in \\
& \quad (2^{A_{27a}}).((p (ap (ap (ap (c_2Equotient_2E_3D_3D_3D_3E A_{27a} \\
& 2) V0R) (c_2Emin_2E_3D 2)) V3f) V4g)) \Rightarrow ((p (ap (ap (c_2Ebool_2ERES_FORALL \\
& \quad A_{27a}) (ap (c_2Equotient_2ERespects A_{27a} 2) V0R)) V3f)) \Leftrightarrow (p (\\
& \quad ap (ap (c_2Ebool_2ERES_FORALL A_{27a}) (ap (c_2Equotient_2ERespects \\
& \quad A_{27a} 2) V0R)) V4g)))))))))) \\
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \forall A_{27c}. \\
& \quad nonempty A_{27c} \Rightarrow \forall A_{27d}.nonempty A_{27d} \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_{27a}})^{A_{27a}}).(\forall V1abs1 \in (A_{27c}^{A_{27a}}).(\forall V2rep1 \in \\
& \quad (A_{27a}^{A_{27c}}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_{27a} A_{27c}) \\
& \quad V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_{27b}})^{A_{27b}}).(\forall V4abs2 \in \\
& \quad (A_{27d}^{A_{27b}}).(\forall V5rep2 \in (A_{27b}^{A_{27d}}).((p (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_{27b} A_{27d}) V3R2) V4abs2) V5rep2)) \Rightarrow (\forall V6f \in (A_{27b}^{A_{27a}}). \\
& \quad (\forall V7g \in (A_{27b}^{A_{27a}}).(\forall V8x \in A_{27a}.(\forall V9y \in \\
& \quad A_{27a}.(((p (ap (ap (ap (c_2Equotient_2E_3D_3D_3D_3E A_{27a} \\
& \quad A_{27b}) V0R1) V3R2) V6f) V7g)) \wedge (p (ap (ap V0R1 V8x) V9y))) \Rightarrow (p (ap (\\
& \quad ap V3R2 (ap V6f V8x)) (ap V7g V9y)))))))))))))) \\
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0E \in ((2^{A_{27a}})^{A_{27a}}). \\
& \quad (\forall V1P \in (2^{A_{27a}}).((p (ap (c_2Equotient_2EEQUIV A_{27a}) \\
& \quad V0E)) \Rightarrow ((p (ap (ap (c_2Ebool_2ERES_FORALL A_{27a}) (ap (c_2Equotient_2ERespects \\
& \quad A_{27a} 2) V0E)) V1P)) \Leftrightarrow (p (ap (c_2Ebool_2E_21 A_{27a}) V1P)))))) \\
\end{aligned} \tag{55}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{56}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (60)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow ((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge ((p V0p) \vee ((\neg(p V1q) \vee (p V2r)) \vee ((\neg(p V1q) \vee (p V2r)) \vee ((\neg(p V1q) \vee (p V0p)))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow ((p V0p) \vee ((\neg(p V1q) \wedge (p V2r))) \wedge ((p V1q) \vee ((\neg(p V0p) \wedge (p V2r)) \vee ((\neg(p V0p) \wedge (p V2r)) \vee ((\neg(p V0p) \wedge (p V1q)))))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow ((p V0p) \vee ((\neg(p V1q) \vee (p V2r))) \wedge ((p V0p) \vee ((\neg(p V2r) \vee (p V1q)) \vee ((\neg(p V2r) \vee (p V1q)) \vee ((\neg(p V0p) \vee (p V2r)))))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow ((p V0p) \vee ((\neg(p V1q) \Rightarrow (p V2r))) \wedge ((p V0p) \vee ((\neg(p V2r) \Rightarrow (p V1q)) \vee ((\neg(p V2r) \Rightarrow (p V1q)) \vee ((\neg(p V0p) \Rightarrow (p V2r)))))))))) \end{aligned} \quad (64)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V0p) \vee (\neg(p V1q))))))) \quad (65)$$

Theorem 1

$$\begin{aligned}
 & (\forall V0q \in ty_2Einteger_2Eint. ((\neg(V0q = (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))) \Rightarrow (\forall V1p \in ty_2Einteger_2Eint. ((V1p = (ap \\
 & (ap c_2Einteger_2Eint_add (ap (ap c_2Einteger_2Eint_mul (ap \\
 & (ap c_2Einteger_2Eint_div V1p) V0q)) V0q)) (ap (ap c_2Einteger_2Eint_mod \\
 & V1p) V0q))) \wedge (p (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt \\
 & V0q) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Ebool_2E_2F_5C \\
 & (ap (ap c_2Einteger_2Eint_lt V0q) (ap (ap c_2Einteger_2Eint_mod \\
 & V1p) V0q))) (ap (ap c_2Einteger_2Eint_le (ap (ap c_2Einteger_2Eint_mod \\
 & V1p) V0q)) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))) (ap \\
 & (ap c_2Ebool_2E_2F_5C (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_mod V1p) V0q))) (ap \\
 & (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_mod V1p) \\
 & V0q)) V0q)))))))
 \end{aligned}$$