

thm_2Einteger_2EINT__DIV__LMUL (TMN5ef5FwhMEAf3gvvMpmnUgtAVfUfE8U2R)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{3}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Einteger_2Eint}) \tag{5}$$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (13)$$

Definition 16 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (14)$$

Definition 17 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\
& A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \\
& V0t1) \ V1t2) = V1t2))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (\\
& (p \ V1B) \vee (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee \\
& (p \ V0A))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A.27a. (\forall V3x.27 \in A.27a. (\forall V4y \in A.27a. \\ & (\forall V5y.27 \in A.27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y.27)))) \Rightarrow ((ap (ap (ap (c.2Ebool.2ECOND A.27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool.2ECOND A.27a) V1Q) V3x.27) \\ & V5y.27)))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$(\forall V0y \in ty.2Einteger.2Eint. (\forall V1x \in ty.2Einteger.2Eint. ((ap (ap c.2Einteger.2Eint_mul V1x) V0y) = (ap (ap c.2Einteger.2Eint_mul V0y) V1x)))) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. ((ap (ap c.2Einteger.2Eint_add V0x) (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)) = V0x)) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. (p (ap (ap c.2Einteger.2Eint_le V0x) V0x))) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. (((p (ap (ap c.2Einteger.2Eint_lt (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)) (ap c.2Einteger.2Eint_neg V0x))) \Leftrightarrow (p (ap (ap c.2Einteger.2Eint_lt V0x) (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. ((V0x = (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)) \vee ((p (ap (ap c.2Einteger.2Eint_lt (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)) V0x)) \vee (p (ap (ap c.2Einteger.2Eint_lt (ap c.2Einteger.2Eint_of_num c.2Enum.2E0)) (ap c.2Einteger.2Eint_neg V0x)))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& (\forall V0i \in ty_2Einteger_2Eint. (\forall V1j \in ty_2Einteger_2Eint. \\
& (\forall V2q \in ty_2Einteger_2Eint. ((\exists V3r \in ty_2Einteger_2Eint. \\
& ((V0i = (ap (ap c_2Einteger_2Eint_add (ap (ap c_2Einteger_2Eint_mul \\
& V2q) V1j)) V3r)) \wedge (p (ap (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt \\
& V1j) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap c_2Einteger_2Eint_lt V1j) V3r)) (ap (ap c_2Einteger_2Eint_le \\
& V3r) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))) (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0) V3r)) (ap (ap c_2Einteger_2Eint_lt V3r) V1j)))))) \Rightarrow \\
& ((ap (ap c_2Einteger_2Eint_div V0i) V1j) = V2q))))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{40}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge ((\\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p))))))
\end{aligned} \tag{49}$$

Theorem 1

$$\begin{aligned}
& (\forall V0i \in ty_2Einteger_2Eint. (\forall V1j \in ty_2Einteger_2Eint. \\
& ((\neg(V0i = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))) \Rightarrow ((ap \\
& (ap\ c_2Einteger_2Eint_div\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0i \\
& V1j))\ V0i) = V1j))))))
\end{aligned}$$