

thm_2Einteger_2EINT__DIV__P
 (TMXe1MnQjLp7E5hzDwvADA7vr62ooxtRWMJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)))$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (1)$$

Let $c_2Einteger_2Eint_mod : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mod \in ((ty_2Einteger_2Eint^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint}) \quad (2)$$

Let $c_2Einteger_2Eint_div : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_div \in ((ty_2Einteger_2Eint^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint}) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod A0 A1) \quad (5)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (6)$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum ty_2Enum_2Enum)}) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.ap (c_2Emin_2E_40 (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 10 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint.ap (c_2Emin_2E_3D_3D_3E V0x V0y)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Let $c_2Enum_2EAABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EAABS_num \in (ty_2Enum_2Enum^omega) \quad (9)$$

Definition 11 We define c_2Enum_2E0 to be $(ap c_2Enum_2EAABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (11)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum ty_2Enum_2Enum)}) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (12)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum ty_2Enum_2Enum)}) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))}) \quad (13)$$

Definition 12 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) ap (c_2Emin_2E_40 (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))$

Definition 13 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.ap (c_2Emin_2E_40 (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))^(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (14)$$

Definition 14 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger$

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 18 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (18)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (19)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (21)$$

Assume the following.

$$\forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A.27a}).((\forall V2x \in A.27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a.(p (ap V1P V3x))) \vee (p V0Q)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x))))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0q \in ty_2Einteger_2Eint.((\neg(V0q = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) \Rightarrow (\forall V1p \in ty_2Einteger_2Eint.((V1p = (ap (ap c_2Einteger_2Eint_add (ap (ap c_2Einteger_2Eint_mul (ap (ap c_2Einteger_2Eint_div V1p) V0q)) V0q)) (ap (ap c_2Einteger_2Eint_mod V1p) V0q))) \wedge (p (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt V0q) (ap (ap c_2Einteger_2Eint_mod V1p) V0q))) (ap (ap c_2Einteger_2Eint_le (ap (ap c_2Einteger_2Eint_mod V1p) V0q)) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Einteger_2Eint_mod V1p) V0q))) (ap (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_mod V1p) V0q))) (ap (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_mod V1p) V0q))))))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0i \in ty_2Einteger_2Eint.(\forall V1j \in ty_2Einteger_2Eint. \\ & (\forall V2q \in ty_2Einteger_2Eint.((\exists V3r \in ty_2Einteger_2Eint. \\ & ((V0i = (ap (ap c_2Einteger_2Eint_add (ap (ap c_2Einteger_2Eint_mul V2q) V1j)) V3r)) \wedge (p (ap (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Einteger_2Eint_lt V1j) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Einteger_2Eint_lt V1j) V3r)) (ap (ap c_2Einteger_2Eint_le V3r) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))) (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))) (ap (ap c_2Einteger_2Eint_div V0i) V1j))))))) \Rightarrow \\ & ((ap (ap c_2Einteger_2Eint_div V0i) V1j) = V2q))))))) \quad (27) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (37)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
 & 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow \\
 & ((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge \\
 & ((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge \\
 & ((p V1q) \vee ((p V3s) \vee (\neg(p V0p))))))))))) \\
 \end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \tag{39}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \tag{41}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{43}$$

Theorem 1

$$\begin{aligned}
 & (\forall V0P \in (2^{ty_2Einteger_2Eint}). (\forall V1x \in ty_2Einteger_2Eint. \\
 & (\forall V2c \in ty_2Einteger_2Eint. ((\neg(V2c = (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))) \Rightarrow ((p (ap V0P (ap (ap c_2Einteger_2Eint_div V1x) \\
 & V2c))) \Leftrightarrow (\exists V3k \in ty_2Einteger_2Eint. (\exists V4r \in ty_2Einteger_2Eint. \\
 & ((V1x = (ap (ap c_2Einteger_2Eint_add (ap (ap c_2Einteger_2Eint_mul \\
 & V3k) V2c)) V4r)) \wedge (((((p (ap (ap c_2Einteger_2Eint_lt V2c) (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))) \wedge ((p (ap (ap c_2Einteger_2Eint_lt V2c) V4r)) \wedge \\
 & (p (ap (ap c_2Einteger_2Eint_le V4r) (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0))))))) \vee ((\neg(p (ap (ap c_2Einteger_2Eint_lt V2c) (ap \\
 & c_2Einteger_2Eint_of_num c_2Enum_2E0)))) \wedge ((p (ap (ap c_2Einteger_2Eint_le \\
 & (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V4r)) \wedge (p (ap (ap \\
 & c_2Einteger_2Eint_lt V4r) V2c))))))) \wedge (p (ap V0P V3k))))))))))) \\
 \end{aligned}$$