

thm_2Einteger_2EINT__ENTIRE (TMTqxA1EEFmGamEHdViuAqFu34Qas4THZ3)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$.
Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{5}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{6}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{7}$$

Definition 5 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_Emin_2E_3D (2^{A_27a})))$

Definition 6 We define c_Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum. (ap c_Eenum_2EABS_num ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Eenum_2Eenum^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum}) \quad (8)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap (ap c_2Earithmetic_2E_2B$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Eenum_2Eenum. V0x$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow Q)$ of type ι .

Definition 10 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in 2. ($

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2EABS_prod$

Definition 12 We define $c_2Einteger_2Eint_0$ to be $(ap (ap (c_2Epair_2E_2C ty_2Eenum_2Eenum ty_2Eenum_2Eenum))$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)}) \quad (10)$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty ty_2Einteger_2Eint \quad (11)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})} \quad (12)$$

Definition 13 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})^{ty_2Einteger_2Eint}) \quad (13)$$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define $c_Einteger_Eint_REP$ to be $\lambda V0a \in ty_Einteger_Eint.(ap (c_Emin_E40 (t$

Let $c_Einteger_Eint_lt : \iota$ be given. Assume the following.

$$c_Einteger_Eint_lt \in ((2^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)})(ty_Epair_Eprod ty_Eenum_Eenum)) \quad (14)$$

Definition 16 We define $c_Einteger_Eint_0$ to be $(ap c_Einteger_Eint_ABS c_Einteger_Eint_0)$.

Definition 17 We define $c_Einteger_Eint_mul$ to be $\lambda V0T1 \in ty_Einteger_Eint.\lambda V1T2 \in ty_Einteger_Eint$

Let $c_Einteger_Eint_neg : \iota$ be given. Assume the following.

$$c_Einteger_Eint_neg \in ((ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum) (ty_Eenum_Eenum ty_Eenum_Eenum))^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)} \quad (15)$$

Definition 18 We define $c_Einteger_Eint_neg$ to be $\lambda V0T1 \in ty_Einteger_Eint.(ap c_Einteger_Eint_neg$

Definition 19 We define $c_Einteger_Eint_lt$ to be $\lambda V0T1 \in ty_Einteger_Eint.\lambda V1T2 \in ty_Einteger_Eint$

Let $c_Einteger_Eint_of_num : \iota$ be given. Assume the following.

$$c_Einteger_Eint_of_num \in (ty_Einteger_Eint^{ty_Eenum_Eenum}) \quad (16)$$

Definition 20 We define $c_Ecombin_EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 21 We define $c_Ecombin_ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 22 We define $c_Ecombin_EI$ to be $\lambda A_27a : \iota.(ap (ap (c_Ecombin_ES A_27a (A_27a^{A_27a})) A_27a$

Definition 23 We define $c_Equotient_E2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in$

Definition 24 We define $c_Equotient_E3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27b})$

Definition 25 We define $c_Equotient_EEQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27b})$

Definition 26 We define $c_Ecombin_EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a})).(\lambda V1x \in$

Definition 27 We define $c_Equotient_Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_Ecombin_EW A_27a A_27a$

Definition 28 We define c_Ebool_EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a})).(ap V1f V0x))$

Definition 29 We define $c_Ebool_ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a})).(\lambda V1m \in (2^{A_27a})).(ap$

Definition 30 We define $c_Equotient_EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a})).(ap (c_Ebool_EIN$

Definition 31 We define $c_Ebool_E21_2$ to be $(ap (c_Ebool_E21_2) (\lambda V0t \in 2.V0t))$.

Definition 32 We define $c_Ebool_E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21_2) (\lambda V2t \in 2.V2t)))$

Definition 33 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((ap\ (c.2Ecombin.2EI\ A.27a)\ V0x) = V0x)) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V1q \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & ((p\ (ap\ (ap\ c.2Einteger.2Etint_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c.2Einteger.2Etint_eq \\ & \quad V0p) = (ap\ c.2Einteger.2Etint_eq\ V1q)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\neg(p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ V0x)\ V0x)))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V1y \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (((p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ c.2Einteger.2Etint_0)\ V0x)) \wedge \\ & \quad (p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ c.2Einteger.2Etint_0)\ V1y))) \Rightarrow \\ & \quad (p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ c.2Einteger.2Etint_0)\ (ap \\ & \quad \quad (ap\ c.2Einteger.2Etint_mul\ V0x)\ V1y)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V1x2 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V2y1 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V3y2 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (((p\ (ap\ (ap\ c.2Einteger.2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c.2Einteger.2Etint_eq \\ & \quad V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c.2Einteger.2Etint_eq\ (ap\ (ap\ c.2Einteger.2Etint_mul \\ & \quad \quad V0x1)\ V2y1))\ (ap\ (ap\ c.2Einteger.2Etint_mul\ V1x2)\ V3y2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V1x2 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V2y1 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (\forall V3y2 \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ ty.2Enum.2Enum)). \\ & (((p\ (ap\ (ap\ c.2Einteger.2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c.2Einteger.2Etint_eq \\ & \quad V2y1)\ V3y2))) \Rightarrow ((p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ V0x1)\ V2y1)) \Leftrightarrow \\ & \quad (p\ (ap\ (ap\ c.2Einteger.2Etint_lt\ V1x2)\ V3y2)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT\ (ty.2Epair.2Eprod\ ty.2Enum.2Enum \\ & \quad ty.2Enum.2Enum)\ ty.2Einteger.2Eint)\ c.2Einteger.2Etint_eq) \\ & \quad \quad c.2Einteger.2Eint_ABS)\ c.2Einteger.2Eint_REP)) \end{aligned} \quad (33)$$

Assume the following.

$$(c_2Einteger_2Eint_0 = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\ & (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\ & V0x) (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) = (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\ & V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ (ap\ c_2Einteger_2Eint_neg \\ & V0x))\ V1y)))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\ & V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) (ap\ c_2Einteger_2Eint_neg \\ & V1y)))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. ((ap\ c_2Einteger_2Eint_neg \\ & (ap\ c_2Einteger_2Eint_neg\ V0x)) = V0x)) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt \\ & (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ (ap\ c_2Einteger_2Eint_neg \\ & V0x))) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ V0x) (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. ((V0x = (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)) \vee ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))\ V0x)) \vee (p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0))\ (ap\ c_2Einteger_2Eint_neg\ V0x)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27a)\ (c_2Emin_2E_3D\ A_27a))\ (c_2Ecombin_2EI\ A_27a))\ (c_2Ecombin_2EI\ A_27a))) \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & ((\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ V0R\ V1x)\ V2y))) \Leftrightarrow \\ & ((ap\ V0R\ V1x) = (ap\ V0R\ V2y)))))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ (ap\ V0R \\ & V3x)\ V3x))) \wedge ((\forall V4x \in A_27a. (\forall V5y \in A_27a. ((p\ (ap\ (\\ & ap\ V0R\ V4x)\ V5y)) \Rightarrow (p\ (ap\ (ap\ V0R\ V5y)\ V4x)))))) \wedge (\forall V6x \in A_27a. \\ & (\forall V7y \in A_27a. (\forall V8z \in A_27a. (((p\ (ap\ (ap\ V0R\ V6x)\ V7y)) \wedge \\ & (p\ (ap\ (ap\ V0R\ V7y)\ V8z))) \Rightarrow (p\ (ap\ (ap\ V0R\ V6x)\ V8z)))))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\ & (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\ & (A_27a^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\ & V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in \\ & (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & (A_27b^{A_27a})\ (A_27d^{A_27c}))\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E \\ & A_27a\ A_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c \\ & A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\ & A_27a\ A_27d\ A_27c\ A_27b)\ V1abs1)\ V5rep2)))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\ & (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\ & (A_27a^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\ & V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in \\ & (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\ & ((\lambda V7x \in A_27c. (ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\ & A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a. (ap\ V5rep2 \\ & (ap\ V6f\ (ap\ V1abs1\ V8x)))))))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2ERespects \\
& \quad A_27a\ 2)\ V0R))\ V4g)))))))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0E \in (2^{A_27a})^{A_27a}). \\ & (\forall V1P \in (2^{A_27a}). ((p\ (ap\ (c_2Equotient_2EEQUIV\ A_27a) \\ & V0E)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2Erespects \\ & A_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c_2Ebool_2E.21\ A_27a)\ V1P)))))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (52)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(\\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\\ & \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (((p\ V0p) \Leftrightarrow (\neg(p\ V1q))) \Leftrightarrow (((p\ V0p) \vee \\ & (p\ V1q)) \wedge ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))) \end{aligned} \quad (59)$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & (((ap (ap c_2Einteger_2Eint_mul V0x) V1y) = (ap c_2Einteger_2Eint_of_num \\ & c_2Enum_2E0)) \Leftrightarrow ((V0x = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \vee \\ & (V1y = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)))))) \end{aligned}$$