

thm_2Einteger_2EINT__EQ__RADD (TMSvQebK1unR5BYbpCBSvK1yvyPbvU6mtL)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Einteger_2Eint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)}) (ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)) \tag{3}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{4}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)}) ty_2Einteger_2Eint) \tag{5}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Eint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}} \quad (7)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2$

Definition 10 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Eintege$

Definition 11 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 12 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27$

Definition 13 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Definition 14 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0j$

Definition 15 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 17 We define $c_2Equotient_2EEQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).$

Definition 18 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x$

Definition 19 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW A_27a A_27$

Definition 20 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 21 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 22 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & ((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c_2Einteger_2Etint_eq\ V0p) = (ap\ c_2Einteger_2Etint_eq\ V1q)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & ((V0p = V1q) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & ((ap\ (ap\ c_2Einteger_2Etint_add\ V0x)\ V1y) = (ap\ (ap\ c_2Einteger_2Etint_add\ V1y)\ V0x)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\ & (((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ (ap\ (ap\ c_2Einteger_2Etint_add\ V0x1)\ V2y1))\ (ap\ (ap\ c_2Einteger_2Etint_add\ V1x2)\ V3y2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(p (ap (ap (ap (ap (c_2Equotient_2EQUOTIENT (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) ty_2Einteger_2Eint) c_2Einteger_2Eint_eq) c_2Einteger_2Eint_ABS) c_2Einteger_2Eint_REP))) (18)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. (\forall V2z \in ty_2Einteger_2Eint. (((ap (ap c_2Einteger_2Eint_add V0x) V1y) = (ap (ap c_2Einteger_2Eint_add V0x) V2z)) \Leftrightarrow (V1y = V2z)))))) (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27a) (c_2Emin_2E_3D A_27a) (c_2Ecombin_2EI A_27a) (c_2Ecombin_2EI A_27a)))) (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty A_27c \Rightarrow \forall A_27d.nonempty A_27d \Rightarrow (\forall V0R1 \in (\\ & \quad (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\ & \quad (A_27a^{A_27c}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27c) \\ & \quad V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in \\ & \quad (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & \quad A_27b A_27d) V3R2) V4abs2) V5rep2)) \Rightarrow (p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & \quad (A_27b^{A_27a}) (A_27d^{A_27c})) (ap (ap (c_2Equotient_2E_3D_3D_3D_3E \\ & \quad A_27a A_27b) V0R1) V3R2)) (ap (ap (c_2Equotient_2E_2D_2D_3E A_27c \\ & \quad A_27b A_27a A_27d) V2rep1) V4abs2)) (ap (ap (c_2Equotient_2E_2D_2D_3E \\ & \quad A_27a A_27d A_27c A_27b) V1abs1) V5rep2)))))))))) (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & \quad (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & \quad A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x \in A_27b. (\forall V4y \in \\ & \quad A_27b. ((V3x = V4y) \Leftrightarrow (p (ap (ap V0R (ap V2rep V3x)) (ap V2rep V4y)))))))))) (22) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.(\forall V5y1 \in A_27a.(\forall V6y2 \in A_27a.(((p\ (ap\ (ap\ V0R \\
& \quad V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2))))))))))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1abs \in (A.27b^{A.27a}). \\
& (\forall V2rep \in (A.27a^{A.27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& \quad A.27a\ A.27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A.27a}).(\forall V4g \in \\
& \quad (2^{A.27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c.2Equotient.2E.3D.3D.3D.3E\ A.27a \\
& 2)\ V0R)\ (c.2Emin.2E.3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL \\
& \quad A.27a)\ (ap\ (c.2Equotient.2Erespects\ A.27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ (ap\ (c.2Equotient.2Erespects \\
& \quad \quad A.27a\ 2)\ V0R))\ V4g))))))))) \\
& \hspace{20em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A.27a})^{A.27a}).(\forall V1abs1 \in (A.27c^{A.27a}).(\forall V2rep1 \in \\
& (A.27a^{A.27c}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT\ A.27a\ A.27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A.27b})^{A.27b}).(\forall V4abs2 \in \\
& (A.27d^{A.27b}).(\forall V5rep2 \in (A.27b^{A.27d}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& \quad A.27b\ A.27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A.27b^{A.27a}). \\
& \quad (\forall V7g \in (A.27b^{A.27a}).(\forall V8x \in A.27a.(\forall V9y \in \\
& \quad A.27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c.2Equotient.2E.3D.3D.3D.3E\ A.27a \\
& A.27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))) \\
& \hspace{20em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0E \in ((2^{A.27a})^{A.27a}). \\
& \quad (\forall V1P \in (2^{A.27a}).((p\ (ap\ (c.2Equotient.2EEQUIV\ A.27a) \\
& V0E)) \Rightarrow ((p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ (ap\ (c.2Equotient.2Erespects \\
& \quad A.27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c.2Ebool.2E.21\ A.27a)\ V1P)))))) \\
& \hspace{20em} (29)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty.2Einteger.2Eint.(\forall V1y \in ty.2Einteger.2Eint. \\
& \quad (\forall V2z \in ty.2Einteger.2Eint.(((ap\ (ap\ c.2Einteger.2Eint_add \\
& V0x)\ V2z) = (ap\ (ap\ c.2Einteger.2Eint_add\ V1y)\ V2z)) \Leftrightarrow (V0x = V1y))))))
\end{aligned}$$