



**Definition 7** We define  $c\_2Emin\_2E.40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E.40 (ty$   
Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (6)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (7)$$

**Definition 9** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{\omega} \quad (9)$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 11** We define  $c\_2Ebool\_2E.5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E.21 2) (\lambda V2t \in$

**Definition 12** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

**Definition 13** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0x \in A.27a.(\lambda V1y \in A.27b.V0x)$

**Definition 14** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.(\lambda V0f \in ((A.27c^{A.27b})^{A.27a})$

**Definition 15** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A.27a : \iota.(ap (ap (c\_2Ecombin\_2ES A.27a (A.27a^{A.27a}) A$

**Definition 16** We define  $c\_2Equotient\_2E.2D.2D.3E$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda A.27d : \iota.\lambda V0f$

**Definition 17** We define  $c\_2Equotient\_2E.3D.3D.3E$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0R1 \in ((2^{A.27a})^{A.27b})$

**Definition 18** We define  $c\_2Ebool\_2E.2F.5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E.21 2) (\lambda V2t \in$

**Definition 19** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0R \in ((2^{A.27a})^{A.27a}).\lambda$

**Definition 20** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0f \in ((A.27b^{A.27a})^{A.27a}).(\lambda V1x$

**Definition 21** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(c\_2Ecombin\_2EW A\_27a A\_27b)$

**Definition 22** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 23** We define  $c\_2Ebool\_2ERES\_FORALL$  to be  $\lambda A\_27a : \iota.(\lambda V0p \in (2^{A\_27a}).(\lambda V1m \in (2^{A\_27a}).(ap (c\_2Ebool\_2EIN A\_27a) V0p) V1m)))$

**Definition 24** We define  $c\_2Equotient\_2EEQUIV$  to be  $\lambda A\_27a : \iota.\lambda V0E \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2EIN A\_27a) V0E)$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0x \in A\_27a.(\forall V1y \in \\ & A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0x \in A\_27a.((ap (c\_2Ecombin\_2EI \\ & A\_27a) V0x) = V0x)) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1q \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & ((p (ap (ap c\_2Einteger\_2Etint\_eq V0p) V1q)) \Leftrightarrow ((ap c\_2Einteger\_2Etint\_eq \\ & V0p) = (ap c\_2Einteger\_2Etint\_eq V1q)))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1q \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & ((V0p = V1q) \Rightarrow (p (ap (ap c\_2Einteger\_2Etint\_eq V0p) V1q)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1y \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & ((ap (ap c\_2Einteger\_2Etint\_mul V0x) V1y) = (ap (ap c\_2Einteger\_2Etint\_mul \\ & V1y) V0x)))) \end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V1x2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V2y1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V3y2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (((p\ (ap\ (ap\ c\_2Einteger\_2Etint\_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c\_2Einteger\_2Etint\_eq\ V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Etint\_eq\ (ap\ (ap\ c\_2Einteger\_2Etint\_mul\ V0x1)\ V2y1))\ (ap\ (ap\ c\_2Einteger\_2Etint\_mul\ V1x2)\ V3y2))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ ty\_2Einteger\_2Eint)\ c\_2Einteger\_2Etint\_eq)\ c\_2Einteger\_2Eint\_ABS)\ c\_2Einteger\_2Eint\_REP)))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2z \in ty\_2Einteger\_2Eint. (((ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x)\ V1y) = (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x)\ V2z)) \Leftrightarrow ((V0x = (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) \vee (V1y = V2z))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27a)\ (c\_2Emin\_2E\_3D\ A\_27a))\ (c\_2Ecombin\_2EI\ A\_27a))\ (c\_2Ecombin\_2EI\ A\_27a)))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& (2^{A\_27a} A\_27a). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in (A\_27a^{A\_27c}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c)\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b} A\_27b). (\forall V4abs2 \in (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (A\_27b^{A\_27a})\ (A\_27d^{A\_27c}))\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x \in A\_27b.(\forall V4y \in \\
& A\_27b.((V3x = V4y) \Leftrightarrow (p\ (ap\ (ap\ V0R\ (ap\ V2rep\ V3x))\ (ap\ V2rep\ V4y)))))))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& A\_27a.(\forall V5y1 \in A\_27a.(\forall V6y2 \in A\_27a.(((p\ (ap\ (ap\ V0R \\
& V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2)))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2)))))))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\
& ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x)))))))))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& A\_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2)))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27b}).((p\ ( \\
& ap\ (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}).(\forall V4g \in \\
& \quad (2^{A\_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2))\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ ( \\
& ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2ERespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g))))))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\
& \quad A\_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0E \in ((2^{A\_27a})^{A\_27a}). \\
& \quad (\forall V1P \in (2^{A\_27a}).((p\ (ap\ (c\_2Equotient\_2EEQUIV\ A\_27a) \\
& V0E)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2ERespects \\
& \quad A\_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c\_2Ebool\_2E\_21\ A\_27a)\ V1P)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & (\forall V2z \in ty\_2Einteger\_2Eint. (((ap (ap c\_2Einteger\_2Eint\_mul \\ V0x) V2z) = (ap (ap c\_2Einteger\_2Eint\_mul V1y) V2z)) \Leftrightarrow ((V2z = (ap \\ c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \vee (V0x = V1y)))))) \end{aligned}$$