

thm_2Einteger_2EINT__EXP__NEG (TMHX- itzMbU4xZCQMLtzAMdm5sUJCzGzanbX)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{5}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (6)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (7)$$

Definition 7 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E40\ (ty_2Einteger_2Eint)))$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Einteger_2Eint}) \quad (8)$$

Let $c_2Einteger_2Eint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (9)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}} \quad (10)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 10 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_neg)$

Let $c_2Earithmetic_2E2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (11)$$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint} \quad (12)$$

Definition 11 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (14)$$

Definition 12 We define c_Enum_2E0 to be $(ap\ c_Enum_2EABS_num\ c_Enum_2EZERO_REP)$.

Definition 13 We define $c_Earithmetic_2EZERO$ to be c_Enum_2E0 .

Let $c_Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (15)$$

Let $c_Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_2ESUC_REP \in (\omega^{\omega}) \quad (16)$$

Definition 14 We define c_Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_Enum_2EABS_num$

$c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 15 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_Earithmetic$

Definition 16 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (18)$$

Let $c_Einteger_2Eint_exp : \iota$ be given. Assume the following.

$$c_Einteger_2Eint_exp \in ((ty_2Einteger_2Eint)^{ty_2Enum_2Enum})^{ty_2Einteger_2Eint} \quad (19)$$

Definition 17 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_2E_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum.((ap\ (ap\ c_Earithmetic_2EEXP \\ & V0m)\ c_Enum_2E0) = (ap\ c_Earithmetic_2ENUMERAL\ (ap\ c_Earithmetic_2EBIT1 \\ & c_Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in \\ & ty_2Enum_2Enum.((ap\ (ap\ c_Earithmetic_2EEXP\ V1m)\ (ap\ c_Enum_2ESUC \\ & V2n)) = (ap\ (ap\ c_Earithmetic_2E_2A\ V1m)\ (ap\ (ap\ c_Earithmetic_2EEXP \\ & V1m)\ V2n)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (((p\ (ap\ c_Earithmetic_2EEVEN\ c_Enum_2E0)) \Leftrightarrow True) \wedge (\forall V0n \in \\ & ty_2Enum_2Enum.((p\ (ap\ c_Earithmetic_2EEVEN\ (ap\ c_Enum_2ESUC \\ & V0n))) \Leftrightarrow \neg(p\ (ap\ c_Earithmetic_2EEVEN\ V0n)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} &(((p \text{ (ap c.2Earithmetic.2EODD c.2Enum.2E0)} \Leftrightarrow \text{False}) \wedge (\forall V0n \in \\ & \text{ty.2Enum.2Enum.}((p \text{ (ap c.2Earithmetic.2EODD (ap c.2Enum.2ESUC} \\ & \text{V0n)})) \Leftrightarrow (\neg(p \text{ (ap c.2Earithmetic.2EODD V0n)})))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} &(\forall V0n \in \text{ty.2Enum.2Enum.}((p \text{ (ap c.2Earithmetic.2EEVEN V0n)} \Leftrightarrow \\ & (\neg(p \text{ (ap c.2Earithmetic.2EODD V0n)})))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} &(\forall V0n \in \text{ty.2Enum.2Enum.}((p \text{ (ap c.2Earithmetic.2EODD V0n)} \Leftrightarrow \\ & (\neg(p \text{ (ap c.2Earithmetic.2EEVEN V0n)})))) \end{aligned} \quad (24)$$

Assume the following.

$$\text{True} \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(\text{False} \Rightarrow (p \text{ V0t}))) \quad (26)$$

Assume the following.

$$\begin{aligned} &\forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & A.27a.(p \text{ V0t})) \Leftrightarrow (p \text{ V0t}))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((\text{True} \wedge (p \text{ V0t})) \Leftrightarrow (p \text{ V0t})) \wedge (((p \text{ V0t}) \wedge \text{True}) \Leftrightarrow \\ & (p \text{ V0t})) \wedge (((\text{False} \wedge (p \text{ V0t})) \Leftrightarrow \text{False}) \wedge (((p \text{ V0t}) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge \\ & (((p \text{ V0t}) \wedge (p \text{ V0t})) \Leftrightarrow (p \text{ V0t})))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((\text{True} \Rightarrow (p \text{ V0t})) \Leftrightarrow (p \text{ V0t})) \wedge (((p \text{ V0t}) \Rightarrow \text{True}) \Leftrightarrow \\ & \text{True}) \wedge (((\text{False} \Rightarrow (p \text{ V0t})) \Leftrightarrow \text{True}) \wedge (((p \text{ V0t}) \Rightarrow (p \text{ V0t})) \Leftrightarrow \text{True}) \wedge ((\\ & (p \text{ V0t}) \Rightarrow \text{False}) \Leftrightarrow (\neg(p \text{ V0t})))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} &\forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\ & \text{True})) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} &\forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) V1y)) = (ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_neg V0x)) V1y)))) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. ((ap c_2Einteger_2Eint_neg (ap (ap c_2Einteger_2Eint_mul V0x) V1y)) = (ap (ap c_2Einteger_2Eint_mul V0x) (ap c_2Einteger_2Eint_neg V1y)))) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_neg V0x)) = V0x)) \quad (37)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Einteger_2Eint_mul (ap c_2Einteger_2Eint_of_num V0m)) (ap c_2Einteger_2Eint_of_num V1n)) = (ap c_2Einteger_2Eint_of_num (ap (ap c_2Earithmic_2E_2A V0m) V1n)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in ty_2Einteger_2Eint.((ap (ap c_2Einteger_2Eint_exp V0p) c_2Enum_2E0) = (ap c_2Einteger_2Eint_of_num (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) \wedge (\forall V1p \in ty_2Einteger_2Eint.(\forall V2n \in ty_2Enum_2Enum.((ap (ap c_2Einteger_2Eint_exp V1p) (ap c_2Enum_2ESUC V2n)) = (ap (ap c_2Einteger_2Eint_mul V1p) (ap (ap c_2Einteger_2Eint_exp V1p) V2n)))))) \quad (39)$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n))))))
\end{aligned} \tag{40}$$

Theorem 1

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(\\
& ((p (ap c_2Earithmetic_2EVEN V0n)) \Rightarrow ((ap (ap c_2Einteger_2Eint_exp \\
& (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num V1m))) \\
& V0n) = (ap c_2Einteger_2Eint_of_num (ap (ap c_2Earithmetic_2EEXP \\
& V1m) V0n)))) \wedge ((p (ap c_2Earithmetic_2EODD V0n)) \Rightarrow ((ap (ap c_2Einteger_2Eint_exp \\
& (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num V1m))) \\
& V0n) = (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap (ap c_2Earithmetic_2EEXP V1m) V0n))))))))))
\end{aligned}$$