

thm_2Einteger_2EINT__LT__01 (TMSkqNcnUT- gmRS1B7whLRQNWWh4LmM2maYo)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 0t \in 2.V 0t)$.

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Einteger_2Eint` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Einteger_2Eint} \tag{3}$$

Let `c_2Einteger_2Eint__REP__CLASS` : ι be given. Assume the following.

$$\text{c_2Einteger_2Eint_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})}) \text{ty_2Einteger_2Eint}) \tag{4}$$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Einteger_2Eint__REP` to be $\lambda V 0a \in \text{ty_2Einteger_2Eint}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Einteger_2Eint_REP_CLASS } a)))$

Let `c_2Einteger_2Etint__eq` : ι be given. Assume the following.

$$\text{c_2Einteger_2Etint_eq} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})}) (\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum})) \tag{5}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{7}$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{8}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{9}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ m))$

Let $c_2Earithmic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{10}$$

Definition 10 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmic_2E_2B\ n))$

Definition 11 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 12 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow Q)$ of type ι .

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t2))\ t1)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \tag{11}$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ x\ y))$

Definition 15 We define $c_2Einteger_2Eint_0$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)))$

Definition 16 We define $c_2Einteger_2Eint_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)))$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \tag{12}$$

Definition 17 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 18 We define $c_2Einteger_2Eint_0$ to be $(ap\ c_2Einteger_2Eint_ABS\ c_2Einteger_2Eint_0)$.

Definition 19 We define $c_2Einteger_2Eint_1$ to be $(ap\ c_2Einteger_2Eint_ABS\ c_2Einteger_2Eint_1)$.

Definition 20 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E))$

Let $c_2Einteger_2Eint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (13)$$

Definition 21 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (14)$$

Definition 22 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Definition 23 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap\ (c_2Ebool_2E7E))$

Definition 24 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\
& (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\
& ((p (ap (ap (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c_2Einteger_2Etint_eq \\
& V0p) = (ap\ c_2Einteger_2Etint_eq\ V1q))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\neg(p (ap (ap (ap\ c_2Einteger_2Etint_eq\ c_2Einteger_2Etint_1)\ c_2Einteger_2Etint_0))) \tag{23}$$

Assume the following.

$$\begin{aligned}
& (p (ap (ap (ap (ap (c_2Equotient_2EQUOTIENT (ty_2Epair_2Eprod\ ty_2Enum_2Enum \\
& ty_2Enum_2Enum)\ ty_2Einteger_2Eint)\ c_2Einteger_2Etint_eq) \\
& c_2Einteger_2Eint_ABS)\ c_2Einteger_2Eint_REP)))
\end{aligned} \tag{24}$$

Assume the following.

$$(c_2Einteger_2Eint_0 = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \tag{25}$$

Assume the following.

$$\begin{aligned}
& (c_2Einteger_2Eint_1 = (ap\ c_2Einteger_2Eint_of_num (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap (ap\ c_2Einteger_2Eint_lt\ V0x)\ V1y)) \Leftrightarrow ((p (ap (ap\ c_2Einteger_2Eint_le \\
& V0x)\ V1y)) \wedge (\neg(V0x = V1y))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (p (ap (ap (ap\ c_2Einteger_2Eint_le (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap\ c_2Einteger_2Eint_of_num (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& ((\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p (ap (ap V0R V1x) V2y)) \Leftrightarrow \\
& ((ap V0R V1x) = (ap V0R V2y)))))) \Leftrightarrow ((\forall V3x \in A_27a. (p (ap (ap V0R \\
& V3x) V3x))) \wedge ((\forall V4x \in A_27a. (\forall V5y \in A_27a. ((p (ap (\\
& ap V0R V4x) V5y)) \Rightarrow (p (ap (ap V0R V5y) V4x)))))) \wedge (\forall V6x \in A_27a. \\
& (\forall V7y \in A_27a. (\forall V8z \in A_27a. (((p (ap (ap V0R V6x) V7y)) \wedge \\
& (p (ap (ap V0R V7y) V8z))) \Rightarrow (p (ap (ap V0R V6x) V8z))))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& A_27a\ A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x \in A_27b. (\forall V4y \in \\
& A_27b. ((V3x = V4y) \Leftrightarrow (p (ap (ap V0R (ap V2rep V3x)) (ap V2rep V4y))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& A_27a\ A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x1 \in A_27a. (\forall V4x2 \in \\
& A_27a. (\forall V5y1 \in A_27a. (\forall V6y2 \in A_27a. (((p (ap (ap V0R \\
& V3x1) V4x2)) \wedge (p (ap (ap V0R V5y1) V6y2))) \Rightarrow ((p (ap (ap V0R V3x1) V5y1)) \Leftrightarrow \\
& (p (ap (ap V0R V4x2) V6y2))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0REL \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& A_27a\ A_27b) V0REL) V1abs) V2rep)) \Rightarrow (\forall V3x1 \in A_27a. (\forall V4x2 \in \\
& A_27a. ((p (ap (ap V0REL V3x1) V4x2)) \Rightarrow (p (ap (ap V0REL V3x1) (ap V2rep \\
& (ap V1abs V4x2))))))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& (p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))
\end{aligned}$$