

thm_2Einteger_2EINT__LT__ADDR
(TMb1kW1SEg5mcnSmT7Gsi2vDCZErFYQ6A1y)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{4}$$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \tag{5}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{6}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})\ ty_2Einteger_2Eint) \tag{7}$$

Definition 4 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))))$

Definition 6 We define `c_2Einteger_2Eint__REP` to be $\lambda V0a \in \text{ty_2Einteger_2Eint}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Einteger_2Eint_add } V0a))))$

Let `c_2Einteger_2Eint__add` : ι be given. Assume the following.

$$c_2Einteger_2Eint_add \in (((\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}} \quad (8)$$

Let `c_2Einteger_2Eint__eq` : ι be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}} \quad (9)$$

Let `c_2Einteger_2Eint__ABS__CLASS` : ι be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (\text{ty_2Einteger_2Eint})^{(2^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}}} \quad (10)$$

Definition 7 We define `c_2Einteger_2Eint__ABS` to be $\lambda V0r \in (\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum})$

Definition 8 We define `c_2Einteger_2Eint__add` to be $\lambda V0T1 \in \text{ty_2Einteger_2Eint}. \lambda V1T2 \in \text{ty_2Einteger_2Eint}. (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_add } V0T1 \ V1T2))))$

Let `c_2Einteger_2Eint__lt` : ι be given. Assume the following.

$$c_2Einteger_2Eint_lt \in ((2^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}})^{\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}} \quad (11)$$

Definition 9 We define `c_2Einteger_2Eint__lt` to be $\lambda V0T1 \in \text{ty_2Einteger_2Eint}. \lambda V1T2 \in \text{ty_2Einteger_2Eint}. (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_lt } V0T1 \ V1T2))))$

Assume the following.

$$\text{True} \quad (12)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (13)$$

Assume the following.

$$(\forall V0x \in \text{ty_2Einteger_2Eint}. ((\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_add } V0x \ (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_of_num } \text{c_2Enum_2E0})))))) = V0x)) \quad (14)$$

Assume the following.

$$(\forall V0x \in \text{ty_2Einteger_2Eint}. (\forall V1y \in \text{ty_2Einteger_2Eint}. (\forall V2z \in \text{ty_2Einteger_2Eint}. ((\text{p } (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_lt } V0x \ V1y)) \ (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_add } V0x \ V2z)))))) \Leftrightarrow (\text{p } (\text{ap } (\text{ap } (\text{c_2Einteger_2Eint_lt } V1y \ V2z))))))) \quad (15)$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ & ((p (ap (ap c_2Einteger_2Eint_lt V0x) (ap (ap c_2Einteger_2Eint_add \\ V0x) V1y))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_lt (ap c_2Einteger_2Eint_of_num \\ c_2Enum_2E0)) V1y)))))) \end{aligned}$$