

# thm\_2Einteger\_2EINT\_\_LT\_\_ANTISYM (TMc17oSj3fQozvyFsYawJ1fdcG9NMfuyoPx)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum\ ty\_2Eenum\_2Eenum)})(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)) \tag{3}$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{4}$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum\ ty\_2Eenum\_2Eenum)})}) \tag{5}$$

**Definition 7** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$ .  
Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (6)$$

**Definition 8** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** *(the*  $(\lambda x.x \in A \wedge p)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint$ .  $(ap\ (c\_2Emin\_2E40\ (ty\_2Einteger\_2Eint)))$ .  
Let  $c\_2Einteger\_2Eint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (7)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint$ .  $\lambda V1T2 \in ty\_2Einteger\_2Eint$ .

**Definition 11** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V2x \in A)$ .

**Definition 12** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$ .

**Definition 13** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A.\lambda a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a})\ A\_27a)))$ .

**Definition 14** We define  $c\_2Equotient\_2E2D\_2D\_3E$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda A.\lambda d : \iota.\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$ .

**Definition 15** We define  $c\_2Equotient\_2E3D\_3D\_3D\_3E$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27a})$ .

**Definition 16** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2))))$ .

**Definition 17** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a})$ .

**Definition 18** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\lambda V1x \in A))$ .

**Definition 19** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(c\_2Ecombin\_2EW\ A\_27a\ A\_27a)$ .

**Definition 20** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$ .

**Definition 21** We define  $c\_2Ebool\_2ERES\_FORALL$  to be  $\lambda A.\lambda a : \iota.(\lambda V0p \in (2^{A\_27a}).(\lambda V1m \in (2^{A\_27a}).(ap\ V1m\ V0p)))$ .

**Definition 22** We define  $c\_2Equotient\_2EEQUIV$  to be  $\lambda A.\lambda a : \iota.\lambda V0E \in ((2^{A\_27a})^{A\_27a}).(ap\ (c\_2Ebool\_2EIN\ V0E))$ .

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ & A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap (c\_2Ecombin\_2El \\ & A\_27a) V0x) = V0x)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1q \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & ((p (ap (ap c\_2Einteger\_2Etint\_eq V0p) V1q)) \Leftrightarrow ((ap c\_2Einteger\_2Etint\_eq \\ & V0p) = (ap c\_2Einteger\_2Etint\_eq V1q)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\neg(p (ap (ap c\_2Einteger\_2Etint\_lt V0x) V0x)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V1y \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (\forall V2z \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum). \\ & (((p (ap (ap c\_2Einteger\_2Etint\_lt V0x) V1y)) \wedge (p (ap (ap c\_2Einteger\_2Etint\_lt \\ & V1y) V2z))) \Rightarrow (p (ap (ap c\_2Einteger\_2Etint\_lt V0x) V2z)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V1x2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V2y1 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (\forall V3y2 \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)). \\
& (((p\ (ap\ (ap\ c\_2Einteger\_2Etint\_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c\_2Einteger\_2Etint\_eq\ V2y1)\ V3y2)))) \Rightarrow ((p\ (ap\ (ap\ c\_2Einteger\_2Etint\_lt\ V0x1)\ V2y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ c\_2Einteger\_2Etint\_lt\ V1x2)\ V3y2))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)\ ty\_2Einteger\_2Eint)\ c\_2Einteger\_2Etint\_eq)\ c\_2Einteger\_2Eint\_ABS)\ c\_2Einteger\_2Eint\_REP))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27a)\ (c\_2Emin\_2E\_3D\ A\_27a)\ (c\_2Ecombin\_2EI\ A\_27a)\ (c\_2Ecombin\_2EI\ A\_27a))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c)^{A\_27a}). (\forall V2rep1 \in (A\_27a)^{A\_27c}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c)\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in (A\_27d)^{A\_27b}). (\forall V5rep2 \in (A\_27b)^{A\_27d}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (A\_27b)^{A\_27a}\ (A\_27d)^{A\_27c})\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c)^{A\_27a}). (\forall V2rep1 \in (A\_27a)^{A\_27c}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c)\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in (A\_27d)^{A\_27b}). (\forall V5rep2 \in (A\_27b)^{A\_27d}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27d)^{A\_27c}). ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2\ (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A\_27a. (\forall V4x2 \in \\
& \quad A\_27a. ((p (ap (ap V0REL\ V3x1)\ V4x2)) \Rightarrow (p (ap (ap V0REL\ V3x1)\ (ap V2rep \\
& \quad (ap V1abs\ V4x2))))))))))))) \\
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27b}). ((p ( \\
& \quad ap (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ (ap (ap (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f)))))))))) \\
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}). (\forall V4g \in \\
& \quad (2^{A\_27a}). ((p (ap (ap (ap (ap (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p (ap (ap (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p ( \\
& \quad ap (ap (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap (c\_2Equotient\_2ERespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g)))))))))) \\
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}). (\forall V8x \in A\_27a. (\forall V9y \in \\
& \quad A\_27a. ((p (ap (ap (ap (ap (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p (ap (ap V0R1\ V8x)\ V9y))) \Rightarrow (p (ap ( \\
& \quad ap V3R2)\ (ap V6f\ V8x))\ (ap V7g\ V9y)))))))))) \\
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_0 E \in ((2^{A_{27a}})^{A_{27a}}). \\
& (\forall V_1 P \in (2^{A_{27a}}). ((p (ap (c\_2Equotient\_2EEQUIV } A_{27a} \\
V_0 E)) \Rightarrow ((p (ap (ap (c\_2Ebool\_2ERES\_FORALL } A_{27a} (ap (c\_2Equotient\_2Erespects \\
A_{27a} 2) V_0 E)) V_1 P)) \Leftrightarrow (p (ap (c\_2Ebool\_2E.21 } A_{27a} V_1 P)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V_0 x \in \text{ty\_2Einteger\_2Eint}. (\forall V_1 y \in \text{ty\_2Einteger\_2Eint}. \\
& (\neg((p (ap (ap c\_2Einteger\_2Eint\_lt } V_0 x) V_1 y)) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt \\
& V_1 y) V_0 x))))))
\end{aligned}$$