

thm_2Einteger_2EINT__LT__LADD__IMP
 (TMQnDnN-
 MAay6KmPCQmwJ3oFsphVdxXYja6S)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Einteger_2E_2tint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2E_2tint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum) \tag{3}$$

Let $c_2Einteger_2E_2tint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2E_2tint_add \in (((ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum) \tag{4}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (5)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (6)$$

Definition 7 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (7)$$

Definition 8 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E40\ (ty_2Einteger_2Eint\ a)))$

Definition 10 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(c_2Einteger_2Eint_REP\ (T1\ T2))$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (8)$$

Definition 11 We define $c_2Einteger_2Etint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(c_2Einteger_2Etint_lt\ T1\ T2)$

Definition 12 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 13 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 14 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a}))\ A_27a))$

Definition 15 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in ((A_27d^{A_27c})^{A_27b})^{A_27a}$

Definition 16 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27b})^{A_27a}$

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2)))$

Definition 18 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27b})^{A_27a}$

Definition 19 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a})).(\lambda V1x \in A_27a.(\lambda V2y \in A_27b.f\ x\ y))$

Definition 20 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW\ A_27a\ A_27b)$

Definition 21 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a})).(ap\ V1f\ V0x))$

Definition 22 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a})).(\lambda V1m \in (2^{A_27a})).(ap\ V1m\ V0p)$

Definition 23 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E$

Assume the following.

$$True \tag{9}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap (c_2Ecombin_2EI \\ A_27a) V0x) = V0x)) \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V1q \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & ((p (ap (ap \ c_2Einteger_2Etint_eq \ V0p) \ V1q)) \Leftrightarrow ((ap \ c_2Einteger_2Etint_eq \\ & \ V0p) = (ap \ c_2Einteger_2Etint_eq \ V1q)))))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V1y \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V2z \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & ((p (ap (ap \ c_2Einteger_2Etint_lt \ V1y) \ V2z)) \Rightarrow (p (ap (ap \ c_2Einteger_2Etint_lt \\ & (ap (ap \ c_2Einteger_2Etint_add \ V0x) \ V1y)) (ap (ap \ c_2Einteger_2Etint_add \\ & \ V0x) \ V2z)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V1x2 \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V2y1 \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (\forall V3y2 \in (ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum). \\ & (((p (ap (ap \ c_2Einteger_2Etint_eq \ V0x1) \ V1x2)) \wedge (p (ap (ap \ c_2Einteger_2Etint_eq \\ & \ V2y1) \ V3y2))) \Rightarrow (p (ap (ap \ c_2Einteger_2Etint_eq (ap (ap \ c_2Einteger_2Etint_add \\ & \ V0x1) \ V2y1)) (ap (ap \ c_2Einteger_2Etint_add \ V1x2) \ V3y2)))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V2y1)\ V3y2)))) \Rightarrow ((p\ (ap\ (ap\ c_2Einteger_2Etint_lt\ V0x1)\ V2y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ c_2Einteger_2Etint_lt\ V1x2)\ V3y2))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ ty_2Einteger_2Eint)\ c_2Einteger_2Etint_eq)\ c_2Einteger_2Eint_ABS)\ c_2Einteger_2Eint_REP))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27a)\ (c_2Emin_2E_3D\ A_27a)\ (c_2Ecombin_2EI\ A_27a)\ (c_2Ecombin_2EI\ A_27a))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c)^{A_27a}). (\forall V2rep1 \in (A_27a)^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c)\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in (A_27d)^{A_27b}). (\forall V5rep2 \in (A_27b)^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ (A_27b)^{A_27a}\ (A_27d)^{A_27c})\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a\ A_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27a\ A_27d\ A_27c\ A_27b)\ V1abs1)\ V5rep2))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c)^{A_27a}). (\forall V2rep1 \in (A_27a)^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c)\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in (A_27d)^{A_27b}). (\forall V5rep2 \in (A_27b)^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d)^{A_27c}). ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2\ (ap\ V6f\ (ap\ V1abs1\ V8x))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2ERespects \\
& \quad A_27a\ 2)\ V0R))\ V4g)))))))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0E \in ((2^{A_{27a}})^{A_{27a}}). \\
& (\forall V1P \in (2^{A_{27a}}). ((p (ap (c_2Equotient_2EEQUIV A_{27a}) \\
V0E)) \Rightarrow ((p (ap (ap (c_2Ebool_2ERES_FORALL A_{27a}) (ap (c_2Equotient_2Erespects \\
A_{27a} 2) V0E)) V1P)) \Leftrightarrow (p (ap (c_2Ebool_2E.21 A_{27a}) V1P))))))
\end{aligned} \tag{26}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_lt \\
V1y) V2z)) \Rightarrow (p (ap (ap c_2Einteger_2Eint_lt (ap (ap c_2Einteger_2Eint_add \\
V0x) V1y)) (ap (ap c_2Einteger_2Eint_add V0x) V2z))))))
\end{aligned}$$