

thm_2Einteger_2EINT__MOD__NEG__NUMERATOR (TMGQBT9ikZbrQNb1HbA3k5SjMF7VU1Stm8s)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$.
Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{3}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{ty_2Einteger_2Eint}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty_2Eint_REP_CLASS$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \tag{5}$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})$$
 (6)

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}$$
 (7)

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_ABS)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}$$
 (8)

Definition 8 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 9 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$
 (9)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega}$$
 (10)

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum})$$
 (11)

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega})$$
 (12)

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}$$
 (13)

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 14 We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `c_2Einteger_2Eint__mul` : ι be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (14)$$

Definition 15 We define `c_2Einteger_2Eint__mul` to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Let `c_2Einteger_2Eint__mod` : ι be given. Assume the following.

$$c_2Einteger_2Eint_mod \in ((ty_2Einteger_2Eint^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint})^{ty_2Einteger_2Eint} \quad (15)$$

Let `c_2Einteger_2Eint__of__num` : ι be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (16)$$

Definition 16 We define `c_2Ebool_2EF` to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 17 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 18 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 19 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 20 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0k \in ty_2Einteger_2Eint. (\forall V1q \in ty_2Einteger_2Eint. \\
& (\forall V2r \in ty_2Einteger_2Eint. ((\neg(V0k = (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap (ap c_2Einteger_2Eint_mod (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_mul V1q) V0k)) V2r)) V0k) = (ap (ap c_2Einteger_2Eint_mod \\
& V2r) V0k))))))
\end{aligned} \tag{23}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{24}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{27}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \quad (37)$$

Theorem 1

$$(\forall V0k \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. ((\neg(V0k = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))) \Rightarrow ((ap\ c_2Einteger_2Eint_mod\ (ap\ c_2Einteger_2Eint_neg\ V1x))\ V0k) = (ap\ (ap\ c_2Einteger_2Eint_mod\ (ap\ (ap\ c_2Einteger_2Eint_sub\ V0k)\ V1x))\ V0k))))))$$