

# thm\_2Einteger\_2EINT\_\_MUL\_\_REDUCE (TMdB- heM23aSFLeZDhK8kC6b6axw9iB4RCmk)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{4}$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (5)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (6)$$

**Definition 9** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E40\ (t$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Einteger\_2Etint\_neg}) \quad (7)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (8)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}} \quad (9)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 12** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint$

Let  $c\_2Earithmetic\_2E2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2A \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (11)$$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (12)$$

**Definition 13** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (15) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ (ap\ c\_2Einteger\_2Eint\_mul \\ & (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0))\ V0x) = (ap\ c\_2Einteger\_2Eint\_of\_num \\ & c\_2Enum\_2E0))) \quad (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap\ (ap\ c\_2Einteger\_2Eint\_mul \\ & V0x)\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) = (ap\ c\_2Einteger\_2Eint\_of\_num \\ & c\_2Enum\_2E0))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x) \\ & V1y)) = (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ (ap\ c\_2Einteger\_2Eint\_neg \\ & V0x))\ V1y)))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x) \\ & V1y)) = (ap\ (ap\ c\_2Einteger\_2Eint\_mul\ V0x)\ (ap\ c\_2Einteger\_2Eint\_neg \\ & V1y)))) \quad (21) \end{aligned}$$

