

thm_2Einteger_2EINT__NEG__ADD (TMN- WEKUPjVAeyPSmnCWPao4xyDCvhSix3BU)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)) P))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let `c_2Einteger_2E_2tint__eq` : ι be given. Assume the following.

$$c_2Einteger_2E_2tint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) (ty_2Epair_2Eprod\ ty_2Enum_2Enum)) \tag{3}$$

Let `ty_2Einteger_2E_2int` : ι be given. Assume the following.

$$nonempty\ ty_2Einteger_2E_2int \tag{4}$$

Let `c_2Einteger_2E_2int__REP__CLASS` : ι be given. Assume the following.

$$c_2Einteger_2E_2int_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) ty_2Einteger_2E_2int) \tag{5}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint$.(ap $(c_2Emin_2E_40$ (ty

Let $c_2Einteger_2Eint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})} \quad (7)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) \quad (8)$$

Definition 10 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$.(ap $c_2Einteger_2Eint$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (10)$$

Definition 11 We define c_2Enum_2E0 to be (ap $c_2Enum_2EABS_num$ $c_2Enum_2EZERO_REP$).

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (11)$$

Definition 12 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$. $\lambda V1T2 \in ty_2Einteger$

Definition 13 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota$.($\lambda V0x \in A$. $\lambda V1y \in A$. $\lambda V2z \in A$.)

Definition 14 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota$.($\lambda V0f \in ((A \rightarrow c)^{A \rightarrow b})^{A \rightarrow a}$)

Definition 15 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda a : \iota$.(ap (ap $(c_2Ecombin_2ES A \rightarrow a (A \rightarrow a)^{A \rightarrow a})$ A

Definition 16 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda A.\lambda d : \iota$. $\lambda V0f$

Definition 17 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota$. $\lambda V0R1 \in ((2^{A \rightarrow a})^{A \rightarrow b})$

Definition 18 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2$. $(\lambda V1t2 \in 2$.(ap $(c_2Ebool_2E_21$ 2) $(\lambda V2t \in$

Definition 19 We define $c_2\text{Equotient_2EQUOTIENT}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Definition 20 We define $c_2\text{Ecombin_2EW}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x$

Definition 21 We define $c_2\text{Equotient_2Erespects}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2\text{Ecombin_2EW } A_27a \ A_27b$

Definition 22 We define $c_2\text{Ebool_2EIN}$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\text{ap } V1f \ V0x))$

Definition 23 We define $c_2\text{Ebool_2ERES_FORALL}$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 24 We define $c_2\text{Equotient_2EEQUIV}$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(\text{ap } (c_2\text{Ebool_2EIN}$

Assume the following.

$$\text{True} \tag{12}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow \text{True}) \Leftrightarrow \\ & \text{True}) \wedge (((\text{False} \Rightarrow (p \ V0t)) \Leftrightarrow \text{True}) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow \text{True}) \wedge ((\\ & (p \ V0t) \Rightarrow \text{False}) \Leftrightarrow (\neg (p \ V0t)))))) \end{aligned} \tag{13}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \text{True})) \tag{14}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{15}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p \ V0t)) \wedge (((\text{False} \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg (\\ & p \ V0t)))))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((\text{ap } (c_2\text{Ecombin_2EI } A_27a) \ V0x) = V0x)) \tag{18}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2\text{Epair_2Eprod } ty_2\text{Enum_2Enum } ty_2\text{Enum_2Enum}). \\ & (\forall V1q \in (ty_2\text{Epair_2Eprod } ty_2\text{Enum_2Enum } ty_2\text{Enum_2Enum}). \\ & ((p \ (\text{ap } (\text{ap } c_2\text{Einteger_2Etint_eq } V0p) \ V1q)) \Leftrightarrow ((\text{ap } c_2\text{Einteger_2Etint_eq } \\ & \ V0p) = (\text{ap } c_2\text{Einteger_2Etint_eq } V1q)))) \end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \quad (20) \\
& ((V0p = V1q) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& ((ap\ (ap\ c_2Einteger_2Etint_add\ V0x)\ V1y) = (ap\ (ap\ c_2Einteger_2Etint_add \\
& \quad V1y)\ V0x)))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2z \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& ((ap\ (ap\ c_2Einteger_2Etint_add\ V0x)\ (ap\ (ap\ c_2Einteger_2Etint_add \\
& \quad V1y)\ V2z)) = (ap\ (ap\ c_2Einteger_2Etint_add\ (ap\ (ap\ c_2Einteger_2Etint_add \\
& \quad V0x)\ V1y))\ V2z)))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Etint_eq \\
& \quad V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ (ap\ (ap\ c_2Einteger_2Etint_add \\
& \quad V0x1)\ V2y1))\ (ap\ (ap\ c_2Einteger_2Etint_add\ V1x2)\ V3y2)))))) \quad (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum \\
& \quad ty_2Enum_2Enum)\ ty_2Einteger_2Eint)\ c_2Einteger_2Etint_eq) \\
& \quad c_2Einteger_2Eint_ABS)\ c_2Einteger_2Eint_REP)) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_add \\
& \quad V0x)\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) = V0x)) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_add \\
& \quad (ap\ c_2Einteger_2Eint_neg\ V0x))\ V0x) = (ap\ c_2Einteger_2Eint_of_num \\
& \quad c_2Enum_2E0))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (((ap (ap c_2Einteger_2Eint_add V0x) V1y) = (ap c_2Einteger_2Eint_of_num \\
& \quad c_2Enum_2E0)) \Leftrightarrow (V0x = (ap c_2Einteger_2Eint_neg V1y))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow (p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad A_27a A_27a) (c_2Emin_2E_3D A_27a)) (c_2Ecombin_2EI A_27a)) (\\
& \quad \quad c_2Ecombin_2EI A_27a)))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty A_27c \Rightarrow \forall A_27d. nonempty A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a} A_27a). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27c) \\
& \quad \quad V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b} A_27b). (\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad \quad A_27b A_27d) V3R2) V4abs2) V5rep2)) \Rightarrow (p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad \quad (A_27b^{A_27a}) (A_27d^{A_27c})) (ap (ap (c_2Equotient_2E_3D_3D_3D_3E \\
& \quad \quad A_27a A_27b) V0R1) V3R2)) (ap (ap (c_2Equotient_2E_2D_2D_3E A_27c \\
& \quad \quad A_27b A_27a A_27d) V2rep1) V4abs2)) (ap (ap (c_2Equotient_2E_2D_2D_3E \\
& \quad \quad A_27a A_27d A_27c A_27b) V1abs1) V5rep2))))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a} A_27a). (\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad \quad A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x \in A_27b. (\forall V4y \in \\
& \quad \quad A_27b. ((V3x = V4y) \Leftrightarrow (p (ap (ap V0R (ap V2rep V3x)) (ap V2rep V4y))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a} A_27a). (\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\
& \quad \quad A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3x1 \in A_27a. (\forall V4x2 \in \\
& \quad \quad A_27a. (\forall V5y1 \in A_27a. (\forall V6y2 \in A_27a. (((p (ap (ap V0R \\
& \quad \quad V3x1) V4x2)) \wedge (p (ap (ap V0R V5y1) V6y2))) \Rightarrow ((p (ap (ap V0R V3x1) V5y1)) \Leftrightarrow \\
& \quad \quad (p (ap (ap V0R V4x2) V6y2))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& \quad ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2))\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2Erespects \\
& \quad A_27a\ 2)\ V0R))\ V4g))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y)))))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0E \in ((2^{A_27a})^{A_27a}). \\
& \quad (\forall V1P \in (2^{A_27a}).((p\ (ap\ (c_2Equotient_2EEQUIV\ A_27a) \\
& \quad V0E)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2Erespects \\
& \quad A_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c_2Ebool_2E.21\ A_27a)\ V1P))))))
\end{aligned} \tag{37}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint.(\forall V1y \in ty_2Einteger_2Eint. \\
& \quad ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_add\ V0x) \\
& \quad V1y)) = (ap\ c_2Einteger_2Eint_add\ (ap\ c_2Einteger_2Eint_neg \\
& \quad V0x))\ (ap\ c_2Einteger_2Eint_neg\ V1y))))
\end{aligned}$$