

thm_2Einteger_2EINT_NEG_LMUL
 (TMSstQ2HxYcptjCDKAiHByQET9bYRMi8mSP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow & nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (2)$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (3)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (4)$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (5)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)} \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}} \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_ABS\ T1)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (8)$$

Definition 8 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Etint_add\ T1\ T2)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{omega} \quad (10)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (11)$$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum\ ty_2Enum_2Enum))^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (12)$$

Definition 10 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Etint_mul\ T1\ T2)$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint__add (ap c_2Einteger_2Eint__neg V0x)) V0x) = (ap c_2Einteger_2Eint__of__num c_2Enum_2E0))) \quad (16)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. (\forall V2z \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint__mul (ap (ap c_2Einteger_2Eint__add V0x) V1y)) V2z) = (ap (ap c_2Einteger_2Eint__add (ap (ap c_2Einteger_2Eint__mul V0x) V2z)) (ap (ap c_2Einteger_2Eint__mul V1y) V2z))))))) \quad (17)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. (((ap (ap c_2Einteger_2Eint__add V0x) V1y) = (ap c_2Einteger_2Eint__of__num c_2Enum_2E0)) \Leftrightarrow (V0x = (ap c_2Einteger_2Eint__neg V1y))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint__mul (ap c_2Einteger_2Eint__of__num c_2Enum_2E0)) V0x) = (ap c_2Einteger_2Eint__of__num c_2Enum_2E0))) \quad (19)$$

Theorem 1

$$(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. ((ap c_2Einteger_2Eint__neg (ap (ap c_2Einteger_2Eint__mul V0x) V1y)) = (ap (ap c_2Einteger_2Eint__mul (ap c_2Einteger_2Eint__neg V0x)) V1y))))$$