

thm_2Einteger_2EINT__POASQ
 (TMQZ6ZcLK3DkcxN4wfFjVBeGuKtV9nXYuUC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap \ (ap \ (c_2Emin_2E_3D \ (2^{A_27a})) \ (\lambda V1x \in 2.V1x)) \ (\lambda V2x \in 2.V2x)))$

Definition 5 We define c_2Ebool_2EF to be $(ap \ (c_2Ebool_2E_21 \ 2) \ (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty_2Epair_2Eprod \ A0 \ A1) \quad (2)$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty \ ty_2Einteger_2Eint \quad (3)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum)})ty_2Einteger_2Eint) \quad (4)$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\text{the } (\lambda x.x \in A \wedge p \ x)) \ \text{of type } \iota \Rightarrow \iota$.

Definition 7 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap \ (c_2Emin_2E_40 \ (ty_2Einteger_2Eint \ A)) \ (\lambda V1x \in 2.V1x))$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

Definition 8 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger_2Eint.$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in$

Definition 11 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint. \lambda V1y \in ty_2Einteger_2Eint.$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

© 2007 Pearson Education, Inc.

$\exists S_num : \iota$ be given. Assume the following.

$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omeg}$

13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2E)$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

`c_2Einteger_2Eint_of_num` ∈ (`ty_2Einteger_2Eint`^{`ty_2Enum_2En`})

Let c be an integer, E a set, $f : E \rightarrow \mathbb{Z}$ be given. Assume the following:

c ?Einteger ?Etint mul ∈ (((tu ?Epolynomial) * (tv ?Epolynomial)) + (uw ?Epolynomial))

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$(ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) \dots \quad (9)$$

For more information about the program, please contact the following:

Let $c : \text{Einteger} \rightarrow \text{Eint}$, $\text{ABS} : \text{CLASS} \rightarrow \text{CLASS}$ be given. Assume the following

Let $c_2Einteger_2Em_ABS_CLASS : t$ be given. Assume the following.

Definition 14 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Eint)$

Definition 15 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger.$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ &((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ &(p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ &True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ &(p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ &(p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ &(p V0t))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} &(\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\ (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0x) = (ap c_2Einteger_2Eint_of_num \\ c_2Enum_2E0))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} &(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ &((\neg(p (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_lt \\ V1y) V0x)))))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint. (p (ap (ap c_2Einteger_2Eint_le \\ V0x) V0x))) \quad (20)$$

Assume the following.

$$\begin{aligned} &(\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\ &((p (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \wedge (p (ap (ap c_2Einteger_2Eint_le \\ V1y) V0x)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (p (ap (ap c_2Einteger_2Eint_le \\
 & (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_mul \\
 & V0x) V0x)))) \\
 \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
 & (((ap (ap c_2Einteger_2Eint_mul V0x) V1y) = (ap c_2Einteger_2Eint_of_num \\
 & c_2Enum_2E0)) \Leftrightarrow ((V0x = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \vee \\
 & (V1y = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))))) \\
 \end{aligned} \tag{23}$$

Theorem 1

$$\begin{aligned}
 & (\forall V0x \in ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_lt \\
 & (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_mul \\
 & V0x) V0x))) \Leftrightarrow (\neg(V0x = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0))))) \\
 \end{aligned}$$