

thm_2Einteger_2EINT__RDISTRIB (TMb1nnCjtfcGWV91b9daW8UCg7NsBugQ4BR)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Einteger_2E_2tint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2E_2tint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)}) \tag{3}$$

Let $c_2Einteger_2E_2tint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2E_2tint_add \in (((ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)}) \tag{4}$$

Let $ty_2Einteger_2E_2eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2E_2eint \tag{5}$$

Let $c_2Einteger_2E_2eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2E_2eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{(ty_2Einteger_2E_2eint\ ty_2Eenum_2Eenum)}) \tag{6}$$

Definition 7 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E.40 (ty_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod \ ty_2Eenum_2Eenum \ ty_2Eenum_2Eenum)})} \quad (7)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod \ ty_2Eenum_2Eenum \ ty_2Eenum_2Eenum)$

Definition 10 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod \ ty_2Eenum_2Eenum \ ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod \ ty_2Eenum_2Eenum \ ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod \ ty_2Eenum_2Eenum \ ty_2Eenum_2Eenum)}) \quad (8)$$

Definition 11 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 12 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 13 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 14 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES \ A_27a \ (A_27a^{A_27a}))$

Definition 15 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f$

Definition 16 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27b})$

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 \ 2) (\lambda V2t \in$

Definition 18 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27b}).\lambda$

Definition 19 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x$

Definition 20 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW \ A_27a \ A_27b)$

Definition 21 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap \ V1f \ V0x))$

Definition 22 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 23 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & ((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q) \Leftrightarrow ((ap\ c_2Einteger_2Etint_eq \\ & V0p) = (ap\ c_2Einteger_2Etint_eq\ V1q)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & ((V0p = V1q) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0p)\ V1q)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & (\forall V2z \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum). \\ & ((ap\ (ap\ c_2Einteger_2Etint_mul\ V0x)\ (ap\ (ap\ c_2Einteger_2Etint_add \\ & V1y)\ V2z)) = (ap\ (ap\ c_2Einteger_2Etint_add\ (ap\ (ap\ c_2Einteger_2Etint_mul \\ & V0x)\ V1y))\ (ap\ (ap\ c_2Einteger_2Etint_mul\ V0x)\ V2z)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ (ap\ (ap\ c_2Einteger_2Etint_add\ V0x1)\ V2y1))\ (ap\ (ap\ c_2Einteger_2Etint_add\ V1x2)\ V3y2))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (((p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Etint_eq\ (ap\ (ap\ c_2Einteger_2Etint_mul\ V0x1)\ V2y1))\ (ap\ (ap\ c_2Einteger_2Etint_mul\ V1x2)\ V3y2))))))
\end{aligned} \tag{20}$$

Assume the following.

$$(p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ ty_2Einteger_2Eint)\ c_2Einteger_2Etint_eq)\ c_2Einteger_2Eint_ABS)\ c_2Einteger_2Eint_REP)) \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& ((ap\ (ap\ c_2Einteger_2Eint_mul\ V1x)\ V0y) = (ap\ (ap\ c_2Einteger_2Eint_mul\ V0y)\ V1x))))
\end{aligned} \tag{22}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27a)\ (c_2Emin_2E_3D\ A_27a))\ (c_2Ecombin_2EI\ A_27a))\ (c_2Ecombin_2EI\ A_27a))) \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad (A_27b^{A_27a})\ (A_27d^{A_27c}))\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E \\
& \quad A_27a\ A_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c \\
& \quad A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27a\ A_27d\ A_27c\ A_27b)\ V1abs1)\ V5rep2)))))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x \in A_27b.(\forall V4y \in \\
& \quad A_27b.((V3x = V4y) \Leftrightarrow (p\ (ap\ (ap\ V0R\ (ap\ V2rep\ V3x))\ (ap\ V2rep\ V4y)))))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.(\forall V5y1 \in A_27a.(\forall V6y2 \in A_27a.(((p\ (ap\ (ap\ V0R \\
& \quad V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2)))))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& \quad ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x)))))))))))))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2ERespects \\
& \quad A_27a\ 2)\ V0R))\ V4g)))))))))) \\
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.(((p\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))))) \\
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0E \in ((2^{A_{27a}})^{A_{27a}}). \\
& (\forall V1P \in (2^{A_{27a}}). ((p (ap (c_2Equotient_2EEQUIV A_{27a}) \\
V0E)) \Rightarrow ((p (ap (ap (c_2Ebool_2ERES_FORALL A_{27a}) (ap (c_2Equotient_2Erespects \\
A_{27a} 2) V0E)) V1P)) \Leftrightarrow (p (ap (c_2Ebool_2E.21 A_{27a}) V1P))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
(ap (ap c_2Einteger_2Eint_add V0x) V1y)) V2z) = (ap (ap c_2Einteger_2Eint_add \\
(ap (ap c_2Einteger_2Eint_mul V0x) V2z)) (ap (ap c_2Einteger_2Eint_mul \\
V1y) V2z))))))
\end{aligned}$$