

thm_2Einteger_2EINT__SUB__LZERO (TMYETJDq1QCMRr3NX2twGx4QRhrRrEuJBaV)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Eenum_2E_enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2E_enum \tag{1}$$

Let $ty_2Epair_2E_eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2E_eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2E_eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2E_eint \tag{3}$$

Let $c_2Einteger_2E_eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2E_eint_REP_CLASS \in ((2^{(ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum\ ty_2Eenum_2E_enum)})^{ty_2Einteger_2E_eint}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^{A.^{27a}}).(ap (ap (c_2Emin_2E_3D (2^{A.^{27a}}))$

Definition 5 We define $c_2Einteger_2E_eint_REP$ to be $\lambda V0a \in ty_2Einteger_2E_eint.(ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2E_etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2E_etint_neg \in ((ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum\ ty_2Eenum_2E_enum)^{(ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum\ ty_2Eenum_2E_enum)}) \tag{5}$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (6)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (7)$$

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_ABS\ T1)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (8)$$

Definition 8 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 9 We define $c_2Einteger_2Eint_sub$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2Eint$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (10)$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$(\forall V0x \in ty_2Einteger_2Eint.((ap\ (ap\ c_2Einteger_2Eint_add\ c_2Enum_2E0)\ V0x) = V0x)) \quad (14)$$

Theorem 1

$$(\forall V0x \in ty_2Einteger_2Eint.((ap\ (ap\ c_2Einteger_2Eint_sub\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Einteger_2Eint_neg\ V0x))))$$