

thm_2Einteger_2ETINT_LDISTRIB (TMXsVi33gxqcsARd7BdYQfjTgaBoTWP3iSe)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)) \tag{3}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum\ ty_2Enum_2Enum)\ ty_2Enum_2Enum) \tag{4}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum\ ty_2Enum_2Enum)\ ty_2Enum_2Enum) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0x \in ty_2Enum_2Enum.(\forall V1y \in ty_2Enum_2Enum.(\forall V2z \in ty_2Enum_2Enum.(((ap \ (ap \ c.2Earithmetic.2E_2B \ V0x) \ V1y) = (ap \ (ap \ c.2Earithmetic.2E_2B \ V0x) \ V2z)) \Leftrightarrow (V1y = V2z)))))) \quad (17)$$

Assume the following.

$$(\forall V0x1 \in ty_2Enum_2Enum.(\forall V1y1 \in ty_2Enum_2Enum.(\forall V2x2 \in ty_2Enum_2Enum.(\forall V3y2 \in ty_2Enum_2Enum.(((ap \ (ap \ c.2Einteger.2Etint_add \ (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ V0x1) \ V1y1)) \ (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ V2x2) \ V3y2)) = (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ (ap \ (ap \ c.2Earithmetic.2E_2B \ V0x1) \ V2x2)) \ (ap \ (ap \ c.2Earithmetic.2E_2B \ V1y1) \ V3y2))))))))) \quad (18)$$

Assume the following.

$$(\forall V0x1 \in ty_2Enum_2Enum.(\forall V1y1 \in ty_2Enum_2Enum.(\forall V2x2 \in ty_2Enum_2Enum.(\forall V3y2 \in ty_2Enum_2Enum.(((ap \ (ap \ c.2Einteger.2Etint_mul \ (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ V0x1) \ V1y1)) \ (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ V2x2) \ V3y2)) = (ap \ (ap \ (c.2Epair.2E_2C \ ty_2Enum_2Enum \ ty_2Enum_2Enum) \ (ap \ (ap \ c.2Earithmetic.2E_2B \ (ap \ (ap \ c.2Earithmetic.2E_2A \ V0x1) \ V2x2)) \ (ap \ (ap \ c.2Earithmetic.2E_2A \ V1y1) \ V3y2))) \ (ap \ (ap \ c.2Earithmetic.2E_2B \ (ap \ (ap \ c.2Earithmetic.2E_2A \ V0x1) \ V3y2)) \ (ap \ (ap \ c.2Earithmetic.2E_2A \ V1y1) \ V2x2))))))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27b.(\forall V2a \in A.27a.(\forall V3b \in A.27b.(((ap \ (ap \ (c.2Epair.2E_2C \ A.27a \ A.27b) \ V0x) \ V1y) = (ap \ (ap \ (c.2Epair.2E_2C \ A.27a \ A.27b) \ V2a) \ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b).((ap\ (ap\ (c_2Epair_2E_2C \\
& \quad A_27a\ A_27b)\ (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ V0x))\ (ap\ (c_2Epair_2ESND \\
& \quad A_27a\ A_27b)\ V0x)) = V0x)) \\
& \hspace{15em} (21)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& (\forall V2z \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)). \\
& ((ap\ (ap\ c_2Einteger_2Etint_mul\ V0x)\ (ap\ (ap\ c_2Einteger_2Etint_add \\
& V1y)\ V2z)) = (ap\ (ap\ c_2Einteger_2Etint_add\ (ap\ (ap\ c_2Einteger_2Etint_mul \\
& V0x)\ V1y))\ (ap\ (ap\ c_2Einteger_2Etint_mul\ V0x)\ V2z))))))
\end{aligned}$$