

thm\_2Einteger\_\_word\_2Ei2w\_\_w2n  
(TMEyJv33xEp1K1FbmKvgUe8uxqRH6QKSQCu)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

**Definition 5** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let `ty_2Einteger_2Eint` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{3}$$

Let `c_2Einteger_2Eint__REP__CLASS` :  $\iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})ty\_2Einteger\_2Eint) \tag{4}$$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 (ty\_2E$

Let  $c\_2Einteger\_2Eint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum) (ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum)) \quad (5)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum)})(ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum)) \quad (6)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum)})} \quad (7)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum ty\_2Eenum\_2Eenum)$

**Definition 11** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap c\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Eenum\_2Eenum} \quad (8)$$

**Definition 12** We define  $c\_2Einteger\_2Eenum$  to be  $\lambda V0i \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 ty\_2E$

Let  $ty\_2Efcf\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efcf\_2Efinite\_image A0) \quad (9)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (10)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Ebool\_2Ethe\_value A.27a \in (ty\_2Ebool\_2Eitself A.27a) \quad (11)$$

Let  $c\_2Efcf\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Efcf\_2Edimindex A.27a \in (ty\_2Eenum\_2Eenum)^{(ty\_2Ebool\_2Eitself A.27a)} \quad (12)$$

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

Let  $c\_2Eenum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EREP\_num \in (\omega^{ty\_2Eenum\_2Eenum}) \quad (13)$$

Let  $c\_2Eenum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Eenum\_2ESUC\_REP \in (\omega^{\omega}) \quad (14)$$

Let  $c\_2Eenum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EABS\_num \in (ty\_2Eenum\_2Eenum)^{\omega} \quad (15)$$

**Definition 14** We define  $c\_Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 15** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 16** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 17** We define  $c\_Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 18** We define  $c\_Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efcp\_2Ecart\ A0\ A1) \quad (16)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinite\_image\ A\_27b)})(ty\_2Efcp\_2Ecart\ A\_27a\ A\_27b)) \quad (17)$$

**Definition 19** We define  $c\_Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart\ A\_27a$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (18)$$

**Definition 20** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 21** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (19)$$

**Definition 22** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 23** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 24** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 25** We define  $c\_Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Eboo$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (21)$$

**Definition 26** We define  $c\_Ewords\_Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a).(ap\ (ap\ c\_Ewords\_Edimword\ : \iota \Rightarrow \iota)$

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ewords\_Edimword\ A\_27a \in (ty\_Enum\_Enum^{(ty\_Ebool\_Eitself\ A\_27a)}) \quad (22)$$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (23)$$

**Definition 27** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmetic\_EDIV\ : \iota)$

$$c\_Earithmetic\_EDIV \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (24)$$

**Definition 28** We define  $c\_Ebit\_EDIV\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

$$c\_Earithmetic\_EMOD \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (25)$$

**Definition 29** We define  $c\_Ebit\_EMOD\_EXP$  to be  $\lambda V0x \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum$

**Definition 30** We define  $c\_Ebit\_EBITS$  to be  $\lambda V0h \in ty\_Enum\_Enum.\lambda V1l \in ty\_Enum\_Enum.\lambda V$

**Definition 31** We define  $c\_Ebit\_EBIT$  to be  $\lambda V0b \in ty\_Enum\_Enum.\lambda V1n \in ty\_Enum\_Enum.(ap$

**Definition 32** We define  $c\_Efc\_EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_Enum\_Enum}).(ap$

**Definition 33** We define  $c\_Ewords\_En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_Enum\_Enum.(ap\ (c\_Efc\_EFCP$

**Definition 34** We define  $c\_Ewords\_Eword\_comp$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a).$

Let  $c\_Einteger\_Etint\_lt : \iota$  be given. Assume the following.

$$c\_Einteger\_Etint\_lt \in ((2^{(ty\_Epair\_Eprod\ ty\_Enum\_Enum\ ty\_Enum\_Enum)})^{(ty\_Epair\_Eprod\ ty\_Enum\_Enum)}) \quad (26)$$

**Definition 35** We define  $c\_Einteger\_Eint\_lt$  to be  $\lambda V0T1 \in ty\_Einteger\_Eint.\lambda V1T2 \in ty\_Einteger$

**Definition 36** We define  $c\_Einteger\_word\_Ei2w$  to be  $\lambda A\_27a : \iota.\lambda V0i \in ty\_Einteger\_Eint.(ap\ (ap$

**Definition 37** We define  $c\_Ewords\_Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_Efc\_Ecart\ 2\ A\_27a$

Assume the following.

$$True \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg (p \ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c.2Ebool\_2ECOND \ A\_27a) \\ & V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c.2Ebool\_2ECOND \ A\_27a) \ V1Q) \ V3x\_27) \\ & V5y\_27)))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ & A\_27a.((ap \ (ap \ (ap \ (c.2Ebool\_2ECOND \ A\_27a) \ c.2Ebool\_2ET) \ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a.(\forall V3t2 \in A\_27a.((ap \\ & (ap \ (ap \ (c.2Ebool\_2ECOND \ A\_27a) \ c.2Ebool\_2EF) \ V2t1) \ V3t2) = V3t2)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& \quad ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& \quad V0n)) (ap c\_2Einteger\_2Eint\_of\_num V1m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V0n) V1m))) \wedge (((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_neg \\
& \quad (ap c\_2Einteger\_2Eint\_of\_num V0n)) (ap c\_2Einteger\_2Eint\_neg \\
& \quad (ap c\_2Einteger\_2Eint\_of\_num V1m)))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V1m) V0n))) \wedge (((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_neg \\
& \quad (ap c\_2Einteger\_2Eint\_of\_num V0n)) (ap c\_2Einteger\_2Eint\_of\_num \\
& \quad V1m))) \Leftrightarrow ((\neg(V0n = c\_2Enum\_2E0)) \vee (\neg(V1m = c\_2Enum\_2E0)))) \wedge ((p \\
& \quad (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& \quad V0n)) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& \quad V1m)))) \Leftrightarrow False))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Einteger\_2ENum (ap c\_2Einteger\_2Eint\_of\_num V0n)) = V0n)) \tag{37}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) c\_2Enum\_2E0)))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0m \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V1n \in ty\_2Enum\_2Enum. (((ap (c\_2Ewords\_2En2w A\_27a) V0m) = \\
& \quad (ap (c\_2Ewords\_2En2w A\_27a) V1n)) \Leftrightarrow ((ap (ap c\_2Earithmetic\_2EMOD \\
& \quad V0m) (ap (c\_2Ewords\_2Edimword A\_27a) (c\_2Ebool\_2Ethe\_value \\
& \quad A\_27a))) = (ap (ap c\_2Earithmetic\_2EMOD V1n) (ap (c\_2Ewords\_2Edimword \\
& \quad A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0w \in (ty\_2Efc\_2Ecart 2 A\_27a). ((ap (c\_2Ewords\_2Ew2w A\_27a A\_27a) V0w) = V0w)) \tag{40}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0w \in (ty\_2Efc\_2Ecart \\
& 2 A\_27a). ((ap (c\_2Einteger\_word\_2Ei2w A\_27a) (ap c\_2Einteger\_2Eint\_of\_num \\
& \quad (ap (c\_2Ewords\_2Ew2n A\_27a) V0w))) = V0w))
\end{aligned}$$