

# thm\_2Einteger\_\_word\_2Esaturate\_\_i2sw (TMdpx2EQgmt449tersEsxLEU5c6R4ErpWFE)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{3}$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{ty\_2Einteger\_2Eint}) \tag{4}$$

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_27$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a})))$

**Definition 5** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Einteger\_2Eint\_REP\_CLASS\ a)))$

Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)_{ty\_2Einteger\_2Eint\_mul})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)} \tag{5}$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (6)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (7)$$

**Definition 6** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 7** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

**Definition 8** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (8)$$

**Definition 9** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (9)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 11** We define  $c\_2Einteger\_2ENum$  to be  $\lambda V0i \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ ty\_2E$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (11)$$

**Definition 12** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

**Definition 13** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 16** We define  $c\_2Einteger\_2Eint\_le$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.\lambda V1y \in ty\_2Einteger\_2E$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{12}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{13}$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 18** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{14}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{15}$$

**Definition 19** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{16}$$

**Definition 20** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 21** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 22** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1\ n))$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{17}$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{18}$$

**Definition 23** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0n$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{19}$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{20}$$

**Definition 24** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2E$

**Definition 25** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 26** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

Let  $ty\_2Efc\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efc\_2Efinite\_image\ A0) \quad (21)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (22)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in ( \quad (23)$$

$$ty\_2Ebool\_2Eitself\ A\_27a)$$

Let  $c\_2Efc\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efc\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (24)$$

**Definition 27** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 28** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 29** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 30** We define  $c\_2Efc\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum}$

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efc\_2Ecart\ A0\ A1) \quad (25)$$

Let  $c\_2Efc\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efc\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efc\_2Efinite\_image\ A\_27b)})^{(ty\_2Efc\_2Ecart\ A\_27a\ A\_27b)}) \quad (26)$$

**Definition 31** We define  $c\_2Efc\_2Efc\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efc\_2Ecart\ A\_27a$

**Definition 32** We define  $c\_2Efc\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 33** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Efc\_2EFC$

**Definition 34** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $c\_2Ewords\_2EUINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EUINT\_MAX\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (27)$$

**Definition 35** We define  $c\_2Ewords\_2Eword\_T$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Ewords\_2En2w\ A\_27a)\ (ap\ (c\_2Ew$

Let  $c\_2Einteger\_word\_2EUINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Einteger\_word\_2EUINT\_MAX\ A\_27a \in (ty\_2Einteger\_2Eint^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (28)$$

**Definition 36** We define  $c\_2Einteger\_word\_2Esaturate\_i2w$  to be  $\lambda A\_27a : \iota.\lambda V0i \in ty\_2Einteger\_2Eint.(c$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (29)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (30)$$

**Definition 37** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 38** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 39** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 40** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (31)$$

**Definition 41** We define  $c\_2Enumeral\_2EiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2ESUC\ (ap$

**Definition 42** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Enumeral\_2EiSUB : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2EiSUB \in (((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^2) \quad (32)$$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (33)$$

**Definition 43** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 44** We define  $c\_2Ewords\_2Esaturate\_n2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ ($

Let  $c\_2Ewords\_2EINT\_MIN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MIN\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)} (34)$$

Let  $c\_2Ewords\_2EINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MAX\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)} (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge (((ap\ ( \\ & ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC \\ & V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))))))))) \end{aligned} (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & V1n)\ V0m)))) \end{aligned} (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m) \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V2p)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))\ V2p)))))) \end{aligned} (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ V1n)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ & (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n)))))) \end{aligned} (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ & c\_2Enum\_2E0)\ V0n))) \end{aligned} (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. ((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ & V0n)\ c\_2Enum\_2E0)) \Leftrightarrow (V0n = c\_2Enum\_2E0))) \end{aligned} (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V0m))) \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Enum\_2ESUC V1n)) V0m))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& V1n)) V0m))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap \\
& c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& c\_2Earithmetic\_2EZERO))) V0n)))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (\forall V1a \in ty\_2Enum\_2Enum. \\
& (\forall V2b \in ty\_2Enum\_2Enum. ((p (ap V0P (ap (ap c\_2Earithmetic\_2E\_2D \\
& V1a) V2b))) \Leftrightarrow (\forall V3d \in ty\_2Enum\_2Enum. (((V2b = (ap (ap c\_2Earithmetic\_2E\_2B \\
& V1a) V3d)) \Rightarrow (p (ap V0P c\_2Enum\_2E0))) \wedge ((V1a = (ap (ap c\_2Earithmetic\_2E\_2B \\
& V2b) V3d)) \Rightarrow (p (ap V0P V3d))))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$True \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{53}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{54}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A\_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{56}$$



Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (57)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \wedge (p\ V1t2)) \Leftrightarrow ((p\ V1t2) \wedge (p\ V0t1)))))) \quad (58)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (59)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (60)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (61)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (62)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (63)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (64)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (65)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (66)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t1 \in A.27a. (\forall V1t2 \in \\ & A.27a. ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (67)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\exists V1x \in A.27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a. (\neg(p\ (ap\ V0P\ V2x)))))) \quad (68)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (69)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B)))))) \quad (70)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (71)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (72)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))) \quad (73)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Leftrightarrow ((p\ V0t) \Leftrightarrow False))) \quad (74)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (75)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \vee ((\neg(p\ V0t1)) \wedge (\neg(p\ V1t2)))))) \quad (76)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0b \in 2. (\forall V1f \in (A\_27b^{A\_27a}). (\forall V2g \in (A\_27b^{A\_27a}). \\
& \quad (\forall V3x \in A\_27a. ((ap\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (A\_27b^{A\_27a}) \\
V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V0b)\ (ap \\
V1f\ V3x))\ (ap\ V2g\ V3x)))))) \\
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1b \in 2. (\forall V2x \in A\_27a. \\
& \quad (\forall V3y \in A\_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\
V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f \\
V2x))\ (ap\ V0f\ V3y)))))) \\
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& \quad (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\
& \quad (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\
& \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\
V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\
V5y\_27)))))) \\
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& \quad ((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V0x)\ V1y)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le \\
& \quad (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V0x)\ (ap\ c\_2Einteger\_2Eint\_of\_num \\
& \quad (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \\
& \quad V1y)))) \\
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& \quad (\forall V2z \in ty\_2Einteger\_2Eint. ((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le \\
V0x)\ (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V1y)\ V2z))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le \\
& \quad (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V0x)\ (ap\ c\_2Einteger\_2Eint\_neg \\
& \quad V2z)))\ V1y)))) \\
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& \quad ((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le \\
& \quad (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0))\ (ap\ (ap\ c\_2Einteger\_2Eint\_add \\
& \quad V1y)\ (ap\ c\_2Einteger\_2Eint\_neg\ V0x)))))) \\
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Einteger\_2Eint}).(\forall V1n \in ty\_2Enum\_2Enum. \\
& (p (ap V0P (ap c\_2Einteger\_2Eint\_of\_num V1n)))) \Leftrightarrow (\forall V2x \in \\
& ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V2x)) \Rightarrow (p (ap V0P V2x))))))
\end{aligned} \tag{83}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\
& (\forall V2y \in ty\_2Einteger\_2Eint.((p (ap (ap c\_2Einteger\_2Eint\_le \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add \\
& V0c) V1x))) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_lt V2y) (ap c\_2Einteger\_2Eint\_neg \\
& V1x))) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& V0c)) V2y))) \Leftrightarrow False))))))
\end{aligned} \tag{84}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add V0c) V1x))) \Rightarrow ((p \\
& (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& V0c)) (ap c\_2Einteger\_2Eint\_neg V1x)))) \Leftrightarrow ((ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0) = (ap (ap c\_2Einteger\_2Eint\_add V0c) V1x))))))
\end{aligned} \tag{85}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\
& (\forall V2y \in ty\_2Einteger\_2Eint.(((ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0) = (ap (ap c\_2Einteger\_2Eint\_add V0c) V1x))) \Rightarrow ((p ( \\
& ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add V0c) V2y)))) \Leftrightarrow (p ( \\
& ap (ap c\_2Einteger\_2Eint\_le V1x) V2y))))))
\end{aligned} \tag{86}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty\_2Einteger\_2Eint.(\forall V1x \in ty\_2Einteger\_2Eint. \\
& ((ap (ap c\_2Einteger\_2Eint\_add V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_add \\
& V0y) V1x))))
\end{aligned} \tag{87}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_add \\
& V2x) (ap (ap c\_2Einteger\_2Eint\_add V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_add \\
& (ap (ap c\_2Einteger\_2Eint\_add V2x) V1y)) V0z))))))
\end{aligned} \tag{88}$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = V0x)) \quad (89)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) = V0x)) \quad (90)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x)) \quad (91)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2z \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_mul (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) V2z) = (ap (ap c\_2Einteger\_2Eint\_add (ap (ap c\_2Einteger\_2Eint\_mul V0x) V2z)) (ap (ap c\_2Einteger\_2Eint\_mul V1y) V2z)))))) \quad (92)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg V0x)) (ap c\_2Einteger\_2Eint\_neg V1y)))) \quad (93)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \quad (94)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg V0x)) V1y)))) \quad (95)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul V0x) (ap c\_2Einteger\_2Eint\_neg V1y)))) \quad (96)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ c\_2Einteger\_2Eint\_neg\ V0x)) = V0x)) \quad (97)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((\neg(p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V1y)\ V0x)))))) \quad (98)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(\forall V2z \in ty\_2Einteger\_2Eint.(((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V2z)))))) \quad (99)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.(((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V1y)\ V0x))) \Leftrightarrow (V0x = V1y)))) \quad (100)$$

Assume the following.

$$((ap\ c\_2Einteger\_2Eint\_neg\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) = (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) \quad (101)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint.((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ V1y)\ (ap\ (ap\ c\_2Einteger\_2Eint\_add\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0))\ V0x)))))) \quad (102)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_le\ (ap\ c\_2Einteger\_2Eint\_of\_num\ V0m))\ (ap\ c\_2Einteger\_2Eint\_of\_num\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmic\_2E\_3C\_3D\ V0m)\ V1n)))))) \quad (103)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(((ap\ c\_2Einteger\_2Eint\_of\_num\ V0m) = (ap\ c\_2Einteger\_2Eint\_of\_num\ V1n)) \Leftrightarrow (V0m = V1n)))) \quad (104)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_le (ap c\_2Einteger\_2Eint\_neg \\
V0x)) (ap c\_2Einteger\_2Eint\_neg V1y))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le \\
& V1y) V0x))))))
\end{aligned} \tag{105}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. ((\exists V1n \in ty\_2Enum\_2Enum. \\
& ((V0p = (ap c\_2Einteger\_2Eint\_of\_num V1n)) \wedge (\neg (V1n = c\_2Enum\_2E0)))) \vee \\
& ((\exists V2n \in ty\_2Enum\_2Enum. ((V0p = (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num V2n)) \wedge (\neg (V2n = c\_2Enum\_2E0)))) \vee \\
& (V0p = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{106}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Einteger\_2ENum (ap c\_2Einteger\_2Eint\_of\_num \\
& V0n)) = V0n))
\end{aligned} \tag{107}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Einteger\_2Eint\_add \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0p) = V0p) \wedge ((( \\
& ap (ap c\_2Einteger\_2Eint\_add V0p) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = V0p) \wedge (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \wedge \\
& (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_neg V0p) = \\
& V0p) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m))) = (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap \\
& (ap c\_2Earithmetic\_2E\_3C\_3D V2m) V1n)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap ( \\
& ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2m)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m)))) = (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2m))))))))))))))
\end{aligned}$$

(108)



Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& \quad ((p (ap (ap c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_of\_num \\
& \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad (ap c\_2Arithmetic\_2EBIT1 V0n)))))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt \\
& (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num \\
& (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_of\_num \\
& \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_of\_num \\
& \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& (ap c\_2Arithmetic\_2ENUMERAL V0n)))))) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& V0n)) (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge \\
& \quad (((p (ap (ap c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_neg \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& (ap c\_2Arithmetic\_2EBIT1 V0n)))))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt (ap \\
& c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& (ap c\_2Arithmetic\_2EBIT2 V0n)))))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt (ap \\
& c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL V0n))) \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& V1m)))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap \\
& c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))))) \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt (ap c\_2Integer\_2Eint\_neg \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& (ap c\_2Arithmetic\_2EBIT2 V0n)))))) (ap c\_2Integer\_2Eint\_of\_num \\
& (ap c\_2Arithmetic\_2ENUMERAL V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_lt \\
& (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& V0n)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& (ap c\_2Arithmetic\_2ENUMERAL V1m)))))) \Leftrightarrow False) \wedge ((p (ap (ap c\_2Integer\_2Eint\_lt \\
& (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num ( \\
& \quad ap c\_2Arithmetic\_2ENUMERAL V0n)))) (ap c\_2Integer\_2Eint\_neg \\
& \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad V1m)))))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1m) V0n)))))))))
\end{aligned}$$

(109)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& \quad ((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL (ap \\
& \quad \quad c\_2Arithmetic\_2EBIT1 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT2 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL V0n))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D V0n) V1m))) \wedge (((p ( \\
& \quad \quad ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V0n))) (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n))) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned}$$

(110)

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & ((\text{ap } (c\_2Einteger\_word\_2EUINT\_MAX \\ A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)) = & (\text{ap } c\_2Einteger\_2Eint\_of\_num \\ (\text{ap } (c\_2Ewords\_2EUINT\_MAX A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)))) & \\ & (111) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ ( \\
& ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ ( \\
& ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ ( \\
& ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap \\
& c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC \\
& (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ c\_2Earithmetic\_2EZERO)) = ( \\
& ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ ( \\
& ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m))))))))))))))))))))))))))))))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) (ap c\_2Earithmetic\_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& (ap c\_2Earithmetic\_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0n) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1m) V0n)))) \wedge ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))))))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{115}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V0n) \\
& V1m)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V1m) V0n)) (ap c\_2Earithmetic\_2ENUMERAL (ap (ap (ap c\_2Enumeral\_2EiSUB \\
& c\_2Ebool\_2ET) V0n) V1m))) c\_2Enum\_2E0))))
\end{aligned} \tag{116}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{117}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{118}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (119)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (120)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (121)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r))) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))) \quad (122)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \quad (123)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (124)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (125)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \quad (126)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (127)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (128)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & ((ap \ (c.2Ewords\_2EUINT\_MAX \ A.27a) \\ & (c.2Ebool\_2Ethe\_value \ A.27a)) = (ap \ (ap \ c.2Earithmetic\_2E\_2D \\ & (ap \ (c.2Ewords\_2Edimword \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a))) \\ & (ap \ c.2Earithmetic\_2ENUMERAL \ (ap \ c.2Earithmetic\_2EBIT1 \ c.2Earithmetic\_2EZERO)))) \end{aligned} \quad (129)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & (p \ (ap \ (ap \ c.2Eprim\_rec\_2E\_3C \ c.2Enum\_2E0) \\ & (ap \ (c.2Ewords\_2Edimword \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a)))) \end{aligned} \quad (130)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & (p \ (ap \ (ap \ c.2Eprim\_rec\_2E\_3C \ c.2Enum\_2E0) \\ & (ap \ (c.2Ewords\_2EUINT\_MAX \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a)))) \end{aligned} \quad (131)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & ((p \ (ap \ (ap \ c.2Eprim\_rec\_2E\_3C \\ & (ap \ (c.2Ewords\_2EINT\_MAX \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a))) \\ & (ap \ (c.2Ewords\_2EINT\_MIN \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a)))) \wedge \\ & ((p \ (ap \ (ap \ c.2Earithmetic\_2E\_3C\_3D \ (ap \ (c.2Ewords\_2EINT\_MIN \\ & A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a))) \ (ap \ (c.2Ewords\_2EUINT\_MAX \\ & A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a)))) \wedge (p \ (ap \ (ap \ c.2Eprim\_rec\_2E\_3C \\ & (ap \ (c.2Ewords\_2EUINT\_MAX \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a))) \\ & (ap \ (c.2Ewords\_2Edimword \ A.27a) \ (c.2Ebool\_2Ethe\_value \ A.27a)))))) \end{aligned} \quad (132)$$

### Theorem 1

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow & (\forall V0i \in ty\_2Einteger\_2Eint. \\ & ((ap \ (c.2Einteger\_word\_2Esaturate\_i2w \ A.27a) \ V0i) = (ap \ (ap \\ & (ap \ (c.2Ebool\_2ECOND \ (ty\_2Efc\_2Ecart \ 2 \ A.27a)) \ (ap \ (ap \ c.2Einteger\_2Eint\_lt \\ & V0i) \ (ap \ c.2Einteger\_2Eint\_of\_num \ c.2Enum\_2E0))) \ (ap \ (c.2Ewords\_2En2w \\ & A.27a) \ c.2Enum\_2E0)) \ (ap \ (c.2Ewords\_2Esaturate\_n2w \ A.27a) \ ( \\ & ap \ c.2Einteger\_2ENum \ V0i)))))) \end{aligned}$$