

thm_2Einteger__word_2Ew2i__11__lift (TM-GrE1iAgYjTQV2Mv1WgzwdEgDRf7mz9zQd)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{3}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{ty_2Einteger_2Eint}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_27$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a})))$

Definition 5 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E_40\ (ty_2Einteger_2Eint_REP_CLASS\ a)))$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum})_{ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})$$
 (6)

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}$$
 (7)

Definition 6 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 7 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})$$
 (8)

Definition 8 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}$$
 (9)

Definition 9 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}$$
 (10)

Definition 10 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})$$
 (11)

Definition 11 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_neg\ T1)$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum}$$
 (12)

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Efinite_image\ A0)$$
 (13)

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (14)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (15)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efcf_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (16)$$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (19)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P)\ (c_2Ebool_2E_3F\ A_27a))))$

Definition 18 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec_2E_3C\ m\ n)$

Definition 19 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ P)\ (c_2Ebool_2E_3F\ A_27a))))$

Definition 20 We define $c_2Efcf_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ (A_27a\ ty_2Enum_2Enum)))$

Let $ty_2Efcf_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcf_2Ecart\ A0\ A1) \quad (20)$$

Let $c_2Efcf_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcf_2Edest_cart\ A_27a\ A_27b \in ((A_27a\ (ty_2Efcf_2Efinite_image\ A_27b))\ (ty_2Efcf_2Ecart\ A_27a\ A_27b)) \quad (21)$$

Definition 21 We define $c_2Efc_2Efc_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart\ A_27a)$.
Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{22}$$

Definition 22 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 23 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 24 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT2))$.

Definition 25 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{23}$$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2ESBIT))))$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \tag{24}$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).(ap\ (ap\ (c_2Ewords_2Ew2n)))$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \tag{25}$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{26}$$

Definition 29 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1))$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{27}$$

Definition 30 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{28}$$

Definition 31 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 32 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 33 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 34 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 35 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efc_2EFC$

Definition 36 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 37 We define $c_2Ewords_2Eword_2msb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).(ap$

Definition 38 We define $c_2Einteger_2word_2Ew2i$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).(a$

Definition 39 We define $c_2Einteger_2ENUM$ to be $\lambda V0i \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40\ ty_2E$

Definition 40 We define $c_2Einteger_2word_2Ei2w$ to be $\lambda A_27a : \iota.\lambda V0i \in ty_2Einteger_2Eint.(ap (ap (ap$

Definition 41 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27$

Definition 42 We define $c_2Ebit_2ESIGN_2EXTEND$ to be $\lambda V0l \in ty_2Enum_2Enum.\lambda V1h \in ty_2Enum_2$

Definition 43 We define $c_2Ewords_2Esw2sw$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_2$

Let $c_2Einteger_2word_2EINT_2MIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Einteger_2word_2EINT_2MIN \quad (29)$$

$$A_27a \in (ty_2Einteger_2Eint^{(ty_2Ebool_2Eitself\ A_27a)})$$

Let $c_2Einteger_2word_2EINT_2MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Einteger_2word_2EINT_2MAX \quad (30)$$

$$A_27a \in (ty_2Einteger_2Eint^{(ty_2Ebool_2Eitself\ A_27a)})$$

Definition 44 We define $c_2Einteger_2Eint_2le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2E$

Definition 45 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 46 We define $c_2Earithmic_2E_3C_23D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2$

Let $c_2Enumeral_2EiSUB : \iota$ be given. Assume the following.

$$c_2Enumeral_2EiSUB \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^2) \quad (31)$$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (38)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (40)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (43)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t1 \in A.27a. (\forall V1t2 \in A.27a. (((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V0t1) V1t2) = V1t2)))))) \quad (44)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\exists V1x \in A.27a. (p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a. (\neg(p (ap V0P V2x)))))) \quad (45)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in (2^{A.27a}). ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \vee (\exists V4x \in A.27a. (p (ap V1Q V4x)))))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (47)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (48)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. (\forall V1y \in ty.2Einteger.2Eint. ((p (ap (ap (ap c.2Einteger.2Eint._lt V0x) V1y)) \Leftrightarrow (p (ap (ap c.2Einteger.2Eint._le (ap (ap c.2Einteger.2Eint._add V0x) (ap c.2Einteger.2Eint._of_num (ap c.2Earithmetic.2ENUMERAL (ap c.2Earithmetic.2EBIT1 c.2Earithmetic.2EZERO)))))) V1y)))))) \quad (49)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. (\forall V1y \in ty.2Einteger.2Eint. (\forall V2z \in ty.2Einteger.2Eint. ((p (ap (ap c.2Einteger.2Eint._le V0x) (ap (ap c.2Einteger.2Eint._add V1y) V2z)) \Leftrightarrow (p (ap (ap c.2Einteger.2Eint._le (ap (ap c.2Einteger.2Eint._add V0x) (ap c.2Einteger.2Eint._neg V2z))) V1y)))))) \quad (50)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p (ap (ap (ap c_2Einteger_2Eint_le V0x) V1y)) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) (ap (ap c_2Einteger_2Eint_add \\
& V1y) (ap c_2Einteger_2Eint_neg V0x)))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Einteger_2Eint}). ((\forall V1n \in ty_2Enum_2Enum. \\
& (p (ap V0P (ap c_2Einteger_2Eint_of_num V1n)))) \Leftrightarrow (\forall V2x \in \\
& ty_2Einteger_2Eint. ((p (ap (ap c_2Einteger_2Eint_le (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) V2x)) \Rightarrow (p (ap V0P V2x))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Einteger_2Eint. (\forall V1x \in ty_2Einteger_2Eint. \\
& ((ap (ap c_2Einteger_2Eint_add V1x) V0y) = (ap (ap c_2Einteger_2Eint_add \\
& V0y) V1x))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V2x) (ap (ap c_2Einteger_2Eint_add V1y) V0z)) = (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_add V2x) V1y)) V0z))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0x) = V0x))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_add \\
& V0x) (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) = V0x))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. ((ap (ap c_2Einteger_2Eint_mul \\
& (ap (ap c_2Einteger_2Eint_add V0x) V1y)) V2z) = (ap (ap c_2Einteger_2Eint_add \\
& (ap (ap c_2Einteger_2Eint_mul V0x) V2z)) (ap (ap c_2Einteger_2Eint_mul \\
& V1y) V2z))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_add\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_add\ (ap\ c_2Einteger_2Eint_neg \\
& V0x))\ (ap\ c_2Einteger_2Eint_neg\ V1y))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\
& (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ (ap\ c_2Einteger_2Eint_neg \\
& V0x))\ V1y))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Einteger_2Eint_mul\ V0x)\ (ap\ c_2Einteger_2Eint_neg \\
& V1y))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. ((ap\ c_2Einteger_2Eint_neg \\
& (ap\ c_2Einteger_2Eint_neg\ V0x)) = V0x))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((\neg(p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_lt \\
& V1y)\ V0x))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (\forall V2z \in ty_2Einteger_2Eint. (((p\ (ap\ (ap\ c_2Einteger_2Eint_le \\
& V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V1y)\ V2z))) \Rightarrow (p\ (ap \\
& (ap\ c_2Einteger_2Eint_le\ V0x)\ V2z))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& ((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V1y)\ (ap\ (ap\ c_2Einteger_2Eint_add \\
& V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_le\ (ap\ c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))\ V0x))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& V0m)) (ap c_2Integer_2Eint_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D \\
& \quad V0m) V1n))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Integer_2Eint. (\forall V1y \in ty_2Integer_2Eint. \\
& \quad ((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& V0x)) (ap c_2Integer_2Eint_neg V1y))) \Leftrightarrow (p (ap (ap c_2Integer_2Eint_le \\
& \quad V1y) V0x))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty_2Einteger_2Eint. (\forall V1n \in ty_2Enum_2Enum. \\
& (\forall V2m \in ty_2Enum_2Enum. (((ap (ap c_2Einteger_2Eint_add \\
& (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) V0p) = V0p) \wedge (((\\
& ap (ap c_2Einteger_2Eint_add V0p) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = V0p) \wedge (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0)) = (ap c_2Einteger_2Eint_of_num c_2Enum_2E0)) \wedge \\
& (((ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_neg V0p)) = \\
& V0p) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m))) = (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V1n))) (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap \\
& (ap c_2Earithmetic_2E_3C_3D V2m) V1n)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Einteger_2Eint) (ap (\\
& ap c_2Earithmetic_2E_3C_3D V1n) V2m)) (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V2m) \\
& V1n)))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c_2Einteger_2Eint_add (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& V1n))) (ap c_2Einteger_2Eint_neg (ap c_2Einteger_2Eint_of_num \\
& (ap c_2Earithmetic_2ENUMERAL V2m)))) = (ap c_2Einteger_2Eint_neg \\
& (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V1n) V2m))))))))))))))
\end{aligned}$$

(69)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad ((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT1 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V0n)))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num c_2Enum_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL (ap \\
& \quad \quad c_2Arithmetic_2EBIT1 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT2 V0n)))) (ap c_2Integer_2Eint_of_num \\
& \quad \quad c_2Enum_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap \\
& \quad \quad c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL V0n))) \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D V0n) V1m))) \wedge (((p (\\
& \quad \quad ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V0n)) (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Arithmetic_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c_2Integer_2Eint_le \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL (ap c_2Arithmetic_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Integer_2Eint_le (ap c_2Integer_2Eint_neg \\
& \quad \quad (ap c_2Integer_2Eint_of_num (ap c_2Arithmetic_2ENUMERAL \\
& \quad \quad V0n)))) (ap c_2Integer_2Eint_neg (ap c_2Integer_2Eint_of_num \\
& \quad \quad (ap c_2Arithmetic_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c_2Arithmetic_2E_3C_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0i \in ty_2Einteger_2Eint. \\ & (((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ (ap\ (c_2Einteger_word_2EINT_MIN \\ & A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))\ V0i)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Eint_le \\ & V0i)\ (ap\ (c_2Einteger_word_2EINT_MAX\ A.27a)\ (c_2Ebool_2Ethe_value \\ & A.27a)))))) \Rightarrow ((ap\ (c_2Einteger_word_2Ei2w\ A.27a)\ (ap\ (c_2Einteger_word_2Ei2w \\ & A.27a)\ V0i)) = V0i)) \end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0w \in (ty_2Efc_2Ecart \\ & 2\ A.27a). (\exists V1i \in ty_2Einteger_2Eint. ((V0w = (ap\ (c_2Einteger_word_2Ei2w \\ & A.27a)\ V1i)) \wedge ((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ (ap\ (c_2Einteger_word_2EINT_MIN \\ & A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))\ V1i)) \wedge (p\ (ap\ (ap\ c_2Einteger_2Eint_le \\ & V1i)\ (ap\ (c_2Einteger_word_2EINT_MAX\ A.27a)\ (c_2Ebool_2Ethe_value \\ & A.27a)))))))))) \end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0j \in ty_2Einteger_2Eint. (((p\ (ap\ (ap\ c_2Einteger_2Eint_le \\ & (ap\ (c_2Einteger_word_2EINT_MIN\ A.27b)\ (c_2Ebool_2Ethe_value \\ & A.27b)))\ V0j)) \wedge ((p\ (ap\ (ap\ c_2Einteger_2Eint_le\ V0j)\ (ap\ (c_2Einteger_word_2EINT_MAX \\ & A.27b)\ (c_2Ebool_2Ethe_value\ A.27b)))) \wedge (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ & (ap\ (c_2Efc_2Edimindex\ A.27b)\ (c_2Ebool_2Ethe_value\ A.27b))) \\ & (ap\ (c_2Efc_2Edimindex\ A.27a)\ (c_2Ebool_2Ethe_value\ A.27a)))))) \Rightarrow \\ & ((ap\ (c_2Ewords_2Esw2sw\ A.27b\ A.27a)\ (ap\ (c_2Einteger_word_2Ei2w \\ & A.27b)\ V0j)) = (ap\ (c_2Einteger_word_2Ei2w\ A.27a)\ V0j))) \end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ (c_2Efc_2Edimindex\ A.27a) \\ & (c_2Ebool_2Ethe_value\ A.27a)))\ (ap\ (c_2Efc_2Edimindex\ A.27b) \\ & (c_2Ebool_2Ethe_value\ A.27b)))) \Rightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_le \\ & (ap\ (c_2Einteger_word_2EINT_MIN\ A.27b)\ (c_2Ebool_2Ethe_value \\ & A.27b)))\ (ap\ (c_2Einteger_word_2EINT_MIN\ A.27a)\ (c_2Ebool_2Ethe_value \\ & A.27a)))))) \end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ (c_2Efc_2Edimindex\ A_27a) \\
& (c_2Ebool_2Ethe_value\ A_27a)))\ (ap\ (c_2Efc_2Edimindex\ A_27b) \\
& (c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow (p\ (ap\ (ap\ c_2Integer_2Eint_le \\
& (ap\ (c_2Integer_word_2EINT_MAX\ A_27a)\ (c_2Ebool_2Ethe_value \\
& A_27a)))\ (ap\ (c_2Integer_word_2EINT_MAX\ A_27b)\ (c_2Ebool_2Ethe_value \\
& A_27b))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmetic_2EZERO)\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmetic_2EZERO) \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& V0n)\ c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow \\
& (\neg (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1m)\ V0n)))) \wedge ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))))))))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ c_2Earithmetic_2EZERO)\ V0n))) \Leftrightarrow \\
& True) \wedge (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n)\ c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) \Leftrightarrow (\neg (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& V1m)\ V0n)))) \wedge ((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& V0n)\ V1m))))))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ (ap\ c_2Earithmetic_2E_2D\ V0n) \\
V1m)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum)\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& \quad V1m)\ V0n))\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ (ap\ (ap\ c_2Enumeral_2EiSUB \\
& \quad c_2Ebool_2ET)\ V0n)\ V1m)))\ c_2Enum_2E0))))
\end{aligned} \tag{78}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{79}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{80}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B)))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B)))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{82}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{83}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(\\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{84}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))
\end{aligned} \tag{85}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\
& \quad ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{86}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (88)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (89)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q)))) \quad (90)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p)))) \quad (91)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q)))) \quad (92)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (93)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0a \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V1b \in \\ & (ty_2EfcP_2Ecart\ 2\ A_27b). (((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ & (ap\ (c_2EfcP_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a))) \\ & (ap\ (c_2EfcP_2Edimindex\ A_27c)\ (c_2Ebool_2Ethe_value\ A_27c)))))) \wedge \\ & (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ (c_2EfcP_2Edimindex\ A_27b) \\ & (c_2Ebool_2Ethe_value\ A_27b)))\ (ap\ (c_2EfcP_2Edimindex\ A_27c) \\ & (c_2Ebool_2Ethe_value\ A_27c)))))) \Rightarrow (((ap\ (c_2Integer_word_2Ew2i \\ & A_27a)\ V0a) = (ap\ (c_2Integer_word_2Ew2i\ A_27b)\ V1b)) \Leftrightarrow ((ap\ (\\ & c_2Ewords_2Esw2sw\ A_27a\ A_27c)\ V0a) = (ap\ (c_2Ewords_2Esw2sw\ A_27b \\ & A_27c)\ V1b)))))) \end{aligned}$$