

thm_2Einteger_word_2Eword_0_w2i
 (TMJJ3nHBg4ayHrk7JysCWeLQT8GFVfs1EEt)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty \ ty_2Einteger_2Eint \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \quad (2)$$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (3)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty \ (ty_2Epair_2Eprod \\ A0 \ A1) \end{aligned} \quad (4)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod \ ty_2Enum_2Enum \ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint}) \quad (5)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint. (ap (c_2Emin_2E_40 (ty$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (6)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) (ty_2Epair_2Eprod ty_2Enum_2Enum)) \quad (7)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})} \quad (8)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum ty_2Enum)$

Definition 10 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. (ap c_2Einteger_2Eint_eq T1)$

Definition 11 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Efcp_2Efinite_image A0) \quad (9)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (10)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (11)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (12)$$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2Eitself))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^\omega) \quad (15)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ P)))$

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec\ V1n\ m)$

Definition 16 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ A_27a)\ P)))$

Definition 17 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum}))\ A_27a)$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow & \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart \\ & A0\ A1) \end{aligned} \tag{16}$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart \\ & A_27a\ A_27b \in ((A_27a^{ty_2Efcp_2Efinite_image\ A_27b}))^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)} \end{aligned} \tag{17}$$

Definition 18 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b).c_2Efcp_2Efcp_index\ A_27a\ A_27b\ V0x$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{18}$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 20 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{19}$$

Definition 21 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B)\ n)$

Definition 22 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{20}$$

Definition 23 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (c_2Ebool_2E_3F_21\ b))\ V1n)$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum}) \tag{21}$$

Definition 24 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a).(ap\ (ap\ c_2Ewords_2Ew2n\ A_27a)\ V0w)$.
 Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (22)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 25 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2D\ V0n)\ V0n)$.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (24)$$

Definition 26 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Ebit_2EDIV_2EXP\ V0x)\ V1n)$.

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 27 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Ebit_2EMOD_2EXP\ V0x)\ V1n)$.

Definition 28 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. (ap\ (ap\ c_2Ebit_2EBITS\ V0h)\ V1l\ V2m)$.

Definition 29 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Ebit_2EBIT\ V0b)\ V1n)$.

Definition 30 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap\ (ap\ c_2Efcp_2EFCP\ A_27a)\ V0g))$.

Definition 31 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Ewords_2En2w\ A_27a)\ V0n)$.

Definition 32 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Ewords_2Eword_2comp\ A_27a)\ V0w)$.

Definition 33 We define $c_2Ewords_2Eword_msb$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Ewords_2Eword_msb\ A_27a)\ V0w)$.

Definition 34 We define $c_2Einteger_word_2Ew2i$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a). (ap\ (ap\ c_2Einteger_word_2Ew2i\ A_27a)\ V0w)$.

Assume the following.

$$True \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (28)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{27a}.(\forall V3x_{27} \in A_{27a}.(\forall V4y \in A_{27a}. \\ & (\forall V5y_{27} \in A_{27a}.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{27})) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{27})))) \Rightarrow ((ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ V1Q)\ V3x_{27}) \\ & V5y_{27})))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in A_{27a}.((ap\ (ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ c_{2Ebool_2ET})\ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap\ (ap\ (c_{2Ebool_2ECOND}\ A_{27a})\ c_{2Ebool_2EF})\ V2t1)\ V3t2) = V3t2)))))) \end{aligned} \quad (33)$$

Assume the following.

$$((ap\ c_{2Einteger_2Eint_neg}\ (ap\ c_{2Einteger_2Eint_of_num}\ c_{2Enum_2E0})) = (ap\ c_{2Einteger_2Eint_of_num}\ c_{2Enum_2E0})) \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_{2Eenum_2Enum}.(\forall V1n \in ty_{2Eenum_2Enum}.((ap\ c_{2Einteger_2Eint_of_num}\ V0m) = (ap\ c_{2Einteger_2Eint_of_num}\ V1n)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (35)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow ((ap\ (c_{2Ewords_2Ew2n}\ A_{27a})\ (ap\ (c_{2Ewords_2En2w}\ A_{27a})\ c_{2Enum_2E0})) = c_{2Enum_2E0}) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((ap\ (c_{2Ewords_2Eword_2comp}\ A_{27a})\ (ap\ (c_{2Ewords_2En2w}\ A_{27a})\ c_{2Enum_2E0})) = (ap\ (c_{2Ewords_2En2w}\ A_{27a})\ c_{2Enum_2E0})) \end{aligned} \quad (37)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\neg(p(\text{ap}(\text{c_2Ewords_2Eword_msb } A_27a) (\text{ap}(\text{c_2Ewords_2En2w } A_27a) \text{c_2Enum_2E0})))) \quad (38)$$

Theorem 1

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow ((\text{ap}(\text{c_2Einteger_word_2Ew2i } A_27a) (\text{ap}(\text{c_2Ewords_2En2w } A_27a) \text{c_2Enum_2E0})) = (\text{ap}(\text{c_2Einteger_2Eint_of_num } \text{c_2Enum_2E0})))$$