

thm_2Eintegral_2EDINT__CMUL
(TMVgQeZP4H3Y7WuNztfJQ6WyyZJDkNgtSyr)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etreall_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \tag{5}$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS\ T1)$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 8 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_mul\ T1\ T2)$

Definition 9 We define c_2Ereal_2E2F to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(ap\ c_2Ereal_2E2F\ x\ y)$

Definition 10 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 11 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V2t \in 2.V0t)\ t1\ t2)))$

Definition 13 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E2F\ t))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (12)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 15 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V2t \in 2.V0t)\ t1\ t2)))$

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 17 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 18 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 19 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Erealx_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (13)$$

Definition 20 We define $c_2Erealx_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal. \lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 21 We define $c_2Etransc_2Edsize$ to be $\lambda V0D \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}). (ap\ (c_2$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealx_2Ereal^{(ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (14)$$

Let $c_2Etransc_2Ersum : \iota$ be given. Assume the following.

$$c_2Etransc_2Ersum \in ((ty_2Erealx_2Ereal^{(ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal})})^{(ty_2Epair_2Eprod\ (ty_2Erealx_2Ereal))}) \quad (15)$$

Let $c_2Erealx_2Etreall_neg : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (16)$$

Definition 22 We define $c_2Erealx_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal. (ap\ c_2Erealx_2Ereal$

Let $c_2Erealx_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Definition 23 We define $c_2Erealx_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal. \lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 24 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealx_2Ereal. \lambda V1y \in ty_2Erealx_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (18)$$

Definition 25 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \quad (19)$$

Definition 26 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.$

Definition 27 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 28 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal.(ap (ap (ap (c_Ebool_ECOND$

Let $c_Etransc_Eefine : \iota$ be given. Assume the following.

$$c_Etransc_Eefine \in ((2^{(ty_Epair_Eprod (ty_Erealax_Ereal^{ty_Eenum_Eenum}) (ty_Erealax_Ereal^{ty_Eenum_Eenum})}))) \quad (20)$$

Let $c_Etransc_Etdiv : \iota$ be given. Assume the following.

$$c_Etransc_Etdiv \in ((2^{(ty_Epair_Eprod (ty_Erealax_Ereal^{ty_Eenum_Eenum}) (ty_Erealax_Ereal^{ty_Eenum_Eenum})}))) \quad (21)$$

Definition 29 We define $c_Etransc_Egauge$ to be $\lambda V0E \in (2^{ty_Erealax_Ereal}).\lambda V1g \in (ty_Erealax_Ereal.$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EABS_prod \\ A_27a A_27b \in ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (22)$$

Definition 30 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_Etransc_EEDint : \iota$ be given. Assume the following.

$$c_Etransc_EEDint \in ((2^{(2^{ty_Erealax_Ereal})^{(ty_Erealax_Ereal^{ty_Erealax_Ereal})})})^{(ty_Epair_Eprod ty_Erealax_Ereal)}) \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (32)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \vee (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee (p \ V0A)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A) \vee \neg(p \ V1B))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B))))))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (41)$$

Assume the following.

$$(\forall V0a \in ty_2Erealax_2Ereal.(\forall V1b \in ty_2Erealax_2Ereal.(\forall V2c \in ty_2Erealax_2Ereal.(p (ap (ap (ap c_2Etransc_2EDint (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) V1b)) (\lambda V3x \in ty_2Erealax_2Ereal.V2c)) (ap (ap c_2Erealax_2Ereal_mul V2c) (ap (ap c_2Ereal_2Ereal_sub V1b) V0a)))))) \quad (42)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealax_2Ereal_mul V1y) V0x)))) \quad (43)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) (ap (ap c_2Erealax_2Ereal_mul V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_mul (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) V2z)))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (45)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) (ap (ap c_2Ereal_2Ereal_sub V1y) V2z)) = (ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)))))) \quad (46)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V0x)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F V0x) V1y))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Ereal_2Eabs (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) = \\
& (ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Eabs V0x)) (ap c_2Ereal_2Eabs \\
& V1y))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_2Eabs V0x))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1c \in \\
& ty_2Erealax_2Ereal. (\forall V2m \in ty_2Enum_2Enum. (\forall V3n \in \\
& ty_2Enum_2Enum. ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C \\
& ty_2Enum_2Enum ty_2Enum_2Enum) V2m) V3n)) (\lambda V4n \in ty_2Enum_2Enum. \\
& (ap (ap c_2Erealax_2Ereal_mul V1c) (ap V0f V4n)))))) = (ap (ap c_2Erealax_2Ereal_mul \\
& V1c) (ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
& ty_2Enum_2Enum) V2m) V3n)) V0f))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2z)) \Rightarrow ((p (ap (ap \\
& c_2Erealax_2Ereal_lt V0x) (ap (ap c_2Ereal_2E_2F V1y) V2z))) \Leftrightarrow \\
& (p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_mul \\
& V0x) V2z)) V1y))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{52}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{53}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1p \in \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\ & ((ap (ap c_2Etransc_2Ersum (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V0D) V1p)) V2f) = (ap (ap \\ & c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) \\ & c_2Enum_2E0) (ap c_2Etransc_2Edsize V0D))) (\lambda V3n \in ty_2Enum_2Enum. \\ & (ap (ap c_2Erealax_2Ereal_mul (ap V2f (ap V1p V3n))) (ap (ap c_2Ereal_2Ereal_sub \\ & (ap V0D (ap c_2Enum_2ESUC V3n))) (ap V0D V3n)))))))))) \quad (66) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Erealax_2Ereal.(\forall V1b \in ty_2Erealax_2Ereal. \\ & (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V3k \in \\ & ty_2Erealax_2Ereal.((p (ap (ap (ap c_2Etransc_2EDint (ap (ap (\\ & c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) \\ & V1b)) V2f) V3k)) \Leftrightarrow (\forall V4e \in ty_2Erealax_2Ereal.((p (ap (ap \\ & c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) \\ & V4e)) \Rightarrow (\exists V5g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\ & ((p (ap (ap c_2Etransc_2Egauge (\lambda V6x \in ty_2Erealax_2Ereal. \\ & (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Ereal_2Ereal_lte V0a) V6x)) \\ & (ap (ap c_2Ereal_2Ereal_lte V6x) V1b)))) V5g)) \wedge (\forall V7D \in \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V8p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\ & (((p (ap (ap c_2Etransc_2Etdiv (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal) V0a) V1b)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p))) \wedge (p (ap (ap c_2Etransc_2Efine \\ & V5g) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)))) \Rightarrow (p (ap (ap \\ & c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub \\ & (ap (ap c_2Etransc_2Ersum (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \\ & (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)) V2f)) V3k))) \\ & V4e)))))))))) \quad (67) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1a \in \\ & ty_2Erealax_2Ereal.(\forall V2b \in ty_2Erealax_2Ereal.(\forall V3c \in \\ & ty_2Erealax_2Ereal.(\forall V4i \in ty_2Erealax_2Ereal.((p (ap \\ & (ap (ap c_2Etransc_2EDint (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal) V1a) V2b)) V0f) V4i)) \Rightarrow (p (ap (ap (ap c_2Etransc_2EDint \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V1a) V2b)) (\lambda V5x \in ty_2Erealax_2Ereal.(ap (ap c_2Erealax_2Ereal_mul \\ & V3c) (ap V0f V5x)))) (ap (ap c_2Erealax_2Ereal_mul V3c) V4i)))))))))) \end{aligned}$$