

thm_2Eintegral_2EDIVISION_DSIZESIZE_EQ
 (TMHkyyyN-
 tJJNK522Cp9HgEEyrEBz4QT1CFo)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 5 We define $c_2Ecombin_2E_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 6 We define $c_2Ecombin_2E_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A-27b})^{A-27a})$

Definition 7 We define $c_2Ecombin_2E_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A_27a (A_27a^{A-27a}) A$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{2}$$

Definition 8 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 9 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E21$

Definition 12 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (3)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (5)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 14 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 17 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax}) \quad (8)$$

Definition 18 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (t$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 19 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 20 We define $c_2Etransc_2Esize$ to be $\lambda V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(ap\ (c_2$

Definition 21 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (10)$$

Definition 22 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Etransc_2Edivision : \iota$ be given. Assume the following.

$$c_2Etransc_2Edivision \in ((2^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Ereal)}) \quad (11)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (V0m = V1n) \Leftrightarrow ((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n)) \wedge (p\ (\\ ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V0m)))))) \end{aligned} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\neg(\forall V1x \in A_27a. (p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a. (\neg(p (ap V0P V2x))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((ap (c_2Ecombin_2El A_27a) V0x) = V0x)) \quad (27)$$

Assume the following.

$$(\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. (\forall V2d \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V3n \in ty_2Enum_2Enum. (((p (ap (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) V1b)) V2d)) \wedge ((ap V2d (ap c_2Enum_2ESUC V3n)) = (ap V2d V3n))) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Etransc_2Edsize V2d)) V3n)))))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2d \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V3n \in \\
& ty_2Enum_2Enum. (((p (ap (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) V1b)) V2d)) \wedge (p (\\
& ap (ap c_2Erealax_2Ereal_lt (ap V2d V3n)) (ap V2d (ap c_2Enum_2ESUC \\
& V3n)))))) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
& V3n)) (ap c_2Etransc_2Edsize V2d)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{30}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (39)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2d \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V3n \in \\
& ty_2Enum_2Enum. (((p (ap (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) V1b)) V2d)) \wedge ((p \\
& (ap (ap c_2Erealax_2Ereal_lt (ap V2d V3n)) (ap V2d (ap c_2Enum_2ESUC \\
& V3n)))) \wedge ((ap V2d (ap c_2Enum_2ESUC (ap c_2Enum_2ESUC V3n))) = (\\
& ap V2d (ap c_2Enum_2ESUC V3n)))))) \Rightarrow ((ap c_2Etransc_2Edsize V2d) = \\
& (ap c_2Enum_2ESUC V3n))))))
\end{aligned}$$