

# thm\_2Eintegral\_2EINTEGRAL\_\_CONST (TMEr- aTw42bMF3ZvbMPL9EAy1fng83aGFxqu)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Eintegral\_2Eintegral : \iota$  be given. Assume the following.

$$c\_2Eintegral\_2Eintegral \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})})^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal)}) \tag{3}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{4}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \tag{5}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Ereal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)})$$

(6)

**Definition 9** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 10** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $c\_2Erealax\_2Ereal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})$$

(7)

Let  $c\_2Erealax\_2Ereal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)})$$

(8)

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})}$$

(9)

**Definition 12** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)})$$

(10)

**Definition 14** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 15** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_mul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)})$$

(11)

**Definition 16** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & \quad A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (12)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Etransc\_2EDint : \iota$  be given. Assume the following.

$$c\_2Etransc\_2EDint \in (((2^{ty\_2Erealax\_2Ereal})^{(ty\_2Erealax\_2Ereal)^{ty\_2Erealax\_2Ereal}})^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal)}) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal)^{ty\_2Erealax\_2Ereal}. (\forall V1a \in \\ & ty\_2Erealax\_2Ereal. (\forall V2b \in ty\_2Erealax\_2Ereal. (\forall V3i \in \\ & ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1a)\ V2b)) \wedge \\ & (p\ (ap\ (ap\ (ap\ c\_2Etransc\_2EDint\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal \\ & ty\_2Erealax\_2Ereal)\ V1a)\ V2b))\ V0f)\ V3i))) \Rightarrow ((ap\ (ap\ c\_2Eintegral\_2Eintegral \\ & (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & V1a)\ V2b))\ V0f) = V3i)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1b \in ty\_2Erealax\_2Ereal. \\ & (\forall V2c \in ty\_2Erealax\_2Ereal. (p\ (ap\ (ap\ (ap\ c\_2Etransc\_2EDint \\ & (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & V0a)\ V1b))\ (\lambda V3x \in ty\_2Erealax\_2Ereal. V2c))\ (ap\ (ap\ c\_2Erealax\_2Ereal\_mul \\ & V2c)\ (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V1b)\ V0a)))))) \end{aligned} \quad (18)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1b \in ty\_2Erealax\_2Ereal. \\ & (\forall V2c \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte \\ & V0a)\ V1b)) \Rightarrow ((ap\ (ap\ c\_2Eintegral\_2Eintegral\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ V0a)\ V1b))\ (\lambda V3x \in \\ & ty\_2Erealax\_2Ereal. V2c)) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V2c) \\ & (ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ V1b)\ V0a)))))) \end{aligned}$$