

# thm\_2Eintto\_2Eapintto\_\_thm (TMUdGgfPNQja- Woppu1XCJGLCQF7cmsRnyhH)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 0t \in 2.V 0t))$ .

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Einteger_2Eint` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Einteger\_2Eint} \tag{3}$$

Let `c_2Einteger_2Eint__REP__CLASS` :  $\iota$  be given. Assume the following.

$$\text{c\_2Einteger\_2Eint\_REP\_CLASS} \in ((2^{(\text{ty\_2Epair\_2Eprod } \text{ty\_2Enum\_2Enum } \text{ty\_2Enum\_2Enum}) \text{ty\_2Einteger\_2Eint}})) \tag{4}$$

**Definition 5** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define `c_2Einteger_2Eint__REP` to be  $\lambda V 0a \in \text{ty\_2Einteger\_2Eint}. (\text{ap } (\text{c\_2Emin\_2E\_40 } (\text{ty\_2Einteger\_2Eint\_REP\_CLASS } a)))$

Let `c_2Einteger_2Etint__lt` :  $\iota$  be given. Assume the following.

$$\text{c\_2Einteger\_2Etint\_lt} \in ((2^{(\text{ty\_2Epair\_2Eprod } \text{ty\_2Enum\_2Enum } \text{ty\_2Enum\_2Enum}) \text{ty\_2Einteger\_2Etint\_lt}})) \tag{5}$$

**Definition 7** We define  $c\_Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$ .

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (6)$$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (7)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (8)$$

**Definition 8** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21) 2) (\lambda V2t \in 2)))$

**Definition 10** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.))$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (9)$$

**Definition 11** We define  $c\_2Etoto\_2ETO\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0r \in ((2^{A\_27a})^{A\_27a}).\lambda V1x \in$

**Definition 12** We define  $c\_2Eintto\_2EintOrd$  to be  $(ap (c\_2Etoto\_2ETO\_of\_LinearOrder ty\_2Einteger\_2Eint))$

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etoto\_2Etoto\ A0) \quad (10)$$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etoto\_2ETO\ A\_27a \in ((ty\_2Etoto\_2Etoto\ A\_27a)^{(ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}}) \quad (11)$$

**Definition 13** We define  $c\_2Eintto\_2Eintto$  to be  $(ap (c\_2Etoto\_2ETO ty\_2Einteger\_2Eint))\ c\_2Eintto\_2Eint$

**Definition 14** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21))$

**Definition 15** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21) 2) (\lambda V2t \in 2)))$

**Definition 16** We define  $c\_2Erelation\_2Etrichotomous$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E7E$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etoto\_2Eapto\ A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}) \quad (12)$$

**Definition 17** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}$

**Definition 18** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a})^{A\_27a}.(ap\ (c\_2Ebool\_2Etransitive))$

**Definition 19** We define  $c\_2Erelation\_2Eirreflexive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a})^{A\_27a}.(ap\ (c\_2Ebool\_2Eirreflexive))$

**Definition 20** We define  $c\_2Erelation\_2EstrongOrder$  to be  $\lambda A\_27g : \iota.\lambda V0Z \in ((2^{A\_27g})^{A\_27g})^{A\_27g}.(ap\ (ap\ c\_2Ebool\_2EstrongOrder))$

**Definition 21** We define  $c\_2Erelation\_2EstrongLinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a})^{A\_27a}.(ap\ (ap\ c\_2Ebool\_2EstrongLinearOrder))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((V0x = V1y) \vee ((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V0x)\ V1y)) \vee (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V1y)\ V0x)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\neg(p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V0x)\ V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. (\forall V2z \in ty\_2Einteger\_2Eint. (((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ V0x)\ V2z)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in ((2^{A\_27a})^{A\_27a}). ((p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ V0r)) \Leftrightarrow ((ap\ (c\_2Etoto\_2Eapto\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\ A\_27a)\ V0r)) = V0r))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in ((2^{A\_27a})^{A\_27a}). ((p\ (ap\ (c\_2Erelation\_2EStrongLinearOrder\ A\_27a)\ V0r)) \Rightarrow (p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder\ A\_27a)\ V0r)))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Z \in ((2^{A\_27a})^{A\_27a}). ((p\ (ap\ (c\_2Erelation\_2EStrongOrder\ A\_27a)\ V0Z)) \Leftrightarrow ((p\ (ap\ (c\_2Erelation\_2Eirreflexive\ A\_27a)\ V0Z)) \wedge (p\ (ap\ (c\_2Erelation\_2Etransitive\ A\_27a)\ V0Z)))) \quad (28)$$

**Theorem 1**

$$((ap (c_2Etoto_2Eapto ty_2Einteger_2Eint) c_2Eintto_2Eintto) = c_2Eintto_2EintOrd)$$