

thm_2Eiterate_2EFINITE_SUPPORT_DELTA
(TM-
RPG5qeTs4XXHsWEVnUJQLK9Gyd4XHUFme)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 9 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge$

Definition 11 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Emin$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 14 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 15 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF).$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ A_27a.(((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0op \in ((A_27a^{A_27a})^{A_27a}).(\forall V1f \in (A_27a^{A_27b}). \\ (\forall V2s \in (2^{A_27b}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b) \\ V2s)) \Rightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport \\ A_27b\ A_27a)\ V0op)\ V1f)\ V2s)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0op \in ((A_27a^{A_27a})^{A_27a}).(\forall V1s \in (2^{A_27b}).(\\
& \quad \forall V2f \in (A_27a^{A_27b}).(\forall V3a \in A_27b.((ap\ (ap\ (ap\ (c_2Eiterate_2Esupport \\
& \quad A_27b\ A_27a)\ V0op)\ (\lambda V4x \in A_27b.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& \quad A_27a)\ (ap\ (ap\ (c_2Emin_2E_3D\ A_27b)\ V4x)\ V3a))\ (ap\ V2f\ V4x))\ (ap \\
& \quad (c_2Eiterate_2Eneutral\ A_27a)\ V0op))))\ V1s) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& \quad (2^{A_27b}))\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V3a)\ V1s))\ (ap\ (ap\ (ap\ (\\
& \quad c_2Eiterate_2Esupport\ A_27b\ A_27a)\ V0op)\ V2f)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad A_27b)\ V3a)\ (c_2Epred_set_2EEMPTY\ A_27b))))))\ (c_2Epred_set_2EEMPTY \\
& \quad A_27b))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a))) \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1s \in \\
& (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& A_27a)\ V0x)\ V1s)))) \Leftrightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s))))
\end{aligned} \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (2^{A_27b}).(\forall V1op \in ((A_27a^{A_27a})^{A_27a}).(\\
& \quad \forall V2f \in (A_27a^{A_27b}).(\forall V3a \in A_27b.(p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27b)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27b\ A_27a)\ V1op)\ (\lambda V4x \in \\
& A_27b.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ (ap\ (ap\ (c_2Emin_2E_3D \\
& A_27b)\ V4x)\ V3a))\ (ap\ V2f\ V4x))\ (ap\ (c_2Eiterate_2Eneutral\ A_27a)\ \\
& V1op))))\ V0s))))))
\end{aligned}$$