

thm_2Eiterate_2EFINREC__EXISTS__LEMMA (TML7kT18qNQVXrFiZHzyuxNzjxJJfqGrpGW)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P x)))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ebool_2E_3F` to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P (\text{ap } (\text{c_2Emin_2E_40 } A))))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `c_2Enum_2EREP__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EREP_num} \in (\text{omega}^{\text{ty_2Enum_2Enum}}) \tag{2}$$

Let `c_2Enum_2ESUC__REP` : ι be given. Assume the following.

$$\text{c_2Enum_2ESUC_REP} \in (\text{omega}^{\text{omega}}) \tag{3}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EABS_num} \in (\text{ty_2Enum_2Enum}^{\text{omega}}) \tag{4}$$

Definition 7 We define `c_2Enum_2ESUC` to be $\lambda V0m \in \text{ty_2Enum_2Enum}. (\text{ap } \text{c_2Enum_2EABS_num } m)$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$\text{c_2Enum_2EZERO_REP} \in \text{omega} \tag{5}$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Eiterate_2EFINREC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eiterate_2EFINREC \\ A_27a\ A_27b \in (((((2^{ty_2Enum_2Enum})_{A_27b})^{(2^{A-27a})})_{A_27b})^{((A_27b^{A-27b})^{A-27a})}) \end{aligned} \quad (6)$$

Definition 9 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Definition 11 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ A0\ A1) \end{aligned} \quad (7)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{((2^{A-27b})^{A-27a})}) \end{aligned} \quad (8)$$

Definition 15 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A-27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b})}) \end{aligned} \quad (9)$$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Definition 17 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E21\ 2)\ (\lambda V1t \in 2.))$

Definition 18 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Definition 19 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1x \in A_27a.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.))$

Definition 20 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V1t \in 2.))$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow ((\forall V0t1 \in A.27a. (\forall V1t2 \in A.27a. ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a. (\forall V3t2 \in A.27a. ((ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V2t1) V3t2) = V3t2)))))) \quad (17)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad (\forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1b \in A_27b. (\forall V2s \in \\
& \quad (2^{A_27a}). (\forall V3a \in A_27b. ((p\ (ap\ (ap\ (ap\ (ap\ (c_2Eiterate_2EFINREC \\
& \quad A_27a\ A_27b)\ V0f)\ V1b)\ V2s)\ V3a)\ c_2Enum_2E0)) \Leftrightarrow ((V2s = (c_2Epred_set_2EEMPTY \\
& \quad A_27a)) \wedge (V3a = V1b)))))) \wedge (\forall V4f \in ((A_27b^{A_27b})^{A_27a}). \\
& \quad (\forall V5b \in A_27b. (\forall V6s \in (2^{A_27a}). (\forall V7a \in A_27b. \\
& \quad (\forall V8n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Eiterate_2EFINREC \\
& \quad A_27a\ A_27b)\ V4f)\ V5b)\ V6s)\ V7a)\ (ap\ c_2Enum_2ESUC\ V8n))) \Leftrightarrow (\exists V9x \in \\
& \quad A_27a. (\exists V10c \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V9x)\ \\
& \quad V6s)) \wedge ((p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Eiterate_2EFINREC\ A_27a\ A_27b)\ \\
& \quad V4f)\ V5b)\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V6s)\ V9x))\ V10c)\ \\
& \quad V8n)) \wedge (V7a = (ap\ (ap\ V4f\ V9x)\ V10c))))))))))))) \\
& \hspace{15em} (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& \quad A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\
& \quad V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1s \in \\
& \quad (2^{A_27a}). ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V1s))) \Leftrightarrow ((ap \\
& \quad (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V1s)\ V0x) = V1s))) \\
& \hspace{15em} (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (ap\ (c_2Epred_set_2EDELETE \\
& \quad A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a))\ V0x) = (c_2Epred_set_2EEMPTY \\
& \quad A_27a))) \\
& \hspace{15em} (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& \quad A_27a. (\forall V2s \in (2^{A_27a}). ((ap\ (ap\ (c_2Epred_set_2EDELETE \\
& \quad A_27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V0x)\ V2s))\ V1y) = \\
& \quad (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (2^{A_27a}))\ (ap\ (ap\ (c_2Emin_2E_3D \\
& \quad A_27a)\ V0x)\ V1y))\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V2s)\ V1y)) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EDELETE \\
& \quad A_27a)\ V2s)\ V1y)))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}).((\\
& \quad (p\ (ap\ V0P\ (c_2Epred_set_2EEMPTY\ A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\
& \quad ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s)))) \Rightarrow \\
& \quad (\forall V2e \in A_27a.((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2e)\ V1s))) \Rightarrow \\
& \quad (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2e)\ V1s)))))) \Rightarrow \\
& \quad (\forall V3s \in (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V3s)) \Rightarrow (p\ (ap\ V0P\ V3s))))))
\end{aligned} \tag{23}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((A_27b^{A_27b})^{A_27a}).(\forall V1b \in A_27b.(\forall V2s \in \\
& \quad (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V2s)) \Rightarrow (\exists V3a \in \\
& \quad A_27b.(\exists V4n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Eiterate_2EFINREC \\
& \quad A_27a\ A_27b)\ V0f)\ V1b)\ V2s)\ V3a)\ V4n))))))
\end{aligned}$$