

thm\_2Eiterate\_2EHAS\_\_SIZE\_\_NUMSEG  
(TMS9pxWrPkqvfxmnLf33SBfa6bSdHxZWX8S)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{1}$$

Let  $c\_2Epred\_set\_2Ecard : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epred\_set\_2Ecard\ A\_27a \in (ty\_2Eenum\_2Eenum^{(2^{A\_27a})}) \tag{2}$$

**Definition 8** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 9** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{3}$$

Let  $c\_2Epair\_2Eabs\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2Eabs\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{4}$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b})}) \quad (5)$$

**Definition 11** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21$

**Definition 12** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 13** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21$

**Definition 14** We define  $c\_2Ecardinal\_2EHAS\_SIZE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1n \in ty\_2Enum\_2E\_21$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (7)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

**Definition 17** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 18** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic$

**Definition 19** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 20** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A) \text{ of type } \iota \Rightarrow \iota.$

**Definition 21** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40$

**Definition 22** We define `c_2Eprim_rec_2E_3C` to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}. \lambda V1n \in \text{ty\_2Enum\_2Enum}.$

**Definition 23** We define `c_2Earithmetic_2E_3C_3D` to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}. \lambda V1n \in \text{ty\_2Enum\_2Enum}.$

**Definition 24** We define `c_2Eiterate_2E_2E_2E` to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}. \lambda V1n \in \text{ty\_2Enum\_2Enum}.$

Assume the following.

$$\text{True} \quad (12)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A. 27a. (p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((\text{True} \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge \text{True}) \Leftrightarrow \\ & (p \ V0t)) \wedge (((\text{False} \wedge (p \ V0t)) \Leftrightarrow \text{False}) \wedge (((p \ V0t) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((\text{True} \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p \ V0t)) \wedge (((\text{False} \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow \text{False}) \Leftrightarrow \neg ( \\ & p \ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in \text{ty\_2Enum\_2Enum}. (\forall V1n \in \text{ty\_2Enum\_2Enum}. ( \\ & p \text{ (ap (c_2Epred\_set\_2EFINITE } \text{ty\_2Enum\_2Enum)} \text{ (ap (ap c_2Eiterate\_2E\_2E\_2E} \\ & V0m) \ V1n)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in \text{ty\_2Enum\_2Enum}. (\forall V1n \in \text{ty\_2Enum\_2Enum}. ( \\ & (\text{ap (c_2Epred\_set\_2ECARD } \text{ty\_2Enum\_2Enum)} \text{ (ap (ap c_2Eiterate\_2E\_2E\_2E} \\ & V0m) \ V1n)) = (\text{ap (ap c_2Earithmetic\_2E\_2D (ap (ap c_2Earithmetic\_2E\_2B} \\ & V1n) \text{ (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1} \\ & \text{c_2Earithmetic\_2EZERO))))} \ V0m)))))) \end{aligned} \quad (18)$$

