

thm_2Eiterate_2EITERATE_UNION_NONZERO (TMQrvfyTMMy6K4UFwwY9J3uK6yV1in91tzs9)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A P)))$

Definition 5 We define $c_2Ecombin_2E_2EK$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 6 We define $c_2Ecombin_2E_2ES$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 7 We define $c_2Ecombin_2E_2EI$ to be $\lambda A.\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A_27a A_27a) A_27a))$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) P))$

Definition 9 We define $c_2Ecombin_2E_2Eo$ to be $\lambda A.\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27a}).V0f$

Definition 10 We define $c_2Ebool_2E_2IN$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap V1f V0x)$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (ap V1t2 V0t1))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$

(3)

Definition 14 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 15 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Definition 17 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 18 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0y \in A_27a.\lambda V1z \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0w \in 2.V0w))))$

Definition 21 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (ap (c_2Ebool_2E_21 2) (\lambda V0y \in A_27a.\lambda V1z \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0w \in 2.V0w)))) (\lambda V0z \in 2.V0z))))$

Definition 22 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Definition 23 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))))$

Definition 24 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 25 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 26 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 27 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 28 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 29 We define $c_2Eiterate_2Emonoidal$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Definition 30 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Definition 31 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0x \in A_27a.\lambda V1y \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V0z \in 2.V0z))))$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (10)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). ((\neg(\forall V1x \in A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x))))))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0op \in ((A_27a^{A_27a})^{A_27a}). (\forall V1f \in (A_27a^{A_27b}). (\forall V2x \in A_27b. (\forall V3s \in (2^{A_27b}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V2x)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27b\ A_27a)\ V0op)\ V1f)\ V3s))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V2x)\ V3s)) \wedge (\neg((ap\ V1f\ V2x) = (ap\ (c_2Eiterate_2Eneutral\ A_27a)\ V0op)))))))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0op \in ((A_27a^{A_27a})^{A_27a}). (\forall V1f \in (A_27a^{A_27b}). (\forall V2s \in (2^{A_27b}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V2s)) \Rightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27b\ A_27a)\ V0op)\ V1f)\ V2s)))))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\
& A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\
& \forall A.27h.nonempty\ A.27h \Rightarrow \forall A.27i.nonempty\ A.27i \Rightarrow (\\
& \forall V0op \in ((A.27b^{A.27b})^{A.27b}).((\forall V1f \in (A.27b^{A.27a}). \\
((ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27a\ A.27b)\ V0op)\ V1f)\ (c.2Epred_set_2EEMPTY \\
A.27a)) = (c.2Epred_set_2EEMPTY\ A.27a))) \wedge ((\forall V2f \in (A.27b^{A.27c}). \\
(\forall V3x \in A.27c.(\forall V4s \in (2^{A.27c}).((ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27c\ A.27b)\ V0op)\ V2f)\ (ap\ (ap\ (c.2Epred_set_2EINSERT\ A.27c) \\
V3x)\ V4s)) = (ap\ (ap\ (ap\ (c.2Ebool_2ECOND\ (2^{A.27c}))\ (ap\ (ap\ (c.2Emin_2E_3D \\
A.27b)\ (ap\ V2f\ V3x))\ (ap\ (c.2Eiterate_2Eneutral\ A.27b)\ V0op)))) \\
(ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27c\ A.27b)\ V0op)\ V2f)\ V4s))) \\
(ap\ (ap\ (c.2Epred_set_2EINSERT\ A.27c)\ V3x)\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27c\ A.27b)\ V0op)\ V2f)\ V4s)))))) \wedge ((\forall V5f \in (A.27b^{A.27d}). \\
(\forall V6x \in A.27d.(\forall V7s \in (2^{A.27d}).((ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27d\ A.27b)\ V0op)\ V5f)\ (ap\ (ap\ (c.2Epred_set_2EDELETE\ A.27d) \\
V7s)\ V6x)) = (ap\ (ap\ (c.2Epred_set_2EDELETE\ A.27d)\ (ap\ (ap\ (ap\ (\\
c.2Eiterate_2Esupport\ A.27d\ A.27b)\ V0op)\ V5f)\ V7s)))\ V6x)))) \wedge \\
((\forall V8f \in (A.27b^{A.27e}).(\forall V9s \in (2^{A.27e}).(\forall V10t \in \\
(2^{A.27e}).((ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27e\ A.27b)\ V0op) \\
V8f)\ (ap\ (ap\ (c.2Epred_set_2EUNION\ A.27e)\ V9s)\ V10t)) = (ap\ (ap \\
(c.2Epred_set_2EUNION\ A.27e)\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27e\ A.27b)\ V0op)\ V8f)\ V9s))\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27e\ A.27b)\ V0op)\ V8f)\ V10t)))))) \wedge ((\forall V11f \in (A.27b^{A.27f}). \\
(\forall V12s \in (2^{A.27f}).(\forall V13t \in (2^{A.27f}).((ap\ (ap\ (ap \\
(c.2Eiterate_2Esupport\ A.27f\ A.27b)\ V0op)\ V11f)\ (ap\ (ap\ (c.2Epred_set_2EINTER \\
A.27f)\ V12s)\ V13t)) = (ap\ (ap\ (c.2Epred_set_2EINTER\ A.27f)\ (ap \\
(ap\ (ap\ (c.2Eiterate_2Esupport\ A.27f\ A.27b)\ V0op)\ V11f)\ V12s)) \\
(ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27f\ A.27b)\ V0op)\ V11f)\ V13t)))))) \wedge \\
((\forall V14f \in (A.27b^{A.27g}).(\forall V15s \in (2^{A.27g}).(\forall V16t \in \\
(2^{A.27g}).((ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27g\ A.27b)\ V0op) \\
V14f)\ (ap\ (ap\ (c.2Epred_set_2EDIFF\ A.27g)\ V15s)\ V16t)) = (ap\ (ap \\
(c.2Epred_set_2EDIFF\ A.27g)\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27g\ A.27b)\ V0op)\ V14f)\ V15s))\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport \\
A.27g\ A.27b)\ V0op)\ V14f)\ V16t)))))) \wedge ((\forall V17f \in (A.27i^{A.27h}). \\
(\forall V18g \in (A.27b^{A.27i}).(\forall V19s \in (2^{A.27h}).((ap\ (ap \\
(ap\ (c.2Eiterate_2Esupport\ A.27i\ A.27b)\ V0op)\ V18g)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE \\
A.27h\ A.27i)\ V17f)\ V19s)) = (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27h \\
A.27i)\ V17f)\ (ap\ (ap\ (ap\ (c.2Eiterate_2Esupport\ A.27h\ A.27b)\ V0op) \\
(ap\ (ap\ (c.2Ecombin_2Eo\ A.27h\ A.27b\ A.27i)\ V18g)\ V17f))\ V19s))))))))) \\
(23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0op \in ((A_27a^{A_27a})^{A_27a}). (\forall V1f \in (A_27a^{A_27b}). \\
& \quad (\forall V2s \in (2^{A_27b}). ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27b \\
& \quad A_27a)\ V0op)\ (ap\ (ap\ (ap\ (c_2Eiterate_2Esupport\ A_27b\ A_27a)\ V0op) \\
& \quad V1f)\ V2s))\ V1f) = (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27b\ A_27a) \\
& \quad V0op)\ V2s)\ V1f))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0op \in ((A_27a^{A_27a})^{A_27a}). ((p\ (ap\ (c_2Eiterate_2Emonoidal \\
& \quad A_27a)\ V0op)) \Rightarrow (\forall V1f \in (A_27a^{A_27b}). (\forall V2s \in (2^{A_27b}). \\
& \quad (\forall V3t \in (2^{A_27b}). (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b) \\
& \quad V2s)) \wedge ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V3t)) \wedge (p\ (ap\ (ap \\
& \quad (c_2Epred_set_2EDISJOINT\ A_27b)\ V2s)\ V3t)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate \\
& \quad A_27b\ A_27a)\ V0op)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27b)\ V2s)\ V3t)) \\
& \quad V1f) = (ap\ (ap\ V0op\ (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27b\ A_27a) \\
& \quad V0op)\ V2s)\ V1f))\ (ap\ (ap\ (ap\ (c_2Eiterate_2Eiterate\ A_27b\ A_27a) \\
& \quad V0op)\ V3t)\ V1f))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap \\
& \quad (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& \quad (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{29}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{30}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (38)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0op \in ((A.27b^{A.27b})^{A.27b}).((p\ (ap\ (c.2Eiterate.2Emonoidal \\ & \quad A.27b)\ V0op)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}).(\forall V2s \in (2^{A.27a}). \\ & \quad (\forall V3t \in (2^{A.27a}).(((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a) \\ & \quad V2s)) \wedge ((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a)\ V3t)) \wedge (\forall V4x \in \\ & \quad A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V4x)\ (ap\ (ap\ (c.2Epred_set.2EINTER \\ & \quad A.27a)\ V2s)\ V3t))) \Rightarrow ((ap\ V1f\ V4x) = (ap\ (c.2Eiterate.2Eneutral\ A.27b) \\ & \quad V0op)))))) \Rightarrow ((ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27a\ A.27b)\ V0op) \\ & \quad (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ V2s)\ V3t))\ V1f) = (ap\ (ap\ V0op \\ & \quad (ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27a\ A.27b)\ V0op)\ V2s)\ V1f)) \\ & \quad (ap\ (ap\ (ap\ (c.2Eiterate.2Eiterate\ A.27a\ A.27b)\ V0op)\ V3t)\ V1f))))))))) \end{aligned}$$