

thm_2Eiterate_2EMOD__NSUM__MOD (TMK- SJQLmTKMYj5mCpLdju2i6ekSH59w91hA)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (P)) (V0t)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 15 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (c_2Emin$

Definition 16 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (10)$$

Definition 18 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V$

Definition 19 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2$

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$.

Definition 21 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E_21 (2$

Definition 22 We define $c_2Eiterate_2EITSET$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in ((A.27a^{A-27a})^{A-27b}).\lambda V$

Definition 23 We define $c_2Eiterate_2Eiterate$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0op \in ((A.27b^{A-27b})^{A-27b}).\lambda V$

Definition 24 We define $c_2Eiterate_2Eenum$ to be $\lambda A.27a : \iota.(ap (c_2Eiterate_2Eiterate A.27a ty_2Enum_2E$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(V0n = c_2Enum_2E0)) \Leftrightarrow (p (ap (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)))) \quad (11)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1k \in ty_2Enum_2Enum.(p (ap (ap (ap c_2Eprim_rec_2E_3C V1k) V0n)) \Rightarrow ((ap (ap c_2Earithmetic_2EMOD V1k) V0n) = V1k)))) \quad (12)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \Rightarrow (\forall V1j \in ty_2Enum_2Enum.(\forall V2k \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2EMOD V1j) V0n)) (ap (ap c_2Earithmetic_2EMOD V2k) V0n))) V0n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B V1j) V2k)) V0n)))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V1n)) \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C (ap (ap c_2Earithmetic_2EMOD V0m) V1n)) V1n)))) \quad (14)$$

Assume the following.

$$(\forall V0x \in ty_2Enum_2Enum.(\forall V1y \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V1y)) \Rightarrow (((ap (ap c_2Earithmetic_2EMOD V0x) V1y) = V0x) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0x) V1y)))))) \quad (15)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1a \in ty_2Enum_2Enum.(\forall V2b \in ty_2Enum_2Enum.(\forall V3p \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \Rightarrow (((ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B V1a) V3p) V0n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B V2b) V3p) V0n)) \Leftrightarrow ((ap (ap c_2Earithmetic_2EMOD V1a) V0n) = (ap (ap c_2Earithmetic_2EMOD V2b) V0n)))))) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF \\ & V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ & V5y_27))))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). ((ap\ (ap\ (c_2Eiterate_2Enum \\ & A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a))\ V0f) = c_2Enum_2E0)) \wedge (\\ & \forall V1x \in A_27b. (\forall V2f \in (ty_2Enum_2Enum^{A_27b}). (\forall V3s \in \\ & (2^{A_27b}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V3s)) \Rightarrow ((ap \\ & (ap\ (c_2Eiterate_2Enum\ A_27b)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A_27b)\ V1x)\ V3s))\ V2f) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum) \\ & (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V1x)\ V3s))\ (ap\ (ap\ (c_2Eiterate_2Enum \\ & A_27b)\ V3s)\ V2f))\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ V2f\ V1x))\ (ap \\ & (ap\ (c_2Eiterate_2Enum\ A_27b)\ V3s)\ V2f))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}). ((\\ & (p\ (ap\ V0P\ (c_2Epred_set_2EEMPTY\ A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\ & (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow \\ & (\forall V2e \in A_27a. ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2e)\ V1s))) \Rightarrow \\ & (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2e)\ V1s)))))) \Rightarrow \\ & (\forall V3s \in (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a) \\ & V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \end{aligned} \quad (33)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_{27a}}). \\ (\forall V1n \in ty_2Enum_2Enum. (\forall V2s \in (2^{A_{27a}}). (((p (ap \\ (c_2Epred_set_2EFINITE A_{27a}) V2s)) \wedge (\neg(V1n = c_2Enum_2E0))) \Rightarrow \\ ((ap (ap c_2Earithmetic_2EMOD (ap (ap (c_2Eiterate_2Ensum A_{27a}) \\ V2s) V0f)) V1n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap (c_2Eiterate_2Ensum \\ A_{27a}) V2s) (\lambda V3i \in A_{27a}. (ap (ap c_2Earithmetic_2EMOD (ap V0f \\ V3i)) V1n)))) V1n)))))) \end{aligned}$$