

# thm\_2Eiterate\_2ENSUM\_\_CLAUSES\_\_NUMSEG (TMHmyCPZTa62UxJ3XBvviHZKzr1Hrecy5nz)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (ap c\_2Enum\_2EREP\_num (ap c\_2Enum\_2ESUC\_REP m)))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 14** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (5)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (6)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (7)$$

**Definition 16** We define  $c\_2Eiterate\_2E\_2E\_2E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 17** We define  $c\_2Eiterate\_2Eneutral$  to be  $\lambda A\_27a : \iota. \lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}). (ap\ (c\_2Emin$

**Definition 18** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x))$

**Definition 19** We define  $c\_2Eiterate\_2Esupport$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}). \lambda V$

**Definition 20** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2$

**Definition 21** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF).$

**Definition 22** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)$

**Definition 23** We define  $c\_2Eiterate\_2EITSET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in ((A\_27a^{A\_27a})^{A\_27b}). \lambda V$

**Definition 24** We define  $c\_2Eiterate\_2Eiterate$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}). \lambda V$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 25** We define  $c\_2Eiterate\_2Eenum$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eiterate\_2Eiterate A\_27a ty\_2Enum.$

Let  $c\_2Enum\_2EZZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZZERO\_REP \in \omega \tag{9}$$

**Definition 26** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZZERO\_REP).$

**Definition 27** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota.\lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}).(ap (ap c\_2$

Assume the following.

$$True \tag{10}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\ & (\forall V1op \in ((A\_27a^{A\_27a})^{A\_27a}).((p (ap (c\_2Eiterate\_2Emonoidal \\ & A\_27a) V1op)) \Rightarrow ((\forall V2m \in ty\_2Enum\_2Enum.((ap (ap (ap (c\_2Eiterate\_2Eiterate \\ & ty\_2Enum\_2Enum A\_27a) V1op) (ap (ap c\_2Eiterate\_2E\_2E V2m) \\ & c\_2Enum\_2E0)) V0f) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) (ap (ap \\ & (c\_2Emin\_2E\_3D ty\_2Enum\_2Enum) V2m) c\_2Enum\_2E0)) (ap V0f c\_2Enum\_2E0)) \\ & (ap (c\_2Eiterate\_2Eneutral A\_27a) V1op)))) \wedge (\forall V3m \in ty\_2Enum\_2Enum. \\ & (\forall V4n \in ty\_2Enum\_2Enum.((ap (ap (ap (c\_2Eiterate\_2Eiterate \\ & ty\_2Enum\_2Enum A\_27a) V1op) (ap (ap c\_2Eiterate\_2E\_2E V3m) \\ & (ap c\_2Enum\_2ESUC V4n))) V0f) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & (ap (ap c\_2Earithmetic\_2E\_3C\_3D V3m) (ap c\_2Enum\_2ESUC V4n))) \\ & (ap (ap V1op (ap (ap (ap (c\_2Eiterate\_2Eiterate ty\_2Enum\_2Enum \\ & A\_27a) V1op) (ap (ap c\_2Eiterate\_2E\_2E V3m) V4n)) V0f)) (ap V0f \\ & (ap c\_2Enum\_2ESUC V4n)))) (ap (ap (ap (c\_2Eiterate\_2Eiterate ty\_2Enum\_2Enum \\ & A\_27a) V1op) (ap (ap c\_2Eiterate\_2E\_2E V3m) V4n)) V0f)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned} & ((ap (c\_2Eiterate\_2Eneutral ty\_2Enum\_2Enum) c\_2Earithmetic\_2E\_2B) = \\ & c\_2Enum\_2E0) \end{aligned} \tag{13}$$

Assume the following.

$$(p (ap (c\_2Eiterate\_2Emonoidal ty\_2Enum\_2Enum) c\_2Earithmetic\_2E\_2B)) \tag{14}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).((\forall V1m \in \\ & ty\_2Enum\_2Enum.((ap (ap (c\_2Eiterate\_2Ensum ty\_2Enum\_2Enum) \\ & (ap (ap c\_2Eiterate\_2E\_2E\_2E V1m) c\_2Enum\_2E0)) V0f) = (ap (ap ( \\ & ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap (c\_2Emin\_2E\_3D ty\_2Enum\_2Enum) \\ & V1m) c\_2Enum\_2E0)) (ap V0f c\_2Enum\_2E0)) c\_2Enum\_2E0))) \wedge (\forall V2m \in \\ & ty\_2Enum\_2Enum.(\forall V3n \in ty\_2Enum\_2Enum.((ap (ap (c\_2Eiterate\_2Ensum \\ & ty\_2Enum\_2Enum) (ap (ap c\_2Eiterate\_2E\_2E\_2E V2m) (ap c\_2Enum\_2ESUC \\ & V3n))) V0f) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap ( \\ & ap c\_2Earithmetic\_2E\_3C\_3D V2m) (ap c\_2Enum\_2ESUC V3n))) (ap ( \\ & ap c\_2Earithmetic\_2E\_2B (ap (ap (c\_2Eiterate\_2Ensum ty\_2Enum\_2Enum) \\ & (ap (ap c\_2Eiterate\_2E\_2E\_2E V2m) V3n)) V0f)) (ap V0f (ap c\_2Enum\_2ESUC \\ & V3n)))) (ap (ap (c\_2Eiterate\_2Ensum ty\_2Enum\_2Enum) (ap (ap c\_2Eiterate\_2E\_2E\_2E \\ & V2m) V3n)) V0f)))))) \end{aligned}$$