



**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}})$$
(3)

**Definition 13** We define  $c\_2Eiterate\_2Esupport$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}). \lambda V$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2E$

**Definition 16** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2E2F).$

**Definition 17** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21 2)$

**Definition 18** We define  $c\_2Eiterate\_2EITSET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in ((A\_27a^{A\_27a})^{A\_27b}). \lambda V$

**Definition 19** We define  $c\_2Eiterate\_2Eiterate$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0op \in ((A\_27b^{A\_27b})^{A\_27b}). \lambda V$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum$$
(4)

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})$$
(5)

**Definition 20** We define  $c\_2Eiterate\_2Eenum$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eiterate\_2Eiterate A\_27a ty\_2Enum\_2Enum)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega$$
(6)

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega})$$
(7)

**Definition 21** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP).$

**Definition 22** We define  $c\_2Eiterate\_2Emonoidal$  to be  $\lambda A\_27a : \iota. \lambda V0op \in ((A\_27a^{A\_27a})^{A\_27a}). (ap (ap c\_2E$

Assume the following.

$$True$$
(8)

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t) \Leftrightarrow (p V0t))))$$
(9)

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( & \\ \forall V0op \in ((A\_27a^{A\_27a})^{A\_27a}). ((p\ (ap\ (c\_2Eiterate\_2Emonoidal & \\ A\_27a)\ V0op)) \Rightarrow (\forall V1f \in (A\_27a^{A\_27b}). (\forall V2a \in A\_27b. & \\ (\forall V3s \in (2^{A\_27b}). ((ap\ (ap\ (ap\ (c\_2Eiterate\_2Eiterate\ A\_27b & \\ A\_27a)\ V0op)\ V3s)\ (\lambda V4x \in A\_27b. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND & \\ A\_27a)\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ A\_27b)\ V4x)\ V2a))\ (ap\ V1f\ V4x))\ (ap & \\ (c\_2Eiterate\_2Eneutral\ A\_27a)\ V0op)))))) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND & \\ A\_27a)\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V2a)\ V3s))\ (ap\ V1f\ V2a))\ (ap & \\ (c\_2Eiterate\_2Eneutral\ A\_27a)\ V0op)))))) \quad (13) \end{aligned}$$

Assume the following.

$$((ap\ (c\_2Eiterate\_2Eneutral\ ty\_2Enum\_2Enum)\ c\_2Earithmetic\_2E\_2B) = c\_2Enum\_2E0) \quad (14)$$

Assume the following.

$$(p\ (ap\ (c\_2Eiterate\_2Emonoidal\ ty\_2Enum\_2Enum)\ c\_2Earithmetic\_2E\_2B)) \quad (15)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0b \in ty\_2Enum\_2Enum. ( & \\ \forall V1s \in (2^{A\_27a}). (\forall V2a \in A\_27a. ((ap\ (ap\ (c\_2Eiterate\_2Eenum & \\ A\_27a)\ V1s)\ (\lambda V3x \in A\_27a. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ ty\_2Enum\_2Enum) & \\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ A\_27a)\ V3x)\ V2a))\ V0b)\ c\_2Enum\_2E0))) = ( & \\ ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ ty\_2Enum\_2Enum)\ (ap\ (ap\ (c\_2Ebool\_2EIN & \\ A\_27a)\ V2a)\ V1s))\ V0b)\ c\_2Enum\_2E0)))))) \end{aligned}$$