

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 12 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E21\ 2) (ap V0s))$.

Definition 13 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A.\lambda y.p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E40\ A_27a\ P))))$.

Definition 15 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 16 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$.

Definition 17 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a}))\ A_27a))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{4}$$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{5}$$

Definition 18 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Emin_2E40\ A_27a\ op))$.

Definition 19 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2EF)))$.

Definition 20 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27a}).\lambda V0f \in (A_27b)$.

Definition 21 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E40\ A_27a\ t2))))))$.

Definition 22 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V0g \in (A_27b)$.

Definition 23 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27a}).\lambda V0f \in (A_27b)$.

Definition 24 We define $c_2Eiterate_2Eenum$ to be $\lambda A_27a : \iota.(ap (c_2Eiterate_2Eiterate\ A_27a\ ty_2Enum_2Enum))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{7}$$

Definition 25 We define c_2Enum_2E0 to be $(ap (c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP))$.

Definition 26 We define $c_2\text{Epred_set_2ESUBSET}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap$

Assume the following.

$$True \tag{8}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{10}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{11}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t) \Leftrightarrow (p V0t)))) \tag{12}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{18}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.(((\exists V2x \in A.27a.(p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A.27a.((p (ap V0P V3x)) \vee (p V1Q))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \vee (\exists V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p V0P) \vee (p (ap V1Q V3x))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0P \in ((2^{A_27b})^{A_27a}).((\forall V1x \in A_27a.(\exists V2y \in \\ A_27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A_27b^{A_27a}).(\\ \forall V4x \in A_27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((ap\ (c_2Ecombin_2EI \\ A_27a)\ V0x) = V0x)) \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). \\ (\forall V1g \in (ty_2Enum_2Enum^{A_27a}).(\forall V2s \in (2^{A_27a}). \\ ((\forall V3x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V2s)) \Rightarrow \\ ((ap\ V0f\ V3x) = (ap\ V1g\ V3x)))) \Rightarrow ((ap\ (ap\ (c_2Eiterate_2Enum\ A_27a) \\ V2s)\ V0f) = (ap\ (ap\ (c_2Eiterate_2Enum\ A_27a)\ V2s)\ V1g)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). \\ (\forall V1u \in (2^{A_27a}).(\forall V2v \in (2^{A_27a}).(((p\ (ap\ (ap\ (\\ c_2Epred_set_2ESUBSET\ A_27a)\ V1u)\ V2v)) \wedge (\forall V3x \in A_27a. \\ (((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V2v)) \wedge (\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V3x)\ V1u)))) \Rightarrow ((ap\ V0f\ V3x) = c_2Enum_2E0)))) \Rightarrow ((ap\ (ap\ (c_2Eiterate_2Enum \\ A_27a)\ V2v)\ V0f) = (ap\ (ap\ (c_2Eiterate_2Enum\ A_27a)\ V1u)\ V0f)))))) \end{aligned} \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg(\\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{42}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0g \in (ty_2Enum_2Enum^{A_27a}). \\
& (\forall V1f \in (ty_2Enum_2Enum^{A_27a}). (\forall V2s \in (2^{A_27a}). \\
& (\forall V3t \in (2^{A_27a}). (((p \ (ap \ (c_2Epred_set_2EFINITE \ A_27a) \\
& V3t)) \wedge ((p \ (ap \ (ap \ (c_2Epred_set_2ESUBSET \ A_27a) \ V3t) \ V2s)) \wedge (\\
& (\forall V4x \in A_27a. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V4x) \ V3t)) \Rightarrow \\
& ((ap \ V1f \ V4x) = (ap \ V0g \ V4x)))) \wedge (\forall V5x \in A_27a. (((p \ (ap \ (ap \ (\\
& c_2Ebool_2EIN \ A_27a) \ V5x) \ V2s)) \wedge (\neg(p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \\
& V5x) \ V3t)))) \Rightarrow ((ap \ V1f \ V5x) = c_2Enum_2E0)))))) \Rightarrow ((ap \ (ap \ (c_2Eiterate_2Ensum \\
& A_27a) \ V2s) \ V1f) = (ap \ (ap \ (c_2Eiterate_2Ensum \ A_27a) \ V3t) \ V0g))))))
\end{aligned}$$